

# Porcelainingres. Smart Book.



2024

# Index

## 1 Identity.

|                                 |         |
|---------------------------------|---------|
| Who we are                      | 6 - 9   |
| What we do                      | 10 - 13 |
| Sustainability                  | 14 - 19 |
| Wind Turbine   Upcoming project | 20 - 21 |

## 2 Products.

|                            |           |
|----------------------------|-----------|
| New Collections            | 24 - 53   |
| Core Collections           | 62 - 187  |
| Overview   All Collections | 188 - 189 |

## 3 Features.

|                              |           |
|------------------------------|-----------|
| GRIP+   More skid resistance | 192 - 193 |
| CLEAN+   Easy to clean       | 194 - 195 |
| LOOK+   Full Body            | 196 - 197 |
| Edge finishes                | 198 - 199 |

## 4 Insights.

|                                      |           |
|--------------------------------------|-----------|
| Certifications                       | 202 - 203 |
| Technical product features           | 204 - 211 |
| Cleaning and maintenance             | 212 - 215 |
| Packaging details   Great Collection | 216 - 225 |

## 5 Finder.

|                                |           |
|--------------------------------|-----------|
| Search by: 6 mm formats        | 228 - 229 |
| Search by: 8 mm formats        | 230 - 231 |
| Search by: 20 mm formats       | 232 - 233 |
| Search by: Special formats     | 234 - 237 |
| Search by: Skid Resistance "R" | 238 - 239 |

# 1

## Identity.

**Porcelain stoneware surfaces — where Italian design meets German quality.**

|                                 |         |
|---------------------------------|---------|
| Who we are                      | 6 - 9   |
| What we do                      | 10 - 13 |
| Sustainability                  | 14 - 19 |
| Wind Turbine   Upcoming project | 20 - 21 |

# Porcelaingres. Timeless.



# Who we are

**Since 2003, we produce high-quality, innovative, and eco-sustainable ceramic surfaces, that combine the excellence of Italian design with the highest production quality Made in Germany.**

Our two production plants, one in Castellarano (Italy), and the other in Vetschau (Germany), use the best raw materials and technologies.

We are part of Iris Ceramica Group, a large Italian group with a history of over 60 years, a world leader in the design, production and distribution of high-quality slabs.



**84.000 m<sup>2</sup>**  
**Production Area**

Porcelaingres production site in Vetschau (Germany).


# What we do

**From the beginning, we have specialized in the production of porcelain slabs in standard sizes and special formats: our product range includes a wide variety of colors, finishes, effects, as well as formats and thicknesses.**

Our philosophy is to embrace change as an opportunity to challenge, develop and optimize our standards.

Our goals to discover the full potential of our brand and provide an enhanced experience for our customers has driven us to create a range of premium products and services.

At every step of the purchasing journey and beyond, we provide a comprehensive package that encompasses top-tier products, exclusive consulting services, personalized solutions, and expert support.





**4.5 milion m<sup>2</sup>  
Production Capacity**

Ceramic rollers on which our porcelain slabs run through the kilns at our production site in Vetschau (Germany).




# Sustainability

**We are committed to ensuring that the production of porcelain slabs respects sustainable and responsible models through:**

- **Low Ecological Footprint Materials:** We source our raw materials from suppliers who share our commitment to sustainability and high quality. We use only natural materials or materials derived from industrial waste and we recycle our waste directly at the place of production.
- **Energy and Water Savings:** We invest in cutting-edge technologies that reduce energy and water consumption. Our production processes are designed to minimize waste and optimize efficiency. The water required for production is sourced from an artificial reservoir at our facility, where rainwater is collected, filtered, and reused. We do not use water from aqueducts or underground wells.
- **Carbon Emission Reduction:** We are committed to reducing the amount of greenhouse gases emitted into the atmosphere by our operations. We introduce renewable energy sources, improve transport logistics, and minimize waste. Recycling the hot air from the kilns to generate energy allows us to reduce CO<sub>2</sub> emissions at all our facilities by as much as 4,000 tons per year.
- **ISO 50001 Certificates obtained since 2013.**





**2.4 Megawatt of  
peak electricity  
from solar energy.**

Thanks to the 800-square-meter photovoltaic system, the plant generates around 2.4 megawatts of peak electricity from solar energy.



**Water Sourcing  
for Production.**

The water we need for our production comes from a pond located at our production site, where rainwater is collected, filtered and (re)used.



### **Recycling of production waste:**

- **7.150 tons of powder and unburnt slabs.**
- **10.500 tons of burnt production waste.**

The impact of sourcing raw materials is mitigated through the recycling of production waste.

# Wind Turbine Upcoming project

**We are excited to announce a project to build a wind turbine as a commitment to new sustainability standards.**

This project represents a significant progress in our mission to reduce environmental impact and promote sustainable practices in all our operations.

The wind turbine will be designed to generate clean and renewable energy. The wind generator serves as an innovative response to powering our production activities.

We hope that the wind turbine will become a model for the adoption of alternative energy sources and the demonstration of concrete choices that industrial entities can make to address green challenges.

We think that our project will be able to inspire other companies to follow this example and contribute to the wider effort to achieve new standards of sustainability.

We believe this decision represents a significant step, and we look forward to sharing more information about this exciting project in the coming months.



# 2

## Products.

**Since 2003, we have specialized in the production of porcelain slabs: our product range includes a wide variety of colours, finishes, effects, as well as formats and thicknesses.**

|                            |           |
|----------------------------|-----------|
| New Collections            | 24 - 53   |
| Core Collections           | 62 - 187  |
| Overview   All collections | 188 - 189 |



# New Collections

A fusion of modern design and elegance.

Discover our new range where style knows no limits, inspiring creativity and setting a new standard for your projects.

## Stone

|              |         |
|--------------|---------|
| Dune         | 26 - 35 |
| Solid Stone  | 36 - 43 |
| Native Stone | 44 - 53 |

## Concrete

|   |         |
|---|---------|
| Cosmo                                   | 54 - 61 |
| Urban (available in 4 new colors)       | 64 - 73 |
| Urban Great (available in 2 new colors) | 74 - 81 |

## Marble

|                                      |           |
|--------------------------------------|-----------|
| Great One (available in new formats) | 154 - 163 |
|--------------------------------------|-----------|

# Dune



Collection: Dune | Color: Amber



Collection: Dune | Colors: Nebula, Seashell – Wave Decor



## Dune | Summary



Collection: Dune | Color: Lime – Wave Decor


## Colors



Lime



Taupe\*



Pearl\*




Amber\*



Nebula



Shadow\*



Seashell



Wave Decor  
All colors

## Technical features

### Natural | R10 A+B | $\pm 6$ mm



- 150×75
- 100×100
- 75×75

### Natural | R10 A+B | $\pm 8$ mm



- 120×60 + Wave Decor
- 60×60
- 60×30 + Wave Decor

### Natural | R11 A+B+C | $\pm 8$ mm

- 60×60

### Structured | R11 A+B+C | $\pm 20$ mm\*



- 120×60
- 100×100
- 60×60

### Specials

- Mosaic
- Bullnose
- Step



40% Raw material from recycling process  
products assessed and found to comply  
with the LEED and BREEAM regulations.



[click here for](#)




























Visit the collection webpage  
in other languages.



# Dune

Product details























Technical product features at page 210 - 211

|                        |                 |                  |                 |  |                  |                 |  |                 |                  |                 |              |                 |  | <b>Slabs<br/>Variability<br/>Index</b>   |
|------------------------|--|---|--|--|---|--|--|--|---|--|--------------|--|---|--|
| <b>Format (cm)</b>     | 150 × 75   | 120 × 60  | 120 × 60   | 120 × 60   | 100 × 100   | 100 × 100  |  | 75 × 75  | 60 × 60   | 60 × 60  |              | 60 × 30  | 60 × 30   |  |
| <b>Thickness (mm)</b>  | ±6 mm  | ±20 mm  | ±8 mm  | ±8 mm  | ±20 mm  | ±6 mm  |  | ±6 mm  | ±20 mm  | ±8 mm  |              | ±8 mm  | ±8 mm   |  |
| <b>Finishing</b>       | Natural  | Structured  | Natural  | Natural  | Structured  | Natural  |  | Natural  | Structured  | Natural  | Natural      | Natural  | Natural   | The shade variation index is a rating to determine tile variation between individual pieces of the same color group.       |
| <b>Skid Resistance</b> | R10 A+B  | R11 A+B+C   | R10 A+B  | -  | R11 A+B+C   | R10 A+B  |  | R10 A+B  | R11 A+B+C   | R10 A+B  | R11 A+B+C    | R10 A+B  | -   |  |
| <b>Description</b>     | -  | -   | -  | Wave Decor   | -   | -  |  | -  | -   | -  | -            | -  | Wave Decor  |  |
| <b>Shadow</b>          | X1575441VX6  | X126441X2   | X126441X8  | X1266441X8   | X1010441X2  | X1010441X6   |  | X7575441VX6  | X600441X2   | X600441X8  | X600441R11X8 | X630441X8  | X636441X8   |  <b>V2</b><br>slightly different tone   |
| <b>Amber</b>           | X1575442VX6  | X126442X2   | X126442X8  | X1266442X8   | X1010442X2  | X1010442X6   |  | X7575442VX6  | X600442X2   | X600442X8  | X600442R11X8 | X630442X8  | X636442X8   |  <b>V2</b><br>slightly different tone   |
| <b>Taupe</b>           | X1575443VX6  | X126443X2   | X126443X8  | X1266443X8   | X1010443X2  | X1010443X6   |  | X7575443VX6  | X600443X2   | X600443X8  | X600443R11X8 | X630443X8  | X636443X8   |  <b>V2</b><br>slightly different tone   |
| <b>Seashell</b>        | X1575440VX6  |   | X126440X8  | X1266440X8   |   | X1010440X6   |  | X7575440VX6  |   | X600440X8  | X600440R11X8 | X630440X8  | X636440X8   |  <b>V2</b><br>slightly different tone   |
| <b>Nebula</b>          | X1575444VX6  |   | X126444X8  | X1266444X8   |   | X1010444X6   |  | X7575444VX6  |   | X600444X8  | X600444R11X8 | X630444X8  | X636444X8   |  <b>V2</b><br>slightly different tone |
| <b>Pearl</b>           | X1575445VX6  | X126445X2   | X126445X8  | X1266445X8   | X1010445X2  | X1010445X6   |  | X7575445VX6  | X600445X2   | X600445X8  | X600445R11X8 | X630445X8  | X636445X8   |  <b>V2</b><br>slightly different tone |
| <b>Lime</b>            | X1575446VX6  |   | X126446X8  | X1266446X8   |   | X1010446X6   |  | X7575446VX6  |   | X600446X8  | X600446R11X8 | X630446X8  | X636446X8   |  <b>V2</b><br>slightly different tone |
| <b>Features</b>        |  <b>GRIP+</b> |  <b>CLEAN+</b> |  <b>GRIP+</b> |  |  <b>CLEAN+</b> |  <b>GRIP+</b> |  |  <b>GRIP+</b> |  <b>CLEAN+</b> |  <b>GRIP+</b> |              |  <b>GRIP+</b> |   |  |
|                        |  |   |  |  |   |  |  |  |   |  |              |  |   | <b>Note</b>  |
| <b>pieces - box</b>    | 2  | 1   | 2  | 2  | 1   | 2  |  | 3  | 2   | 4  |              | 8  |   |  |
| <b>boxes - pallet</b>  | 30   | 32  | 36   | 36   | 24  | 26   |  | 40   | 30  | 32   |              | 40   |   |  |
| <b>sqm - box</b>       | 2,25   | 0,72  | 1,44   | 1,44   | 1   | 2  |  | 1,688  | 0,72  | 1,44   |              | 1,44   |   |  |
| <b>sqm - pallet</b>    | 67,5   | 23,04   | 51,84  | 51,84  | 24  | 52   |  | 67,52  | 21,6  | 46,08  |              | 57,6   |   |  |
| <b>kg - sqm</b>        | 13,7067  | 45,0226   | 17,79  | 17,79  | 45,50   | 14,06  |  | 13,7915  | 45,2407   | 17,41  |              | 17,33  |   |  |
| <b>kg - box</b>        | 30,84  | 32,416  | 25,618   | 25,618   | 45,50   | 28,12  |  | 23,273   | 32,573  | 25,07  |              | 24,955   |   |  |

# Dune

Product details

Technical product features at page 210 - 211

|                        |                 |  |  |  |                 |  |                 |                 |                 |                 |  | <b>Slabs Variability Index</b>   |
|------------------------|--|---|---|--|--|--|--|--|--|--|--|--|
| <b>Format (cm)</b>     | 30 × 30  | 100 × 6,5   | 75 × 6,5  | 60 × 7   | 150 × 37,5   |  | 120 × 30   | 100 × 30   | 75 × 37,5  | 60 × 30  |  |  |
| <b>Thickness (mm)</b>  | ±8 mm  | ±6 mm   | ±6 mm   | ±8 mm  | ±6 mm  |  | ±8 mm  | ±6 mm  | ±6 mm  | ±8 mm  |  |  |
| <b>Finishing</b>       | Natural  | Natural   | Natural   | Natural  | Natural  |  | Natural  | Natural  | Natural  | Natural  |  | The shade variation index is a rating to determine tile variation between individual pieces of the same color group.       |
| <b>Skid Resistance</b> | R10 A+B  | -   | -   | -  | R10 A+B  |  | R10 A+B  | R10 A+B  | R10 A+B  | R10 A+B  |  |  |
| <b>Description</b>     | Mosaic 4,7 × 4,7   | Bullnose  | Bullnose  | Bullnose   | Step with grooves  |  | Step with grooves  | Step with grooves  | Step with grooves  | Step with grooves  |  |  |
| <b>Shadow</b>          | X370441X8  | X1065441X6  | X765441VX6  | X670441X8  | X3715441VX6  |  | X3213441X8   | X3100441X6   | X3775441VX6  | X360441X8  |  |  <b>V2</b><br>slightly different tone   |
| <b>Amber</b>           | X370442X8  | X1065442X6  | X765442VX6  | X670442X8  | X3715442VX6  |  | X3213442X8   | X3100442X6   | X3775442VX6  | X360442X8  |  |  <b>V2</b><br>slightly different tone   |
| <b>Taupe</b>           | X370443X8  | X1065443X6  | X765443VX6  | X670443X8  | X3715443VX6  |  | X3213443X8   | X3100443X6   | X3775443VX6  | X360443X8  |  |  <b>V2</b><br>slightly different tone   |
| <b>Seashell</b>        | X370440X8  | X1065440X6  | X765440VX6  | X670440X8  | X3715440VX6  |  | X3213440X8   | X3100440X6   | X3775440VX6  | X360440X8  |  |  <b>V2</b><br>slightly different tone  |
| <b>Nebula</b>          | X370444X8  | X1065444X6  | X765444VX6  | X670444X8  | X3715444VX6  |  | X3213444X8   | X3100444X6   | X3775444VX6  | X360444X8  |  |  <b>V2</b><br>slightly different tone |
| <b>Pearl</b>           | X370445X8  | X1065445X6  | X765445VX6  | X670445X8  | X3715445VX6  |  | X3213445X8   | X3100445X6   | X3775445VX6  | X360445X8  |  |  <b>V2</b><br>slightly different tone |
| <b>Lime</b>            | X370446X8  | X1065446X6  | X765446VX6  | X670446X8  | X3715446VX6  |  | X3213446X8   | X3100446X6   | X3775446VX6  | X360446X8  |  |  <b>V2</b><br>slightly different tone |
| <b>Features</b>        |  <b>GRIP+</b> |   |   |  |  <b>GRIP+</b> |  |  <b>GRIP+</b> |  <b>GRIP+</b> |  <b>GRIP+</b> |  <b>GRIP+</b> |  |  |
|                        |  |   |   |  |  |  |  |  |  |  |  | <b>Note</b>  |
| <b>pieces - box</b>    | 11   | 12  | 15  | 10   | 2  |  | 4  | 5  | 3  | 6  |  | *Production upon request   |
| <b>boxes - pallet</b>  | -  | -   | -   | -  | -  |  | -  | -  | -  | -  |  |  |
| <b>sqm - box</b>       | 0,99   | 0,78  | 0,731   | 0,42   | 1,125  |  | 1,44   | 1,5  | 0,844  | 1,08   |  |  |
| <b>sqm - pallet</b>    | -  | -   | -   | -  | -  |  | -  | -  | -  | -  |  |  |
| <b>kg - sqm</b>        | 1,57   | 0,92  | 0,69  | 0,78   | 7,91   |  | 6,4  | 4,2  | 3,96   | 3,12   |  |  |
| <b>kg - box</b>        | 17,27  | 11,04   | 10,35   | 7,8  | 15,82  |  | 25,6   | 21   | 11,88  | 18,72  |  |  |

# Solid Stone



Collection: Solid Stone | Color: Solid Stone Beige

## Solid Stone | Summary




Collection: Solid Stone | Color: Solid Stone Beige

## Colors




Solid Stone Beige



Solid Stone Grey



Solid Stone Brown



Solid Stone Anthracite

## Technical features

**Natural | R10 A+B |  $\leq 6$  mm**



- 100×100

**Natural | R10 A+B |  $\leq 8$  mm**



- 120×60
- 60×60
- 60×30

**Structured | R11 A+B+C |  $\leq 20$  mm**



- 120×60
- 100×100
- 60×60

### Specials

- Mosaic
- Bullnose
- Step



40% Raw material from recycling process products assessed and found to comply with the LEED and BREEAM regulations.





















[click here for](#)

Visit the collection webpage in other languages.

# Solid Stone

## Product details















Technical product features at page 208 - 209

|                               |                  |                 |                   |                 |  |                  |                 |                 |  | <b>Slabs<br/>Variability<br/>Index</b>   |
|-------------------------------|---|--|--|--|--|---|--|--|--|--|
| <b>Format (cm)</b>            | 120 × 60  | 120 × 60   | 100 × 100  | 100 × 100  |  | 60 × 60   | 60 × 60  | 60 × 30  |  |  |
| <b>Thickness (mm)</b>         | ±20 mm  | ±8 mm  | ±20 mm   | ±6 mm  |  | ±20 mm  | ±8 mm  | ±8 mm  |  |  |
| <b>Finishing</b>              | Structured  | Natural  | Structured   | Natural  |  | Structured  | Natural  | Natural  |  | The shade variation index is a rating to determine tile variation between individual pieces of the same color group. |
| <b>Skid Resistance</b>        | R11 A+B+C   | R10 A+B  | R11 A+B+C  | R10 A+B  |  | R11 A+B+C   | R10 A+B  | R10 A+B  |  |  |
| <b>Description</b>            | -   | -  | -  | -  |  | -   | -  | -  |  |  |
| <b>Solid Stone Beige</b>      | X126460X2   | X126460X8  | X1010460X2   | X1010460X6   |  | X600460X2   | X600460X8  | X630460X8  |  |  <b>V3</b><br>different tone      |
| <b>Solid Stone Grey</b>       | X126461X2   | X126461X8  | X1010461X2   | X1010461X6   |  | X600461X2   | X600461X8  | X630461X8  |  |  <b>V3</b><br>different tone      |
| <b>Solid Stone Brown</b>      | X126462X2   | X126462X8  | X1010462X2   | X1010462X6   |  | X600462X2   | X600462X8  | X630462X8  |  |  <b>V3</b><br>different tone      |
| <b>Solid Stone Anthracite</b> | X126463X2   | X126463X8  | X1010463X2   | X1010463X6   |  | X600463X2   | X600463X8  | X630463X8  |  |  <b>V3</b><br>different tone      |
| <b>Features</b>               |  <b>CLEAN+</b> |  <b>GRIP+</b> |  <b>CLEAN+</b> |  <b>GRIP+</b> |  |  <b>CLEAN+</b> |  <b>GRIP+</b> |  <b>GRIP+</b> |  |  |
|                               |   |  |  |  |  |   |  |  |  | <b>Note</b>  |
| <b>pieces - box</b>           | 1   | 2  | 1  | 2  |  | 2   | 4  | 8  |  |  |
| <b>boxes - pallet</b>         | 32  | 36   | 24   | 26   |  | 30  | 32   | 40   |  |  |
| <b>sqm - box</b>              | 0,72  | 1,44   | 1  | 2  |  | 0,72  | 1,44   | 1,44   |  |  |
| <b>sqm - pallet</b>           | 23,04   | 51,84  | 24   | 52   |  | 21,6  | 46,08  | 57,6   |  |  |
| <b>kg - sqm</b>               | 45,0226   | 17,79  | 45,50  | 14,06  |  | 45,2407   | 17,41  | 17,33  |  |  |
| <b>kg - box</b>               | 32,416  | 25,618   | 45,50  | 28,12  |  | 32,573  | 25,07  | 24,955   |  |  |


# Solid Stone

## Product details

Technical product features at page 208 - 209

|                               |                 |  |  |                 |                 |                 |  |  |  | <b>Slabs<br/>Variability<br/>Index</b>   |
|-------------------------------|--|---|---|--|--|--|--|--|--|--|
| <b>Format (cm)</b>            | 30 × 30  | 100 × 6,5   | 60 × 7  | 120 × 30   | 100 × 30   | 60 × 30  |  |  |  |  |
| <b>Thickness (mm)</b>         | ±8 mm  | ±6 mm   | ±8 mm   | ±8 mm  | ±6 mm  | ±8 mm  |  |  |  |  |
| <b>Finishing</b>              | Natural  | Natural   | Natural   | Natural  | Natural  | Natural  |  |  |  | The shade variation index is a rating to determine tile variation between individual pieces of the same color group. |
| <b>Skid Resistance</b>        | R10 A+B  | -   | -   | R10 A+B  | R10 A+B  | R10 A+B  |  |  |  |  |
| <b>Description</b>            | Mosaic 4,7 × 4,7   | Bullnose  | Bullnose  | Step with grooves  | Step with grooves  | Step with grooves  |  |  |  |  |
| <b>Solid Stone Beige</b>      | X370460X8  | X1065460X6  | X670460X8   | X3213460X8   | X3100460X6   | X360460X8  |  |  |  |  <b>V3</b><br>different tone      |
| <b>Solid Stone Grey</b>       | X370461X8  | X1065461X6  | X670461X8   | X3213461X8   | X3100461X6   | X360461X8  |  |  |  |  <b>V3</b><br>different tone      |
| <b>Solid Stone Brown</b>      | X370462X8  | X1065462X6  | X670462X8   | X3213462X8   | X3100462X6   | X360462X8  |  |  |  |  <b>V3</b><br>different tone      |
| <b>Solid Stone Anthracite</b> | X370463X8  | X1065463X6  | X670463X8   | X3213463X8   | X3100463X6   | X360463X8  |  |  |  |  <b>V3</b><br>different tone      |
| <b>Features</b>               |  <b>GRIP+</b> |   |   |  <b>GRIP+</b> |  <b>GRIP+</b> |  <b>GRIP+</b> |  |  |  |  |
|                               |  |   |   |  |  |  |  |  |  | <b>Note</b>  |
| <b>pieces - box</b>           | 11   | 12  | 10  | 4  | 5  | 6  |  |  |  | *Production upon request   |
| <b>boxes - pallet</b>         | -  | -   | -   | -  | -  | -  |  |  |  |  |
| <b>sqm - box</b>              | 0,99   | 0,78  | 0,42  | 1,44   | 1,5  | 1,08   |  |  |  |  |
| <b>sqm - pallet</b>           | -  | -   | -   | -  | -  | -  |  |  |  |  |
| <b>kg - sqm</b>               | 1,57   | 0,92  | 0,78  | 6,4  | 4,2  | 3,12   |  |  |  |  |
| <b>kg - box</b>               | 17,27  | 11,04   | 7,8   | 25,6   | 21   | 18,72  |  |  |  |  |


# Native Stone



Collection: Native Stone | Color: Dusky Greige



Collection: Native Stone | Colors: Mineral Black, Cloudy White





## Native Stone | Summary



Collection: Native Stone | Color: Alver Beige - Fishbone

## Colors



Mineral Black



Dusky Greige\*



Authentic Brown



Alver Beige\*



Mystic Grey\*



Cloudy White



Decor All colors

## Technical features

### Natural | R10 A+B | $\leq 6$ mm



- 150×75
- 100×100
- 75×75

### Natural | R10 A+B | $\leq 8$ mm



- 120×60 + Decor
- 60×60 + Decor
- 60×30
- 60×10 Fishbone

### Natural | R11 A+B+C | $\leq 8$ mm

- 60×60

### Natural | R11 A+B+C | $\leq 20$ mm\*



- 120×60
- 100×100
- 60×60

### Specials

- Mosaic
- Bullnose
- Step



40% Raw material from recycling process products assessed and found to comply with the LEED and BREEAM regulations.































[click here for](#)

Visit the collection webpage in other languages.

# Native Stone

## Product details



























Technical product features at page 210 - 211

|                        |                 |                  |                 |                 |                  |                 |  |                 |                  |                 |              |                 |                 | <b>Slabs Variability Index</b>   |
|------------------------|--|---|--|---|---|--|--|--|---|--|--------------|--|--|--|
| <b>Format (cm)</b>     | 150×75   | 120×60  | 120×60   | 120×60  | 100×100   | 100×100  |  | 75 × 75  | 60 × 60   | 60 × 60  |              | 60 × 60  | 60 × 30  |  |
| <b>Thickness (mm)</b>  | ±6 mm  | ±20 mm  | ±8 mm  | ±8 mm   | ±20 mm  | ±6 mm  |  | ±6 mm  | ±20 mm  | ±8 mm  |              | ±8 mm  | ±8 mm  |  |
| <b>Finishing</b>       | Natural  | Natural   | Natural  | Natural   | Natural   | Natural  |  | Natural  | Natural   | Natural  | Natural      | Natural  | Natural  | The shade variation index is a rating to determine tile variation between individual pieces of the same color group. |
| <b>Skid Resistance</b> | R10 A+B  | R11 A+B+C   | R10 A+B  | R10 A+B   | R11 A+B+C   | R10 A+B  |  | R10 A+B  | R11 A+B+C   | R10 A+B  | R11 A+B+C    | R10 A+B  | R10 A+B  |  |
| <b>Description</b>     | -  | -   | -  | Decor   | -   | -  |  | -  | -   | -  | -            | Decor  | -  |  |
| <b>Cloudy White</b>    | X1575430VX6  |   | X126430X8  | X1266430X8  |   | X1010430X6   |  | X7575430VX6  |   | X600430X8  | X600430R11X8 | X606430X8  | X630430X8  |  <b>V3</b><br>different tone      |
| <b>Mystic Grey</b>     | X1575431VX6  | X126431X2   | X126431X8  | X1266431X8  | X1010431X2  | X1010431X6   |  | X7575431VX6  | X600431X2   | X600431X8  | X600431R11X8 | X606431X8  | X630431X8  |  <b>V3</b><br>different tone      |
| <b>Alver Beige</b>     | X1575432VX6  | X126432X2   | X126432X8  | X1266432X8  | X1010432X2  | X1010432X6   |  | X7575432VX6  | X600432X2   | X600432X8  | X600432R11X8 | X606432X8  | X630432X8  |  <b>V3</b><br>different tone      |
| <b>Dusky Greige</b>    | X1575433VX6  | X126433X2   | X126433X8  | X1266433X8  | X1010433X2  | X1010433X6   |  | X7575433VX6  | X600433X2   | X600433X8  | X600433R11X8 | X606433X8  | X630433X8  |  <b>V3</b><br>different tone      |
| <b>Mineral Black</b>   | X1575434VX6  |   | X126434X8  | X1266434X8  |   | X1010434X6   |  | X7575434VX6  |   | X600434X8  | X600434R11X8 | X606434X8  | X630434X8  |  <b>V3</b><br>different tone    |
| <b>Authentic Brown</b> | X1575435VX6  |   | X126435X8  | X1266435X8  |   | X1010435X6   |  | X7575435VX6  |   | X600435X8  | X600435R11X8 | X606435X8  | X630435X8  |  <b>V3</b><br>different tone    |
| <b>Features</b>        |  <b>GRIP+</b> |  <b>CLEAN+</b> |  <b>GRIP+</b> |  <b>GRIP+</b> |  <b>CLEAN+</b> |  <b>GRIP+</b> |  |  <b>GRIP+</b> |  <b>CLEAN+</b> |  <b>GRIP+</b> |              |  <b>GRIP+</b> |  <b>GRIP+</b> |  |
|                        |  |   |  |   |   |  |  |  |   |  |              |  |  | <b>Note</b>  |
| <b>pieces - box</b>    | 2  | 1   | 2  | 2   | 1   | 2  |  | 3  | 2   | 4  |              | 8  |  |  |
| <b>boxes - pallet</b>  | 30   | 32  | 36   | 36  | 24  | 26   |  | 40   | 30  | 32   |              | 40   |  |  |
| <b>sqm - box</b>       | 2,25   | 0,72  | 1,44   | 1,44  | 1   | 2  |  | 1,688  | 0,72  | 1,44   |              | 1,44   |  |  |
| <b>sqm - pallet</b>    | 67,5   | 23,04   | 51,84  | 51,84   | 24  | 52   |  | 67,52  | 21,6  | 46,08  |              | 57,6   |  |  |
| <b>kg - sqm</b>        | 13,7067  | 45,0226   | 17,79  | 17,79   | 45,50   | 14,06  |  | 13,7915  | 45,2407   | 17,41  |              | 17,33  |  |  |
| <b>kg - box</b>        | 30,84  | 32,416  | 25,618   | 25,618  | 45,50   | 28,12  |  | 23,273   | 32,573  | 25,07  |              | 24,955   |  |  |

# Native Stone

## Product details

Technical product features at page 210 - 211

|                        |                 |  *              |                 |  |  |  |  |  *              |  *              |  *              |  *              |  *              | <b>Slabs Variability Index</b>   |
|------------------------|--|--|--|--|---|---|--|--|--|--|--|--|--|
| <b>Format (cm)</b>     | 60 × 10  | 30 × 30  | 30 × 30  | 100 × 6,5  | 75 × 6,5  | 60 × 7  |  | 150 × 37,5   | 120 × 30   | 100 × 30   | 75 × 37,5  | 60 × 30  | The shade variation index is a rating to determine tile variation between individual pieces of the same color group. |
| <b>Thickness (mm)</b>  | ±8 mm  | ±8 mm  | ±8 mm  | ±6 mm  | ±6 mm   | ±8 mm   |  | ±6 mm  | ±8 mm  | ±6 mm  | ±6 mm  | ±8 mm  |  |
| <b>Finishing</b>       | Natural  | Natural  | Natural  | Natural  | Natural   | Natural   |  | Natural  | Natural  | Natural  | Natural  | Natural  |  |
| <b>Skid Resistance</b> | R10 A+B  | R10 A+B  | R10 A+B  | -  | -   | -   |  | R10 A+B  | R10 A+B  | R10 A+B  | R10 A+B  | R10 A+B  |  |
| <b>Description</b>     | Fishbone   | Mosaic 31 × 31   | Mosaic 4,7 × 4,7   | Bullnose   | Bullnose  | Bullnose  |  | Step with grooves  | Step with grooves  | Step with grooves  | Step with grooves  | Step with grooves  |  |
| <b>Cloudy White</b>    | X160430X8  | X373430X8  | X370430X8  | X1065430X6   | X765430VX6  | X670430X8   |  | X3715430VX6  | X3213430X8   | X3100430X6   | X3775430VX6  | X360430X8  |  <b>V3</b><br>different tone      |
| <b>Mystic Grey</b>     | X160431X8  | X373431X8  | X370431X8  | X1065431X6   | X765431VX6  | X670431X8   |  | X3715431VX6  | X3213431X8   | X3100431X6   | X3775431VX6  | X360431X8  |  <b>V3</b><br>different tone      |
| <b>Alver Beige</b>     | X160432X8  | X373432X8  | X370432X8  | X1065432X6   | X765432VX6  | X670432X8   |  | X3715432VX6  | X3213432X8   | X3100432X6   | X3775432VX6  | X360432X8  |  <b>V3</b><br>different tone      |
| <b>Dusky Greige</b>    | X160433X8  | X373433X8  | X370433X8  | X1065433X6   | X765433VX6  | X670433X8   |  | X3715433VX6  | X3213433X8   | X3100433X6   | X3775433VX6  | X360433X8  |  <b>V3</b><br>different tone      |
| <b>Mineral Black</b>   | X160434X8  | X373434X8  | X370434X8  | X1065434X6   | X765434VX6  | X670434X8   |  | X3715434VX6  | X3213434X8   | X3100434X6   | X3775434VX6  | X360434X8  |  <b>V3</b><br>different tone    |
| <b>Authentic Brown</b> | X160435X8  | X373435X8  | X370435X8  | X1065435X6   | X765435VX6  | X670435X8   |  | X3715435VX6  | X3213435X8   | X3100435X6   | X3775435VX6  | X360435X8  |  <b>V3</b><br>different tone    |
|                        |               |  |  |  |   |   |  |  |  |  |  |  |  |
| <b>Features</b>        |  <b>GRIP+</b> |  <b>GRIP+</b> |  <b>GRIP+</b> |  |   |   |  |  <b>GRIP+</b> |  <b>GRIP+</b> |  <b>GRIP+</b> |  <b>GRIP+</b> |  <b>GRIP+</b> |  |
|                        |  |  |  |  |   |   |  |  |  |  |  |  | <b>Note</b>  |
| <b>pieces - box</b>    | 15   | 11   |  | 12   | 15  | 10  |  | 2  | 4  | 5  | 3  | 6  | *Production upon request   |
| <b>boxes - pallet</b>  | 60   | -  |  | -  | -   | -   |  | -  | -  | -  | -  | -  |  |
| <b>sqm - box</b>       | 0,9  | 0,99   |  | 0,78   | 0,731   | 0,42  |  | 1,125  | 1,44   | 1,5  | 0,844  | 1,08   |  |
| <b>sqm - pallet</b>    | 54   | -  |  | -  | -   | -   |  | -  | -  | -  | -  | -  |  |
| <b>kg - sqm</b>        | 17,33  | 1,57   |  | 0,92   | 0,69  | 0,78  |  | 7,91   | 6,4  | 4,2  | 3,96   | 3,12   |  |
| <b>kg - box</b>        | 15,597   | 17,27  |  | 11,04  | 10,35   | 7,8   |  | 15,82  | 25,6   | 21   | 11,88  | 18,72  |  |



# Cosmo

Collection: Cosmo | Color: Cosmo Anthracite

## Cosmo | Summary



Collection: Cosmo | Color: Cosmo Anthracite


## Colors



Cosmo Beige



Cosmo Grey



Cosmo Brown



Cosmo Anthracite

## Technical features

**Natural | R10 A+B |  $\leq 6$  mm**



- 100×100

**Natural | R10 A+B |  $\leq 8$  mm**



- 120×60
- 60×60
- 60×30

**Structured | R11 A+B+C |  $\leq 20$  mm**



- 120×60
- 100×100
- 60×60

### Specials

- Mosaic
- Bullnose
- Step



40% Raw material from recycling process products assessed and found to comply with the LEED and BREEAM regulations.





















[click here for](#)

Visit the collection webpage in other languages.

# Cosmo

Product details















Technical product features at page 208 - 209

|                         |                  |                 |                   |                 |  |                  |                 |                 |  | <b>Slabs<br/>Variability<br/>Index</b>   |
|-------------------------|---|--|--|--|--|---|--|--|--|--|
| <b>Format (cm)</b>      | 120 × 60  | 120 × 60   | 100 × 100  | 100 × 100  |  | 60 × 60   | 60 × 60  | 60 × 30  |  |  |
| <b>Thickness (mm)</b>   | ±20 mm  | ±8 mm  | ±20 mm   | ±6 mm  |  | ±20 mm  | ±8 mm  | ±8 mm  |  |  |
| <b>Finishing</b>        | Structured  | Natural  | Structured   | Natural  |  | Structured  | Natural  | Natural  |  | The shade variation index is a rating to determine tile variation between individual pieces of the same color group.     |
| <b>Skid Resistance</b>  | R11 A+B+C   | R10 A+B  | R11 A+B+C  | R10 A+B  |  | R11 A+B+C   | R10 A+B  | R10 A+B  |  |  |
| <b>Description</b>      | -   | -  | -  | -  |  | -   | -  | -  |  |  |
| <b>Cosmo Beige</b>      | X126450X2   | X126450X8  | X1010450X2   | X1010450X6   |  | X600450X2   | X600450X8  | X630450X8  |  |  <b>V2</b><br>slightly different tone |
| <b>Cosmo Grey</b>       | X126451X2   | X126451X8  | X1010451X2   | X1010451X6   |  | X600451X2   | X600451X8  | X630451X8  |  |  <b>V2</b><br>slightly different tone |
| <b>Cosmo Brown</b>      | X126452X2   | X126452X8  | X1010452X2   | X1010452X6   |  | X600452X2   | X600452X8  | X630452X8  |  |  <b>V2</b><br>slightly different tone |
| <b>Cosmo Anthracite</b> | X126453X2   | X126453X8  | X1010453X2   | X1010453X6   |  | X600453X2   | X600453X8  | X630453X8  |  |  <b>V2</b><br>slightly different tone |
| <b>Features</b>         |  <b>CLEAN+</b> |  <b>GRIP+</b> |  <b>CLEAN+</b> |  <b>GRIP+</b> |  |  <b>CLEAN+</b> |  <b>GRIP+</b> |  <b>GRIP+</b> |  |  |
|                         |   |  |  |  |  |   |  |  |  | <b>Note</b>  |
| <b>pieces - box</b>     | 1   | 2  | 1  | 2  |  | 2   | 4  | 8  |  |  |
| <b>boxes - pallet</b>   | 32  | 36   | 24   | 26   |  | 30  | 32   | 40   |  |  |
| <b>sqm - box</b>        | 0,72  | 1,44   | 1  | 2  |  | 0,72  | 1,44   | 1,44   |  |  |
| <b>sqm - pallet</b>     | 23,04   | 51,84  | 24   | 52   |  | 21,6  | 46,08  | 57,6   |  |  |
| <b>kg - sqm</b>         | 45,0226   | 17,79  | 45,50  | 14,06  |  | 45,2407   | 17,41  | 17,33  |  |  |
| <b>kg - box</b>         | 32,416  | 25,618   | 45,50  | 28,12  |  | 32,573  | 25,07  | 24,955   |  |  |

# Cosmo

## Product details

Technical product features at page 208 - 209

|                         |                 |  |  |                 |                 |                 |  |  |  | <b>Slabs Variability Index</b>  |
|-------------------------|--|---|---|--|--|--|--|--|--|---|
| <b>Format (cm)</b>      | 30 × 30  | 100 × 6,5   | 60 × 7  | 120 × 30   | 100 × 30   | 60 × 30  |  |  |  |   |
| <b>Thickness (mm)</b>   | ±8 mm  | ±6 mm   | ±8 mm   | ±8 mm  | ±6 mm  | ±8 mm  |  |  |  |   |
| <b>Finishing</b>        | Natural  | Natural   | Natural   | Natural  | Natural  | Natural  |  |  |  | The shade variation index is a rating to determine tile variation between individual pieces of the same color group.      |
| <b>Skid Resistance</b>  | R10 A+B  | -   | -   | R10 A+B  | R10 A+B  | R10 A+B  |  |  |  |   |
| <b>Description</b>      | Mosaic 4,7 × 4,7   | Bullnose  | Bullnose  | Step with grooves  | Step with grooves  | Step with grooves  |  |  |  |   |
| <b>Cosmo Beige</b>      | X370450X8  | X1065450X6  | X670450X8   | X3213450X8   | X3100450X6   | X360450X8  |  |  |  |  <b>V2</b><br>slightly different tone  |
| <b>Cosmo Grey</b>       | X370451X8  | X1065451X6  | X670451X8   | X3213451X8   | X3100451X6   | X360451X8  |  |  |  |  <b>V2</b><br>slightly different tone  |
| <b>Cosmo Brown</b>      | X370452X8  | X1065452X6  | X670452X8   | X3213452X8   | X3100452X6   | X360452X8  |  |  |  |  <b>V2</b><br>slightly different tone  |
| <b>Cosmo Anthracite</b> | X370453X8  | X1065453X6  | X670453X8   | X3213453X8   | X3100453X6   | X360453X8  |  |  |  |  <b>V2</b><br>slightly different tone |
| <b>Features</b>         |  <b>GRIP+</b> |   |   |  <b>GRIP+</b> |  <b>GRIP+</b> |  <b>GRIP+</b> |  |  |  |   |
|                         |  |   |   |  |  |  |  |  |  | <b>Note</b>   |
| <b>pieces - box</b>     | 11   | 12  | 10  | 4  | 5  | 6  |  |  |  | *Production upon request  |
| <b>boxes - pallet</b>   | -  | -   | -   | -  | -  | -  |  |  |  |   |
| <b>sqm - box</b>        | 0,99   | 0,78  | 0,42  | 1,44   | 1,5  | 1,08   |  |  |  |   |
| <b>sqm - pallet</b>     | -  | -   | -   | -  | -  | -  |  |  |  |   |
| <b>kg - sqm</b>         | 1,57   | 0,92  | 0,78  | 6,4  | 4,2  | 3,12   |  |  |  |   |
| <b>kg - box</b>         | 17,27  | 11,04   | 7,8   | 25,6   | 21   | 18,72  |  |  |  |   |



**Our Great range:**

- 300×150
- 300×100
- 270×120
- 150×150
- 150×100
- 120×120
- 100×100

# Core Collections

## Versatile, elegant, and functionally

Crafted for easy integration into various architectural and interior projects, embodying timeless sophistication. Our **Great** collections are part of innovative format families crafted to minimize material waste and offer a captivating sense of continuity.

### Concrete

|   |         |
|---|---------|
| Urban (available in 4 new colors)       | 64 - 73 |
| Urban Great (available in 2 new colors) | 74 - 81 |
| Soft Concrete                           | 82 - 91 |
| Stardust                                | 92 - 99 |

### Stone

|                   |           |
|-------------------|-----------|
| Royal Stone       | 100 - 109 |
| Great Royal Stone | 110 - 117 |
| Loft              | 118 - 127 |
| Quartz Stone      | 128 - 135 |
| Silk Stone        | 136 - 143 |

### Color

|              |           |
|--------------|-----------|
| Color Studio | 144 - 153 |
|--------------|-----------|

### Marble

|  |           |
|--|-----------|
| Great Elite - One (available in new formats) | 154 - 163 |
|--|-----------|

### Metal

|         |           |
|---------|-----------|
| Radical | 164 - 171 |
|---------|-----------|

### Wood

|           |           |
|-----------|-----------|
| Pure Wood | 172 - 179 |
| In Wood   | 180 - 187 |




# Urban



Collection: Urban | Color: Urban Brown – Fishbone



Collection: Urban | Colors: Urban Dove – Line Decor, Urban Beige – Weave Decor



# Urban | Summary



Collection: Urban | Color: Urban Beige

## Colors



Urban Anthracite\*



Urban Sand




Urban Dove




Urban Ivory\*



Urban Grey\*



Urban White



NEW ▶ Urban Cream\*




NEW ▶ Urban Beige\*




NEW ▶ Urban Mud\*



NEW ▶ Urban Brown\*



Weave Decor All colors



NEW ▶ Line Decor All colors

## Technical features

### Natural | R10 A | $\pm 6$ mm

- 150×75
- 100×100
- 75×75

### Natural | R10 A+B | $\pm 8$ mm



- 120×60 + Weave / Line Decor
- 60×60 + Weave Decor
- 60×30
- 60×10 Fishbone

### Natural | R11 A+B+C | $\pm 6/8$ mm

- 120×60
- 100×100 ( $\pm 6$  mm)
- 60×60
- 60×30

### Natural | R11 A+B+C | $\pm 20$ mm



- 120×60
- 100×100\*
- 60×60

### Specials

- Mosaic
- Bullnose
- Step



40% Raw material from recycling process products assessed and found to comply with the LEED and BREEAM regulations.

























[click here for](#)

Visit the collection webpage in other languages.

# Urban

## Product details



















Technical product features at page 204 - 205

|                          |  |                  |                 |  |                |                 |   |  |  |  |                  |                 |  | <b>Slabs Variability Index</b>   |  |
|--------------------------|---|---|--|--|---|--|---|---|---|---|---|--|---|--|--|
| <b>Format (cm)</b>       | 150×75  | 120×60  | 120×60   | 120×60   | 120×60  | 100×100  |   | 100×100   | 100×100   | 75×75   | 60×60   | 60×60  | 60×60   |  |  |
| <b>Thickness (mm)</b>    | ±6 mm   | ±20 mm  | ±8 mm  | ±8 mm  | ±8 mm   | ±20 mm   |   | ±6 mm   | ±6 mm   | ±6 mm   | ±20 mm  | ±8 mm  | ±8 mm   |  |  |
| <b>Finishing</b>         | Natural   | Natural   | Natural  | Natural  | Natural   | Natural  |   | Natural   | Natural   | Natural   | Natural   | Natural  | Natural   | Natural  | The shade variation index is a rating to determine tile variation between individual pieces of the same color group. |
| <b>Skid Resistance</b>   | R10 A   | R11 A+B+C   | R10 A+B  | R11 A+B+C  | R10 A+B   | R11 A+B+C  |   | R10 A   | R11 A+B+C   | R10 A   | R11 A+B+C   | R10 A+B  | R11 A+B+C   | R10 A+B  |  |
| <b>Description</b>       | -   | -   | -  | -  | Weave decor   | Line decor   |   | -   | -   | -   | -   | -  | -   | Weave decor  |  |
| <b>Urban Anthracite</b>  | X1575290VX6   | X126290X2   | X126290X8  | X126290R11X8   | X1266290X8  | X1267290X8   | X1010290X2  | X1010290X6  | X1010290R11X6   | X7575290VX6   | X600290X2   | X600290X8  | X600290R11X8  | X606290X8  |  <b>V3</b><br>different tone      |
| <b>Urban Dove</b>        | X1575291VX6   | X126291X2   | X126291X8  | X126291R11X8   | X1266291X8  | X1267291X8   |   | X1010291X6  | X1010291R11X6   | X7575291VX6   | X600291X2   | X600291X8  | X600291R11X8  | X606291X8  |  <b>V3</b><br>different tone      |
| <b>Urban Grey</b>        | X1575292VX6   | X126292X2   | X126292X8  | X126292R11X8   | X1266292X8  | X1267292X8   | X1010292X2  | X1010292X6  | X1010292R11X6   | X7575292VX6   | X600292X2   | X600292X8  | X600292R11X8  | X606292X8  |  <b>V3</b><br>different tone      |
| <b>Urban Ivory</b>       | X1575293VX6   | X126293X2   | X126293X8  | X126293R11X8   | X1266293X8  | X1267293X8   | X1010293X2  | X1010293X6  | X1010293R11X6   | X7575293VX6   | X600293X2   | X600293X8  | X600293R11X8  | X606293X8  |  <b>V3</b><br>different tone      |
| <b>Urban Sand</b>        | X1575294VX6   | X126294X2   | X126294X8  | X126294R11X8   | X1266294X8  | X1267294X8   |   | X1010294X6  | X1010294R11X6   | X7575294VX6   | X600294X2   | X600294X8  | X600294R11X8  | X606294X8  |  <b>V3</b><br>different tone    |
| <b>Urban White</b>       | X1575295VX6   | X126295X2   | X126295X8  | X126295R11X8   | X1266295X8  | X1267295X8   |   | X1010295X6  | X1010295R11X6   | X7575295VX6   | X600295X2   | X600295X8  | X600295R11X8  | X606295X8  |  <b>V3</b><br>different tone    |
| <b>NEW ▶ Urban Cream</b> | X1575299VX6   | X126299X2   | X126299X8  | X126299R11X8   | X1266299X8  | X1267299X8   | X1010299X2  | X1010299X6  | X1010299R11X6   | X7575299VX6   | X600299X2   | X600299X8  | X600299R11X8  | X606299X8  |  <b>V3</b><br>different tone    |
| <b>NEW ▶ Urban Beige</b> | X1575298VX6   | X126298X2   | X126298X8  | X126298R11X8   | X1266298X8  | X1267298X8   | X1010298X2  | X1010298X6  | X1010298R11X6   | X7575298VX6   | X600298X2   | X600298X8  | X600298R11X8  | X606298X8  |  <b>V3</b><br>different tone    |
| <b>NEW ▶ Urban Mud</b>   | X1575297VX6   | X126297X2   | X126297X8  | X126297R11X8   | X1266297X8  | X1267297X8   | X1010297X2  | X1010297X6  | X1010297R11X6   | X7575297VX6   | X600297X2   | X600297X8  | X600297R11X8  | X606297X8  |  <b>V3</b><br>different tone    |
| <b>NEW ▶ Urban Brown</b> | X1575296VX6   | X126296X2   | X126296X8  | X126296R11X8   | X1266296X8  | X1267296X8   | X1010296X2  | X1010296X6  | X1010296R11X6   | X7575296VX6   | X600296X2   | X600296X8  | X600296R11X8  | X606296X8  |  <b>V3</b><br>different tone    |
| <b>Features</b>          |   |  <b>CLEAN+</b> |  <b>GRIP+</b> |  |  <b>GRIP+</b> |  <b>GRIP+</b> |  <b>CLEAN+</b> |   |   |   |  <b>CLEAN+</b> |  <b>GRIP+</b> |   |  <b>GRIP+</b> |  |
|                          |   |   |  |  |   |  |   |   |   |   |   |  |   |  | <b>Note</b>  |
| <b>pieces - box</b>      | 2   | 1   |  |  | 2   |  | 1   |   |   |   | 2   | 2  | 3   | 2  | 4  |
| <b>boxes - pallet</b>    | 30  | 32  |  |  | 36  |  | 24  |   |   |   | 26  | 26   | 40  | 30   | 32   |
| <b>sqm - box</b>         | 2,25  | 0,72  |  |  | 1,44  |  | 1   |   |   |   | 2   | 2  | 1,688   | 0,72   | 1,44   |
| <b>sqm - pallet</b>      | 67,5  | 23,04   |  |  | 51,84   |  | 24  |   |   |   | 52  | 52   | 67,52   | 21,6   | 46,08  |
| <b>kg - sqm</b>          | 13,7067   | 45,0226   |  |  | 17,79   |  | 45,50   |   |   |   | 14,06   | 14,06  | 13,7915   | 45,2407  | 17,41  |
| <b>kg - box</b>          | 30,84   | 32,416  |  |  | 25,618  |  | 45,50   |   |   |   | 28,12   | 28,12  | 23,273  | 32,573   | 25,07  |

# Urban

## Product details

Technical product features at page 204 - 205

| Format (cm)       | 60×30   |              | 60×10   |                | 30×30   |            | 30×30  |          | 100×6,5  |          | 75×6,5   |          | 60×7     |           | * 150×37,5  |                   | * 120×30          |                   | * 100×30          |                   | * 75×37,5   |                   | * 60×30           |  | Slabs Variability Index   |   |   |                          |                          |                          |
|-------------------|---|--------------|---|----------------|---|------------|--|----------|----------|----------|----------|----------|----------|-----------|---|-------------------|-------------------|-------------------|-------------------|-------------------|---|-------------------|-------------------|--|---|---|---|--------------------------|--------------------------|--------------------------|
|                   | Thickness (mm)  | ±8 mm        |   | ±8 mm          |   | ±8 mm      |  | ±8 mm    |          | ±6 mm    |          | ±6 mm    |          | ±8 mm     |   | ±6 mm             |                   | ±6 mm             |                   | ±6 mm             |   | ±8 mm             |                   | The shade variation index is a rating to determine tile variation between individual pieces of the same color group. |   |   |   |                          |                          |                          |
| Finishing         | Natural   | Natural      | Natural   | Natural        | Natural   | Natural    | Natural  | Natural  | Natural  | Natural  | Natural  | Natural  | Natural  | Natural   | Natural   | Natural           | Natural           | Natural           | Natural           | Natural           | Natural   | Natural           | Natural           |  | Natural   |  <b>V3</b><br>different tone   |   |                          |                          |                          |
| Skid Resistance   | R10 A+B   | R11 A+B+C    | R10 A+B   | R10 A+B        | R10 A+B   | -          | -  | -        | -        | -        | -        | -        | -        | -         | R10 A   | R10 A+B           | R10 A             | R10 A             | R10 A             | R10 A             | R10 A+B   | R10 A+B           | R10 A+B           |  <b>V3</b><br>different tone      |   |   |   |                          |                          |                          |
| Description       | -   | -            | Fishbone  | Mosaic 3,1×3,1 | Mosaic 4,7×4,7  | Bullnose   | Bullnose   | Bullnose | Bullnose | Bullnose | Bullnose | Bullnose | Bullnose | Bullnose  | Step with grooves   | Step with grooves | Step with grooves | Step with grooves | Step with grooves | Step with grooves | Step with grooves   | Step with grooves | Step with grooves |  | Step with grooves   |   |   |                          |                          |                          |
| Urban Anthracite  | X630290X8   | X630290R11X8 | X160290X8   | X373290X8      | X370290X8   | X1065290X6 | X765290VX6   |          |          |          |          |          |          | X670290X8 | X3715290VX6   | X3213290X8        | X3100290X6        | X3775290VX6       | X360290X8         |                   |   |                   |                   |  |   |  <b>V3</b><br>different tone   |   |                          |                          |                          |
| Urban Dove        | X630291X8   | X630291R11X8 | X160291X8   | X373291X8      | X370291X8   | X1065291X6 | X765291VX6   |          |          |          |          |          |          | X670291X8 | X3715291VX6   | X3213291X8        | X3100291X6        | X3775291VX6       | X360291X8         |                   |   |                   |                   |  |  <b>V3</b><br>different tone   |   |   |                          |                          |                          |
| Urban Grey        | X630292X8   | X630292R11X8 | X160292X8   | X373292X8      | X370292X8   | X1065292X6 | X765292VX6   |          |          |          |          |          |          | X670292X8 | X3715292VX6   | X3213292X8        | X3100292X6        | X3775292VX6       | X360292X8         |                   |   |                   |                   |  |   |   |  <b>V3</b><br>different tone |                          |                          |                          |
| Urban Ivory       | X630293X8   | X630293R11X8 | X160293X8   | X373293X8      | X370293X8   | X1065293X6 | X765293VX6   |          |          |          |          |          |          | X670293X8 | X3715293VX6   | X3213293X8        | X3100293X6        | X3775293VX6       | X360293X8         |                   |   |                   |                   |  |   |  <b>V3</b><br>different tone |   |                          |                          |                          |
| Urban Sand        | X630294X8   | X630294R11X8 | X160294X8   | X373294X8      | X370294X8   | X1065294X6 | X765294VX6   |          |          |          |          |          |          | X670294X8 | X3715294VX6   | X3213294X8        | X3100294X6        | X3775294VX6       | X360294X8         |                   |   |                   |                   |  |  <b>V3</b><br>different tone |   |   |                          |                          |                          |
| Urban White       | X630295X8   | X630295R11X8 | X160295X8   | X373295X8      | X370295X8   | X1065295X6 | X765295VX6   |          |          |          |          |          |          | X670295X8 | X3715295VX6   | X3213295X8        | X3100295X6        | X3775295VX6       | X360295X8         |                   |   |                   |                   |  |   |   |  <b>V3</b><br>different tone |                          |                          |                          |
| NEW ► Urban Cream | X630299X8   | X630299R11X8 | X160299X8   | X373299X8      | X370299X8   | X1065299X6 | X765299VX6   |          |          |          |          |          |          | X670299X8 | X3715299VX6   | X3213299X8        | X3100299X6        | X3775299VX6       | X360299X8         |                   |   |                   |                   |  |   |  <b>V3</b><br>different tone |   |                          |                          |                          |
| NEW ► Urban Beige | X630298X8   | X630298R11X8 | X160298X8   | X373298X8      | X370298X8   | X1065298X6 | X765298VX6   |          |          |          |          |          |          | X670298X8 | X3715298VX6   | X3213298X8        | X3100298X6        | X3775298VX6       | X360298X8         |                   |   |                   |                   |  |  <b>V3</b><br>different tone |   |   |                          |                          |                          |
| NEW ► Urban Mud   | X630297X8   | X630297R11X8 | X160297X8   | X373297X8      | X370297X8   | X1065297X6 | X765297VX6   |          |          |          |          |          |          | X670297X8 | X3715297VX6   | X3213297X8        | X3100297X6        | X3775297VX6       | X360297X8         |                   |   |                   |                   |  |   |   |  <b>V3</b><br>different tone |                          |                          |                          |
| NEW ► Urban Brown | X630296X8   | X630296R11X8 | X160296X8   | X373296X8      | X370296X8   | X1065296X6 | X765296VX6   |          |          |          |          |          |          | X670296X8 | X3715296VX6   | X3213296X8        | X3100296X6        | X3775296VX6       | X360296X8         |                   |   |                   |                   |  |   |  <b>V3</b><br>different tone |   |                          |                          |                          |
| Features          |  GRIP+ |              |  GRIP+ |                |  GRIP+ |            |  GRIP+ |          |          |          |          |          |          |           |  GRIP+ |                   |                   |                   |                   |                   |  GRIP+ |                   |                   |  | Note  |   |   |                          |                          |                          |
| pieces - box      | 8   |              | 15  |                | 11  |            | 12   |          | 15       |          |          |          |          |           | 10  |                   | 2                 |                   | 4                 |                   | 5   |                   | 3                 |  |   |   | 6   |                          | *Production upon request |                          |
| boxes - pallet    | 40  |              | 60  |                | -   |            | -  |          | -        |          |          |          |          |           | -   |                   | -                 |                   | -                 |                   | -   |                   | -                 |  | -   |   | *Production upon request  |                          |                          |                          |
| sqm - box         | 1,44  |              | 0,9   |                | 0,99  |            | 0,78   |          | 0,731    |          |          |          |          |           | 0,42  |                   | 1,125             |                   | 1,44              |                   | 1,5   |                   | 0,844             |  | 1,08  |   |   | *Production upon request |                          |                          |
| sqm - pallet      | 57,6  |              | 54  |                | -   |            | -  |          | -        |          |          |          |          |           | -   |                   | -                 |                   | -                 |                   | -   |                   | -                 |  | -   |   |   |                          |                          | *Production upon request |
| kg - sqm          | 17,33   |              | 17,33   |                | 1,57  |            | 0,92   |          | 0,69     |          |          |          |          |           | 0,78  |                   | 7,91              |                   | 6,4               |                   | 4,2   |                   | 3,96              |  | 3,12  |   |   |                          |                          |                          |
| kg - box          | 24,955  |              | 15,597  |                | 17,27   |            | 11,04  |          | 10,35    |          |          |          |          |           | 7,8   |                   | 15,82             |                   | 25,6              |                   | 21  |                   | 11,88             |  | 18,72   |   |   |                          |                          |                          |

# Urban Great



Collection: Urban Great | Color: Urban Great Cream



Collection: Urban Great | Colors: Urban Great Ivory, Urban Great Sand



# Urban Great | Summary



Collection: Urban Great | Color: Urban Great White

## Colors



Urban Great Anthracite\*



Urban Great Sand\*




Urban Great Dove\*



Urban Great Ivory\*



Urban Great Grey\*



Urban Great White\*



**NEW** ▶ Urban Great Cream



**NEW** ▶ Urban Great Mud

## Technical features

### Natural | R10 A | ±6 mm

- 300×100\*
- 270×120
- 150×100\*
- 120×120
- 100×100\*



40% Raw material from recycling process products assessed and found to comply with the LEED and BREEAM regulations.



[click here for](#)

Visit the collection webpage in other languages.


















# Urban Great

## Product details

Packaging details **216 - 225**

Technical product features at page **204 - 205**


|                                |  |  |  |  |  |  |  |  |  |  |  | <b>Slabs Variability Index</b>  |  |
|--------------------------------|---|---|---|---|--|---|--|--|--|--|--|---|--|
| <b>Format (cm)</b>             | 300×100   | 270×120   | 150×100   | 120×120   |  | 100×100   |  |  |  |  |  |   | The shade variation index is a rating to determine tile variation between individual pieces of the same color group. |
| <b>Thickness (mm)</b>          | ±6 mm   | ±6 mm   | ±6 mm   | ±6 mm   |  | ±6 mm   |  |  |  |  |  |   |  |
| <b>Finishing</b>               | Natural   | Natural   | Natural   | Natural   |  | Natural   |  |  |  |  |  |   |  |
| <b>Skid Resistance</b>         | R10 A   | R10 A   | R10 A   | R10 A   |  | R10 A   |  |  |  |  |  |   |  |
| <b>Description</b>             | -   | -   | -   | -   |  | -   |  |  |  |  |  |   |  |
| <b>Urban Great Anthracite</b>  | X3010290  | X2712290X6  | X1510290  | X1212290X6  |  | X1010290  |  |  |  |  |  |  <b>V3</b><br>different tone   |  |
| <b>Urban Great Dove</b>        | X3010291  | X2712291X6  | X1510291  | X1212291X6  |  | X1010291  |  |  |  |  |  |  <b>V3</b><br>different tone   |  |
| <b>Urban Great Grey</b>        | X3010292  | X2712292X6  | X1510292  | X1212292X6  |  | X1010292  |  |  |  |  |  |  <b>V3</b><br>different tone   |  |
| <b>Urban Great Ivory</b>       | X3010293  | X2712293X6  | X1510293  | X1212293X6  |  | X1010293  |  |  |  |  |  |  <b>V3</b><br>different tone   |  |
| <b>Urban Great Sand</b>        | X3010294  | X2712294X6  | X1510294  | X1212294X6  |  | X1010294  |  |  |  |  |  |  <b>V3</b><br>different tone |  |
| <b>Urban Great White</b>       | X3010295  | X2712295X6  | X1510295  | X1212295X6  |  | X1010295  |  |  |  |  |  |  <b>V3</b><br>different tone |  |
| <b>NEW ▶ Urban Great Cream</b> |   | X2712299X6  |   | X1212299X6  |  |   |  |  |  |  |  |  <b>V3</b><br>different tone |  |
| <b>NEW ▶ Urban Great Mud</b>   |   | X2712297X6  |   | X1212297X6  |  |   |  |  |  |  |  |  <b>V3</b><br>different tone |  |
|                                |   |   |   |   |  |   |  |  |  |  |  |  <b>V3</b><br>different tone |  |
|                                |   |   |   |   |  |   |  |  |  |  |  |  <b>V3</b><br>different tone |  |
| <b>Features</b>                |   |   |   |   |  |   |  |  |  |  |  |   |  |
|                                |   |   |   |   |  |   |  |  |  |  |  |   |  |
|                                |   |   |   |   |  |   |  |  |  |  |  |   |  |
|                                |   |   |   |   |  |   |  |  |  |  |  |   |  |
|                                |   |   |   |   |  |   |  |  |  |  |  |   |  |
| <b>pieces - box</b>            | min.3   | min.3   | min.2   | 2   |  | 2   |  |  |  |  |  | <b>Note</b><br>All articles of the Great Collections are produced on order in Castellarano factory (Italy).       |  |
| <b>boxes - pallet</b>          | -   | 16  | -   | 26  |  | -   |  |  |  |  |  |   |  |
| <b>sqm - box</b>               | 3,00  | 3,24  | 3,00  | 2,88  |  | 2,00  |  |  |  |  |  |   |  |
| <b>sqm - pallet</b>            | -   | 51,84   | -   | 74,88   |  | -   |  |  |  |  |  |   |  |
| <b>kg - sqm</b>                | 14,07   | 14,07   | 14,07   | 14,07   |  | 14,07   |  |  |  |  |  |   |  |
| <b>kg - box</b>                | -   | 45,59   | -   | 40,52   |  | -   |  |  |  |  |  |   |  |



Collection: Soft Concrete | Color: Soft Beige – Hexagon Decor



Collection: Soft Concrete | Colors: Soft Iron – Hexagon Decor, Soft Brown



## Soft Concrete | Summary



Collection: Soft Concrete | Color: Soft White

## Colors



Soft Iron\*




Soft Beige




Soft Silver



Soft White\*



Soft Brown\*



Hexagon Decor  
All colors

## Technical features

**Natural | R10 A+B |  $\geq 6$  mm**



- 100×100

**Natural | R10 A+B |  $\geq 8$  mm**



- 120×60 + Hexagon Decor
- 60×60 + Hexagon Decor
- 60×30

**Natural | R11 A+B+C |  $\geq 20$  mm\***



- 120×60
- 60×60

### Specials

- Mosaic
- Bullnose
- Step



40% Raw material from recycling process products assessed and found to comply with the LEED and BREEAM regulations.























[click here for](#)

Visit the collection webpage in other languages.

# Soft Concrete

## Product details


















Technical product features at page 204 - 205

|                        |                  |                 |                 |                 |  |                  |                 |                 |                 | <b>Slabs<br/>Variability<br/>Index</b>   |
|------------------------|---|--|---|--|--|---|--|--|--|--|
| <b>Format (cm)</b>     | 120×60  | 120×60   | 120×60  | 100×100  |  | 60×60   | 60×60  | 60×60  | 60×30  |  |
| <b>Thickness (mm)</b>  | ±20 mm  | ±8 mm  | ±8 mm   | ±6 mm  |  | ±20 mm  | ±8 mm  | ±8 mm  | ±8 mm  |  |
| <b>Finishing</b>       | Natural   | Natural  | Natural   | Natural  |  | Natural   | Natural  | Natural  | Natural  | The shade variation index is a rating to determine tile variation between individual pieces of the same color group. |
| <b>Skid Resistance</b> | R11 A+B+C   | R10 A+B  | R10 A+B   | R10 A+B  |  | R11 A+B+C   | R10 A+B  | R10 A+B  | R10 A+B  |  |
| <b>Description</b>     | -   | -  | Hexagon decor   | -  |  | -   | -  | Hexagon decor  | -  |  |
| <b>Soft White</b>      | X126320X2   | X126320X8  | X1266320X8  | X1010320X6   |  | X600320X2   | X600320X8  | X606320X8  | X630320X8  |  <b>V3</b><br>different tone      |
| <b>Soft Beige</b>      |   | X126321X8  | X1266321X8  | X1010321X6   |  |   | X600321X8  | X606321X8  | X630321X8  |  <b>V3</b><br>different tone      |
| <b>Soft Brown</b>      | X126323X2   | X126323X8  | X1266323X8  | X1010323X6   |  | X600323X2   | X600323X8  | X606323X8  | X630323X8  |  <b>V3</b><br>different tone      |
| <b>Soft Silver</b>     |   | X126324X8  | X1266324X8  | X1010324X6   |  |   | X600324X8  | X606324X8  | X630324X8  |  <b>V3</b><br>different tone     |
| <b>Soft Iron</b>       | X126325X2   | X126325X8  | X1266325X8  | X1010325X6   |  | X600325X2   | X600325X8  | X606325X8  | X630325X8  |  <b>V3</b><br>different tone    |
| <b>Features</b>        |  <b>CLEAN+</b> |  <b>GRIP+</b> |  <b>GRIP+</b> |  <b>GRIP+</b> |  |  <b>CLEAN+</b> |  <b>GRIP+</b> |  <b>GRIP+</b> |  <b>GRIP+</b> |  |
|                        |   |  |   |  |  |   |  |  |  | <b>Note</b>  |
| <b>pieces - box</b>    | 1   | 2  | 2   | 2  |  | 2   | 4  | 8  |  |  |
| <b>boxes - pallet</b>  | 32  | 36   | 26  | 30   |  | 32  | 40   |  |  |  |
| <b>sqm - box</b>       | 0,72  | 1,44   | 2   | 0,72   |  | 1,44  | 1,44   |  |  |  |
| <b>sqm - pallet</b>    | 23,04   | 51,84  | 52  | 21,6   |  | 46,08   | 57,6   |  |  |  |
| <b>kg - sqm</b>        | 45,0226   | 17,79  | 14,06   | 45,2407  |  | 17,41   | 17,33  |  |  |  |
| <b>kg - box</b>        | 32,416  | 25,618   | 28,12   | 32,573   |  | 25,07   | 24,955   |  |  |  |

# Soft Concrete

## Product details

Technical product features at page 204 - 205

|                        |                 |                 |  |  |  |                 |                 |                 |  | <b>Slabs<br/>Variability<br/>Index</b>   |
|------------------------|--|--|--|---|--|--|--|--|--|--|
| <b>Format (cm)</b>     | 30×30  | 30×30  | 100×6,5  | 60×7  |  | 120×30   | 100×30   | 60×30  |  |  |
| <b>Thickness (mm)</b>  | ±8 mm  | ±8 mm  | ±6 mm  | ±8 mm   |  | ±8 mm  | ±6 mm  | ±8 mm  |  |  |
| <b>Finishing</b>       | Natural  | Natural  | Natural  | Natural   |  | Natural  | Natural  | Natural  |  | The shade variation index is a rating to determine tile variation between individual pieces of the same color group. |
| <b>Skid Resistance</b> | R10 A+B  | R10 A+B  | -  | -   |  | R10 A+B  | R10 A+B  | R10 A+B  |  |  |
| <b>Description</b>     | Mosaic 3,1 × 3,1   | Mosaic 4,7 × 4,7   | Bullnose   | Bullnose  |  | Step with grooves  | Step with grooves  | Step with grooves  |  |  |
| <b>Soft White</b>      | X373320X8  | X370320X8  | X1065320X6   | X670320X8   |  | X3213320X8   | X3100320X6   | X360320X8  |  |  <b>V3</b><br>different tone      |
| <b>Soft Beige</b>      | X373321X8  | X370321X8  | X1065321X6   | X670321X8   |  | X3213321X8   | X3100321X6   | X360321X8  |  |  <b>V3</b><br>different tone      |
| <b>Soft Brown</b>      | X373323X8  | X370323X8  | X1065323X6   | X670323X8   |  | X3213323X8   | X3100323X6   | X360323X8  |  |  <b>V3</b><br>different tone      |
| <b>Soft Silver</b>     | X373324X8  | X370324X8  | X1065324X6   | X670324X8   |  | X3213324X8   | X3100324X6   | X360324X8  |  |  <b>V3</b><br>different tone     |
| <b>Soft Iron</b>       | X373325X8  | X370325X8  | X1065325X6   | X670325X8   |  | X3213325X8   | X3100325X6   | X360325X8  |  |  <b>V3</b><br>different tone    |
| <b>Features</b>        |  <b>GRIP+</b> |  <b>GRIP+</b> |  |   |  |  <b>GRIP+</b> |  <b>GRIP+</b> |  <b>GRIP+</b> |  |  |
|                        |  |  |  |   |  |  |  |  |  | <b>Note</b>  |
| <b>pieces - box</b>    |  | 11   | 12   | 10  |  | 4  | 5  | 6  |  | *Production upon request   |
| <b>boxes - pallet</b>  |  | -  | -  | -   |  | -  | -  | -  |  |  |
| <b>sqm - box</b>       |  | 0,99   | 0,78   | 0,42  |  | 1,44   | 1,5  | 1,08   |  |  |
| <b>sqm - pallet</b>    |  | -  | -  | -   |  | -  | -  | -  |  |  |
| <b>kg - sqm</b>        |  | 1,57   | 0,92   | 0,78  |  | 6,4  | 4,2  | 3,12   |  |  |
| <b>kg - box</b>        |  | 17,27  | 11,04  | 7,8   |  | 25,6   | 21   | 18,72  |  |  |


# Stardust



Collection: Stardust | Colors: Aquamarine, Moonlight




Collection: Stardust | Colors: Galaxy – Decor, Clay, Ash






# Stardust | Summary



Collection: Stardust | Color: Ground


## Colors



Ocean



Lava




Ash




Moonlight




Aquamarine



Ground



Terra



Clay



Galaxy  
Decor

## Technical features

**Natural | R10 A+B |  $\geq 6$  mm**

- 100×100



**Natural | R10 A+B |  $\geq 8$  mm**

- 120×60 + Decor
- 60×60 + Decor
- 60×30



### Specials

- Mosaic
- Bullnose
- Step



40% Raw material from recycling process products assessed and found to comply with the LEED and BREEAM regulations.






















[click here for](#)

Visit the collection webpage in other languages.


# Stardust

## Product details


Technical product features at page 204 - 205

|                        |    |    |    |    |    |  |                 |                 |    |    |    | <b>Slabs Variability Index</b>   |
|------------------------|---|---|---|--|---|--|--|--|---|---|---|--|
| <b>Format (cm)</b>     | 120×60  | 100×100   | 60×60   | 30×60  | 30×30   |  | 100×6,5  | 60×7   | 120×30  | 100×30  | 60×30   | The shade variation index is a rating to determine tile variation between individual pieces of the same color group.       |
| <b>Thickness (mm)</b>  | ±8 mm   | ±6 mm   | ±8 mm   | ±8 mm  | ±8 mm   |  | ±6 mm  | ±8 mm  | ±8 mm   | ±6 mm   | ±8 mm   |  |
| <b>Finishing</b>       | Natural   | Natural   | Natural   | Natural  | Natural   |  | Natural  | Natural  | Natural   | Natural   | Natural   |  |
| <b>Skid Resistance</b> | R10 A+B   | R10 A+B   | R10 A+B   | R10 A+B  | R10 A+B   |  | -  | -  | R10 A+B   | R10 A+B   | R10 A+B   |  |
| <b>Description</b>     | -   | -   | -   | -  | Mosaic 4,7 × 4,7  |  | Bullnose   | Bullnose   | Step with grooves   | Step with grooves   | Step with grooves   |  |
| <b>Ocean</b>           | X126410X8   | X1010410X6  | X600410X8   | X630410X8  | X370410X8   |  | X1065410X6   | X670410X8  | X3213410X8  | X3100410X6  | X360410X8   |  <b>V3</b><br>different tone            |
| <b>Ground</b>          | X126411X8   | X1010411X6  | X600411X8   | X630411X8  | X370411X8   |  | X1065411X6   | X670411X8  | X3213411X8  | X3100411X6  | X360411X8   |  <b>V3</b><br>different tone            |
| <b>Aquamarine</b>      | X126412X8   | X1010412X6  | X600412X8   | X630412X8  | X370412X8   |  | X1065412X6   | X670412X8  | X3213412X8  | X3100412X6  | X360412X8   |  <b>V3</b><br>different tone            |
| <b>Terra</b>           | X126413X8   | X1010413X6  | X600413X8   | X630413X8  | X370413X8   |  | X1065413X6   | X670413X8  | X3213413X8  | X3100413X6  | X360413X8   |  <b>V3</b><br>different tone            |
| <b>Ash</b>             | X126414X8   | X1010414X6  | X600414X8   | X630414X8  | X370414X8   |  | X1065414X6   | X670414X8  | X3213414X8  | X3100414X6  | X360414X8   |  <b>V3</b><br>different tone          |
| <b>Lava</b>            | X126415X8   | X1010415X6  | X600415X8   | X630415X8  | X370415X8   |  | X1065415X6   | X670415X8  | X3213415X8  | X3100415X6  | X360415X8   |  <b>V3</b><br>different tone          |
| <b>Moonlight</b>       | X126416X8   | X1010416X6  | X600416X8   | X630416X8  | X370416X8   |  | X1065416X6   | X670416X8  | X3213416X8  | X3100416X6  | X360416X8   |  <b>V2</b><br>slightly different tone |
| <b>Clay</b>            | X126417X8   | X1010417X6  | X600417X8   | X630417X8  | X370417X8   |  | X1065417X6   | X670417X8  | X3213417X8  | X3100417X6  | X360417X8   |  <b>V3</b><br>different tone          |
| <b>Galaxy</b>          | X12641MIXX8   |   | X60041MIXX8   |  |   |  |  |  |   |   |   |  <b>V3</b><br>different tone          |
| <b>Features</b>        |  <b>GRIP+</b>  <b>LOOK+</b> |  <b>GRIP+</b>  <b>LOOK+</b> |  <b>GRIP+</b>  <b>LOOK+</b> |  <b>GRIP+</b>  <b>LOOK+</b> |  <b>GRIP+</b>  <b>LOOK+</b> |  |  <b>LOOK+</b> |  <b>LOOK+</b> |  <b>GRIP+</b>  <b>LOOK+</b> |  <b>GRIP+</b>  <b>LOOK+</b> |  <b>GRIP+</b>  <b>LOOK+</b> |  |
|                        |   |   |   |  |   |  |  |  |   |   |   | <b>Note</b>  |
| <b>pieces - box</b>    | 2   | 2   | 4   | 8  | 11  |  | 12   | 10   | 4   | 5   | 6   | *Production upon request   |
| <b>boxes - pallet</b>  | 36  | 26  | 32  | 40   | -   |  | -  | -  | -   | -   | -   |  |
| <b>sqm - box</b>       | 1,44  | 2   | 1,44  | 1,44   | 0,99  |  | 0,78   | 0,42   | 1,44  | 1,5   | 1,08  |  |
| <b>sqm - pallet</b>    | 51,84   | 52  | 46,08   | 57,6   | -   |  | -  | -  | -   | -   | -   |  |
| <b>kg - sqm</b>        | 17,79   | 14,06   | 17,41   | 17,33  | 1,57  |  | 0,92   | 0,78   | 6,4   | 4,2   | 3,12  |  |
| <b>kg - box</b>        | 25,618  | 28,12   | 25,07   | 24,955   | 17,27   |  | 11,04  | 7,8  | 25,6  | 21  | 18,72   |  |

# Royal Stone



Collection: Royal Stone | Color: Noble Beige



Collection: Royal Stone | Colors: Imperial Brown, Black Diamond



## Royal Stone | Summary



Collection: Royal Stone | Color: Platinum White – Fishbone

## Colors




Black  
Diamond




Imperial  
Brown



Palladium  
Grey



Noble  
Beige



Platinum  
White

## Technical features

### Natural | R10 A+B | $\geq 6$ mm



- 150×75
- 100×100
- 75×75

### Natural | R10 A+B | $\geq 8$ mm



- 120×60
- 60×60
- 60×30
- 60×10 Fishbone

### Natural | R11 A+B+C | $\geq 6/8$ mm

- 120×60
- 100×100 ( $\geq 6$  mm)
- 60×60
- 60×30

### Natural | R11 A+B+C | $\geq 20$ mm



- 120×60
- 100×100
- 60×60

### Specials

- Mosaic
- Bullnose
- Step



40% Raw material from recycling process products assessed and found to comply with the LEED and BREEAM regulations.



[click here for](#)

Visit the collection webpage in other languages.

# Royal Stone

## Product details


























Technical product features at page 204 - 205

|                        |                    |               |              |              |               |              |               |         |           |              |                       |              |              |              |              |         |           |           | <b>Slabs Variability Index</b> |  |
|------------------------|--------------------|---------------|--------------|--------------|---------------|--------------|---------------|---------|-----------|--------------|-----------------------|--------------|--------------|--------------|--------------|---------|-----------|-----------|--------------------------------|--|
|                        | <b>Format (cm)</b> | 150×75        | 120×60       | 120×60       | 100×100       | 100×100      | 75 × 75       | 60 × 60 | 60 × 60   | 60 × 30      | <b>Thickness (mm)</b> | ±6 mm        | ±20 mm       | ±8 mm        | ±20 mm       | ±6 mm   | ±6 mm     | ±20 mm    |                                | ±8 mm  |
| <b>Finishing</b>       | Natural            | Natural       | Natural      | Natural      | Natural       | Natural      | Natural       | Natural | Natural   | Natural      | Natural               | Natural      | Natural      | Natural      | Natural      | Natural | Natural   | Natural   | Natural                        | The shade variation index is a rating to determine tile variation between individual pieces of the same color group. |
| <b>Skid Resistance</b> | R10 A+B            | R11 A+B+C     | R10 A+B      | R11 A+B+C    | R11 A+B+C     | R10 A+B      | R11 A+B+C     | R10 A+B | R11 A+B+C | R10 A+B      | R11 A+B+C             | R10 A+B      | R11 A+B+C    | R10 A+B      | R11 A+B+C    | R10 A+B | R11 A+B+C | R11 A+B+C |                                |  |
| <b>Description</b>     | -                  | -             | -            | -            | -             | -            | -             | -       | -         | -            | -                     | -            | -            | -            | -            | -       | -         | -         |                                |  |
| <b>Black Diamond</b>   | X1575380VX6        | X126380X2     | X126380X8    | X126380R11X8 | X1010380X2    | X1010380X6   | X1010380R11X6 |         |           | X7575380VX6  | X600380X2             | X600380X8    | X600380R11X8 | X630380X8    | X630380R11X8 |         |           |           | <b>V3</b> different tone       |  |
| <b>Imperial Brown</b>  | X1575381VX6        | X126381X2     | X126381X8    | X126381R11X8 | X1010381X2    | X1010381X6   | X1010381R11X6 |         |           | X7575381VX6  | X600381X2             | X600381X8    | X600381R11X8 | X630381X8    | X630381R11X8 |         |           |           | <b>V3</b> different tone       |  |
| <b>Palladium Grey</b>  | X1575382VX6        | X126382X2     | X126382X8    | X126382R11X8 | X1010382X2    | X1010382X6   | X1010382R11X6 |         |           | X7575382VX6  | X600382X2             | X600382X8    | X600382R11X8 | X630382X8    | X630382R11X8 |         |           |           | <b>V3</b> different tone       |  |
| <b>Noble Beige</b>     | X1575383VX6        | X126383X2     | X126383X8    | X126383R11X8 | X1010383X2    | X1010383X6   | X1010383R11X6 |         |           | X7575383VX6  | X600383X2             | X600383X8    | X600383R11X8 | X630383X8    | X630383R11X8 |         |           |           | <b>V3</b> different tone       |  |
| <b>Planitum White</b>  | X1575384VX6        | X126384X2     | X126384X8    | X126384R11X8 | X1010384X2    | X1010384X6   | X1010384R11X6 |         |           | X7575384VX6  | X600384X2             | X600384X8    | X600384R11X8 | X630384X8    | X630384R11X8 |         |           |           | <b>V3</b> different tone       |  |
| <b>Features</b>        | <b>GRIP+</b>       | <b>CLEAN+</b> | <b>GRIP+</b> |              | <b>CLEAN+</b> | <b>GRIP+</b> |               |         |           | <b>GRIP+</b> | <b>CLEAN+</b>         | <b>GRIP+</b> |              | <b>GRIP+</b> |              |         |           |           |                                |  |
|                        |                    |               |              |              |               |              |               |         |           |              |                       |              |              |              |              |         |           |           |                                | <b>Note</b>  |
| <b>pieces - box</b>    | 2                  | 1             | 2            |              | 1             | 2            |               |         |           | 3            | 2                     | 4            |              | 8            |              |         |           |           |                                |  |
| <b>boxes - pallet</b>  | 30                 | 32            | 36           |              | 24            | 26           |               |         |           | 40           | 30                    | 32           |              | 40           |              |         |           |           |                                |  |
| <b>sqm - box</b>       | 2,25               | 0,72          | 1,44         |              | 1             | 2            |               |         |           | 1,688        | 0,72                  | 1,44         |              | 1,44         |              |         |           |           |                                |  |
| <b>sqm - pallet</b>    | 67,5               | 23,04         | 51,84        |              | 24            | 52           |               |         |           | 67,52        | 21,6                  | 46,08        |              | 57,6         |              |         |           |           |                                |  |
| <b>kg - sqm</b>        | 13,7067            | 45,0226       | 17,79        |              | 45,50         | 14,06        |               |         |           | 13,7915      | 45,2407               | 17,41        |              | 17,33        |              |         |           |           |                                |  |
| <b>kg - box</b>        | 30,84              | 32,416        | 25,618       |              | 45,50         | 28,12        |               |         |           | 23,273       | 32,573                | 25,07        |              | 24,955       |              |         |           |           |                                |  |

# Royal Stone

## Product details

Technical product features at page 204 - 205

|                        |    |                 |                 |                |  |  |    |                 |                 |                 |                 |                 | <b>Slabs Variability Index</b>   |                          |
|------------------------|---|--|--|--|---|---|----|--|--|--|--|--|--|--------------------------|
| <b>Format (cm)</b>     | 60x10   | 30x30  | 30x30  | 100x6,5  | 75x6,5  | 60x7  |    | 150x37,5   | 120x30   | 100x30   | 75x37,5  | 60x30  |  |                          |
| <b>Thickness (mm)</b>  | ±8mm  | ±8mm   | ±8mm   | ±6mm   | ±6mm  | ±8mm  |    | ±6mm   | ±8mm   | ±6mm   | ±6mm   | ±8mm   |  |                          |
| <b>Finishing</b>       | Natural   | Natural  | Natural  | Natural  | Natural   | Natural   |    | Natural  | Natural  | Natural  | Natural  | Natural  | The shade variation index is a rating to determine tile variation between individual pieces of the same color group. |                          |
| <b>Skid Resistance</b> | R10 A+B   | R10 A+B  | R10 A+B  | -  | -   | -   |    | R10 A+B  | R10 A+B  | R10 A+B  | R10 A+B  | R10 A+B  |  |                          |
| <b>Description</b>     | Fishbone  | Mosaic 31x31   | Mosaic 4,7x4,7   | Bullnose   | Bullnose  | Bullnose  |    | Step with grooves  | Step with grooves  | Step with grooves  | Step with grooves  | Step with grooves  |  |                          |
| <b>Black Diamond</b>   | X160380X8   | X373380X8  | X370380X8  | X1065380X6   | X765380VX6  | X670380X8   |    | X3715380VX6  | X3213380X8   | X3100380X6   | X3775380VX6  | X360380X8  |  <b>V3</b><br>different tone      |                          |
| <b>Imperial Brown</b>  | X160381X8   | X373381X8  | X370381X8  | X1065381X6   | X765381VX6  | X670381X8   |    | X3715381VX6  | X3213381X8   | X3100381X6   | X3775381VX6  | X360381X8  |  <b>V3</b><br>different tone      |                          |
| <b>Palladium Grey</b>  | X160382X8   | X373382X8  | X370382X8  | X1065382X6   | X765382VX6  | X670382X8   |    | X3715382VX6  | X3213382X8   | X3100382X6   | X3775382VX6  | X360382X8  |  <b>V3</b><br>different tone      |                          |
| <b>Noble Beige</b>     | X160383X8   | X373383X8  | X370383X8  | X1065383X6   | X765383VX6  | X670383X8   |    | X3715383VX6  | X3213383X8   | X3100383X6   | X3775383VX6  | X360383X8  |  <b>V3</b><br>different tone      |                          |
| <b>Planitum White</b>  | X160384X8   | X373384X8  | X370384X8  | X1065384X6   | X765384VX6  | X670384X8   |    | X3715384VX6  | X3213384X8   | X3100384X6   | X3775384VX6  | X360384X8  |  <b>V3</b><br>different tone    |                          |
|                        |  |  |  |  |   |   |    |  |  |  |  |  |  |                          |
| <b>Features</b>        |   |  <b>GRIP+</b> |  <b>GRIP+</b> |  <b>GRIP+</b> |   |   |    |  <b>GRIP+</b> |  <b>GRIP+</b> |  <b>GRIP+</b> |  <b>GRIP+</b> |  <b>GRIP+</b> |  |                          |
|                        |   |  |  |  |   |   |    |  |  |  |  |  |  | <b>Note</b>              |
| <b>pieces - box</b>    |   | 15   | 11   | 11   | 12  | 15  | 10 |  | 2  | 4  | 5  | 3  | 6  | *Production upon request |
| <b>boxes - pallet</b>  | 60  | -  | -  | -  | -   | -   |    | -  | -  | -  | -  | -  |  |                          |
| <b>sqm - box</b>       | 0,9   | 0,99   | 0,99   | 0,78   | 0,731   | 0,42  |    | 1,125  | 1,44   | 1,5  | 0,844  | 1,08   |  |                          |
| <b>sqm - pallet</b>    | 54  | -  | -  | -  | -   | -   |    | -  | -  | -  | -  | -  |  |                          |
| <b>kg - sqm</b>        | 17,33   | 1,57   | 1,57   | 0,92   | 0,69  | 0,78  |    | 7,91   | 6,4  | 4,2  | 3,96   | 3,12   |  |                          |
| <b>kg - box</b>        | 15,597  | 17,27  | 17,27  | 11,04  | 10,35   | 7,8   |    | 15,82  | 25,6   | 21   | 11,88  | 18,72  |  |                          |

# Great Royal Stone



Collection: Great Royal Stone | Colors: Great Platinum White, Great Palladium Grey





Collection: Great Royal Stone | Colors: Great Black Diamond, Great Palladium Grey



## Great Royal Stone | Summary



Collection: Great Royal Stone | Color: Great Palladium Grey

## Colors



Great Black  
Diamond



Great Palladium  
Grey



Great Platinum  
White

## Technical features

### Natural | R10 A | $\pm 6$ mm

- 300×150
- 270×120
- 150×150
- 150×75
- 120×120
- 75×75
- 75×37,5

### Specials

- Bullnose



40% Raw material from recycling process  
products assessed and found to comply  
with the LEED and BREEAM regulations.



[click here for](#)












Visit the collection webpage  
in other languages.

# Great Royal Stone

## Product details

Packaging details 216 - 225

Technical product features at page 206 - 207

|                             |  |  |  |  |  |  |  |  | <b>Slabs Variability Index</b>   |   |
|-----------------------------|---|---|---|---|---|---|---|---|--|---|
| <b>Format (cm)</b>          | 300 × 150   | 270 × 120   | 150 × 150   | 150 × 75  | 120 × 120   | 75 × 75   | 75 × 37,5   | 75 × 6,5  |  |   |
| <b>Thickness (mm)</b>       | ±6 mm   | ±6 mm   | ±6 mm   | ±6 mm   | ±6 mm   | ±6 mm   | ±6 mm   | ±6 mm   |  |   |
| <b>Finishing</b>            | Natural   | Natural   | Natural   | Natural   | Natural   | Natural   | Natural   | Natural   | The shade variation index is a rating to determine tile variation between individual pieces of the same color group. |   |
| <b>Skid Resistance</b>      | R10 A   | R10 A   | R10 A   | R10 A   | R10 A   | R10 A   | R10 A   | -   |  |   |
| <b>Description</b>          | -   | -   | -   | -   | -   | -   | -   | Bullnose  |  |   |
| <b>Great Black Diamond</b>  | X3015380X6  | X2712380X6  | X1515380X6  | X1575380X6  | X1212380X6  | X7575380X6  | X7537380X6  | X765380X6   |  |  <b>V3</b><br>different tone |
| <b>Great Palladium Grey</b> | X3015382X6  | X2712382X6  | X1515382X6  | X1575382X6  | X1212382X6  | X7575382X6  | X7537382X6  | X765382X6   |  <b>V3</b><br>different tone      |   |
| <b>Great Planitum White</b> | X3015384X6  | X2712384X6  | X1515384X6  | X1575384X6  | X1212384X6  | X7575384X6  | X7537384X6  | X765384X6   |  <b>V3</b><br>different tone      |   |
|                             |   |   |   |   |   |   |   |   |  |   |
|                             |   |   |   |   |   |   |   |   |  |   |
|                             |   |   |   |   |   |   |   |   |  |   |
|                             |   |   |   |   |   |   |   |   |  |   |
|                             |   |   |   |   |   |   |   |   |  |   |
|                             |   |   |   |   |   |   |   |   |  |   |
|                             |   |   |   |   |   |   |   |   |  |   |
|                             |   |   |   |   |   |   |   |   |  |   |
|                             |   |   |   |   |   |   |   |   |  |   |
|                             |   |   |   |   |   |   |   |   |  |   |
|                             |   |   |   |   |   |   |   |   |  |   |
|                             |   |   |   |   |   |   |   |   |  |   |
|                             |   |   |   |   |   |   |   |   |  |   |
|                             |   |   |   |   |   |   |   |   |  |   |
|                             |   |   |   |   |   |   |   |   |  |   |
|                             |   |   |   |   |   |   |   |   |  |   |
|                             |   |   |   |   |   |   |   |   |  |   |
|                             |   |   |   |   |   |   |   |   |  |   |
|                             |   |   |   |   |   |   |   |   | <b>Note</b>  |   |
| <b>pieces - box</b>         | min. 2  | min. 3  | min. 4  | 2   |   | 2   | 3   | 6   | 12   | All articles of the Great Collections are produced on order in Castellarano factory (Italy).                    |
| <b>boxes - pallet</b>       | 12  | 16  | 24  | 26  |   | 26  | 38  | 44  | -  |   |
| <b>sqm - box</b>            | 4,50  | 3,24  | 2,25  | 2,25  |   | 2,88  | 1,69  | 1,69  | 0,585  |   |
| <b>sqm - pallet</b>         | 54,00   | 51,84   | 54,00   | 58,50   |   | 74,88   | 64,14   | 74,27   | -  |   |
| <b>kg - sqm</b>             | 14,07   | 14,07   | 14,07   | 14,07   |   | 14,07   | 14,07   | 14,07   | 0,69   |   |
| <b>kg - box</b>             | 63,32   | 45,59   | 31,66   | 31,66   |   | 40,52   | 23,74   | 23,74   | 8,28   |   |




Collection: Loft | Color: Loft Sand



Collection: Loft | Colors: Loft Smoke, Loft Dark




## Loft | Summary



Collection: Loft | Color: Loft Snow

## Colors



Loft  
Dark



Loft  
Smoke



Loft  
Sand



Loft  
Snow

## Technical features

### Natural | R10 A+B | $\geq 6$ mm

- 100×100



### Natural | R10 A+B | $\geq 8$ mm

- 120×60
- 60×60
- 60×30



### Natural | R11 A+B+C | $\geq 20$ mm

- 120×60
- 100×100
- 60×60



### Specials

- Mosaic
- Bullnose
- Step



40% Raw material from recycling process products assessed and found to comply with the LEED and BREEAM regulations.



























[click here for](#)

Visit the collection webpage in other languages.

# Loft

## Product details


















Technical product features at page **206 - 207**

|                        |   |    |   |    |   |  |    |    |    |    |  | <b>Slabs Variability Index</b>   |
|------------------------|--|---|--|--|--|--|---|---|---|---|--|--|
| <b>Format (cm)</b>     | 120 × 60   | 120 × 60  | 100 × 100  | 100 × 100  | 60 × 60  |  | 60 × 60   | 60 × 30   | 30 × 30   | 30 × 30   |  |  |
| <b>Thickness (mm)</b>  | ±20 mm   | ±8 mm   | ±20 mm   | ±6 mm  | ±20 mm   |  | ±8 mm   | ±8 mm   | ±8 mm   | ±8 mm   |  |  |
| <b>Finishing</b>       | Natural  | Natural   | Natural  | Natural  | Natural  |  | Natural   | Natural   | Natural   | Natural   |  | The shade variation index is a rating to determine tile variation between individual pieces of the same color group.     |
| <b>Skid Resistance</b> | R11 A+B+C  | R10 A+B   | R11 A+B+C  | R10 A+B  | R11 A+B+C  |  | R10 A+B   | R10 A+B   | R10 A+B   | R10 A+B   |  |  |
| <b>Description</b>     | -  | -   | -  | -  | -  |  | -   | -   | Mosaic 3,1 × 3,1  | Mosaic 4,7 × 4,7  |  |  |
| <b>Loft Snow</b>       | X126390X2  | X126390X8   | X1010390X2   | X1010390X6   | X600390X2  |  | X600390X8   | X630390X8   | X373390X8   | X370390X8   |  |  <b>V2</b><br>slightly different tone |
| <b>Loft Sand</b>       | X126391X2  | X126391X8   | X1010391X2   | X1010391X6   | X600391X2  |  | X600391X8   | X630391X8   | X373391X8   | X370391X8   |  |  <b>V3</b><br>different tone          |
| <b>Loft Smoke</b>      | X126392X2  | X126392X8   | X1010392X2   | X1010392X6   | X600392X2  |  | X600392X8   | X630392X8   | X373392X8   | X370392X8   |  |  <b>V3</b><br>different tone          |
| <b>Loft Dark</b>       | X126393X2  | X126393X8   | X1010393X2   | X1010393X6   | X600393X2  |  | X600393X8   | X630393X8   | X373393X8   | X370393X8   |  |  <b>V3</b><br>different tone         |
| <b>Features</b>        |  <b>CLEAN+</b>  <b>LOOK+</b> |  <b>GRIP+</b>  <b>LOOK+</b> |  <b>CLEAN+</b>  <b>LOOK+</b> |  <b>GRIP+</b>  <b>LOOK+</b> |  <b>CLEAN+</b>  <b>LOOK+</b> |  |  <b>GRIP+</b>  <b>LOOK+</b> |  <b>GRIP+</b>  <b>LOOK+</b> |  <b>GRIP+</b>  <b>LOOK+</b> |  <b>GRIP+</b>  <b>LOOK+</b> |  |  |
|                        |  |   |  |  |  |  |   |   |   |   |  | <b>Note</b>  |
| <b>pieces - box</b>    | 1  | 2   | 1  | 2  | 2  |  | 4   | 8   | 11  |   |  | *Production upon request   |
| <b>boxes - pallet</b>  | 32   | 36  | 24   | 26   | 30   |  | 32  | 40  | -   |   |  |  |
| <b>sqm - box</b>       | 0,72   | 1,44  | 1  | 2  | 0,72   |  | 1,44  | 1,44  | 0,99  |   |  |  |
| <b>sqm - pallet</b>    | 23,04  | 51,84   | 24   | 52   | 21,6   |  | 46,08   | 57,6  | -   |   |  |  |
| <b>kg - sqm</b>        | 45,0226  | 17,79   | 45,50  | 14,06  | 45,2407  |  | 17,41   | 17,33   | 1,57  |   |  |  |
| <b>kg - box</b>        | 32,416   | 25,618  | 45,50  | 28,12  | 32,573   |  | 25,07   | 24,955  | 17,27   |   |  |  |

# Loft

## Product details

Technical product features at page 206 - 207

|                        |                 |                 |  *   |  *   |  *   |  |  |  |  |  |  |  | <b>Slabs Variability Index</b>   |
|------------------------|--|--|---|---|---|--|--|--|--|--|--|--|--|
| <b>Format (cm)</b>     | 100 × 6,5  | 60 × 7   | 120 × 30  | 100 × 30  | 60 × 30   |  |  |  |  |  |  |  |  |
| <b>Thickness (mm)</b>  | ±6 mm  | ±8 mm  | ±8 mm   | ±6 mm   | ±8 mm   |  |  |  |  |  |  |  |  |
| <b>Finishing</b>       | Natural  | Natural  | Natural   | Natural   | Natural   |  |  |  |  |  |  |  | The shade variation index is a rating to determine tile variation between individual pieces of the same color group.     |
| <b>Skid Resistance</b> | -  | -  | R10 A+B   | R10 A+B   | R10 A+B   |  |  |  |  |  |  |  |  |
| <b>Description</b>     | Bullnose   | Bullnose   | Step with grooves   | Step with grooves   | Step with grooves   |  |  |  |  |  |  |  |  |
| <b>Loft Snow</b>       | X1065390X6   | X670390X8  | X3213390X8  | X3100390X6  | X360390X8   |  |  |  |  |  |  |  |  <b>V2</b><br>slightly different tone |
| <b>Loft Sand</b>       | X1065391X6   | X670391X8  | X3213391X8  | X3100391X6  | X360391X8   |  |  |  |  |  |  |  |  <b>V3</b><br>different tone          |
| <b>Loft Smoke</b>      | X1065392X6   | X670392X8  | X3213392X8  | X3100392X6  | X360392X8   |  |  |  |  |  |  |  |  <b>V3</b><br>different tone          |
| <b>Loft Dark</b>       | X1065393X6   | X670393X8  | X3213393X8  | X3100393X6  | X360393X8   |  |  |  |  |  |  |  |  <b>V3</b><br>different tone         |
| <b>Features</b>        |  <b>LOOK+</b> |  <b>LOOK+</b> |  <b>GRIP+</b>  <b>LOOK+</b> |  <b>GRIP+</b>  <b>LOOK+</b> |  <b>GRIP+</b>  <b>LOOK+</b> |  |  |  |  |  |  |  |  |
|                        |  |  |   |   |   |  |  |  |  |  |  |  | <b>Note</b>  |
| <b>pieces - box</b>    | 12   | 10   | 4   | 5   | 6   |  |  |  |  |  |  |  | *Production upon request   |
| <b>boxes - pallet</b>  | -  | -  | -   | -   | -   |  |  |  |  |  |  |  |  |
| <b>sqm - box</b>       | 0,78   | 0,42   | 1,44  | 1,5   | 1,08  |  |  |  |  |  |  |  |  |
| <b>sqm - pallet</b>    | -  | -  | -   | -   | -   |  |  |  |  |  |  |  |  |
| <b>kg - sqm</b>        | 0,92   | 0,78   | 6,4   | 4,2   | 3,12  |  |  |  |  |  |  |  |  |
| <b>kg - box</b>        | 11,04  | 7,8  | 25,6  | 21  | 18,72   |  |  |  |  |  |  |  |  |




# Quartz Stone



Collection: Quartz Stone | Color: QS Beige



Collection: Quartz Stone | Color: QS Black



# Quartz Stone | Summary



Collection: Quartz Stone | Color: QS Grey


## Colors




QS  
Beige



QS  
Grey




QS  
Black



QS  
Superblack

## Technical features

**Structured | R11 A+B+C |  $\geq 20$  mm**  **CLEAN+**

- 120×60
- 60×60



40% Raw material from recycling process products assessed and found to comply with the LEED and BREEAM regulations.



[click here for](#)

Visit the collection webpage in other languages.


# Quartz Stone

## Product details

Technical product features at page **206 - 207**

|                        |                     |                     |  |  |  |  |  |  |  |  |  |  |  | <b>Slabs<br/>Variability<br/>Index</b>   |
|------------------------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| <b>Format (cm)</b>     | 120 × 60   | 60 × 60  |  |  |  |  |  |  |  |  |  |  |  |  |
| <b>Thickness (mm)</b>  | ±20 mm   | ±20 mm   |  |  |  |  |  |  |  |  |  |  |  |  |
| <b>Finishing</b>       | Structured   | Structured   |  |  |  |  |  |  |  |  |  |  |  |  |
| <b>Skid Resistance</b> | R11 A+B+C  | R11 A+B+C  |  |  |  |  |  |  |  |  |  |  |  | The shade variation index is a rating to determine tile variation between individual pieces of the same color group. |
| <b>Description</b>     | -  | -  |  |  |  |  |  |  |  |  |  |  |  |  |
| <b>QS Beige</b>        | X126302X2  | X600302X2  |  |  |  |  |  |  |  |  |  |  |  |  <b>V3</b><br>different tone      |
| <b>QS Grey</b>         | X126303X2  | X600303X2  |  |  |  |  |  |  |  |  |  |  |  |  <b>V3</b><br>different tone      |
| <b>QS Black</b>        | X126304X2  | X600304X2  |  |  |  |  |  |  |  |  |  |  |  |  <b>V3</b><br>different tone      |
| <b>QS Superblack</b>   | X126306X2  | X600306X2  |  |  |  |  |  |  |  |  |  |  |  |  <b>V3</b><br>different tone      |
|                        |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|                        |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|                        |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|                        |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|                        |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| <b>Features</b>        | <br><b>CLEAN+</b> | <br><b>CLEAN+</b> |  |  |  |  |  |  |  |  |  |  |  |  |
|                        |  |  |  |  |  |  |  |  |  |  |  |  |  | <b>Note</b>  |
| <b>pieces - box</b>    | 1  | 2  |  |  |  |  |  |  |  |  |  |  |  |  |
| <b>boxes - pallet</b>  | 32   | 30   |  |  |  |  |  |  |  |  |  |  |  |  |
| <b>sqm - box</b>       | 0,72   | 0,72   |  |  |  |  |  |  |  |  |  |  |  |  |
| <b>sqm - pallet</b>    | 23,04  | 21,6   |  |  |  |  |  |  |  |  |  |  |  |  |
| <b>kg - sqm</b>        | 45,0226  | 45,2407  |  |  |  |  |  |  |  |  |  |  |  |  |
| <b>kg - box</b>        | 32,416   | 32,573   |  |  |  |  |  |  |  |  |  |  |  |  |

# Silk Stone



Collection: Silk Stone | Color: White Satin



Collection: Silk Stone | Colors: Velvet Brown, Black Chiffon



## Silk Stone | Summary



Collection: Silk Stone | Color: Light Ornament – Decor

## Colors



Black Chiffon



Velvet Brown




Shantung Greige



Vanilla Lace



White Satin



Light Ornament Decor



Dark Ornament Decor

## Technical features

**Natural | R10 A+B |  $\leq 6$  mm**



- 120×60 + Decor
- 120×30 + Decor
- 100×100
- 60×60 + Decor
- 60×30

### Specials

- Mosaic
- Bullnose
- Step



40% Raw material from recycling process products assessed and found to comply with the LEED and BREEAM regulations.






























[click here for](#)

Visit the collection webpage in other languages.

# Silk Stone

## Product details

Technical product features at page 206 - 207

|                        |                 | *<br>           |                 |                 |                 |  |                 |  |  | *<br>           | *<br>           | *<br>           | <b>Slabs<br/>Variability<br/>Index</b>   |
|------------------------|--|--|--|--|--|--|--|---|---|--|--|--|--|
| <b>Format (cm)</b>     | 120 × 60   | 120 × 30   | 100 × 100  | 60 × 60  | 60 × 30  |  | 30 × 30  | 100 × 6,5   | 60 × 7  | 120 × 30   | 100 × 30   | 60 × 30  |  |
| <b>Thickness (mm)</b>  | ±6 mm  | ±6 mm  | ±6 mm  | ±6 mm  | ±6 mm  |  | ±6 mm  | ±6 mm   | ±6 mm   | ±6 mm  | ±6 mm  | ±6 mm  |  |
| <b>Finishing</b>       | Natural  | Natural  | Natural  | Natural  | Natural  |  | Natural  | Natural   | Natural   | Natural  | Natural  | Natural  | The shade variation index is a rating to determine tile variation between individual pieces of the same color group.       |
| <b>Skid Resistance</b> | R10 A+B  | R10 A+B  | R10 A+B  | R10 A+B  | R10 A+B  |  | R10 A+B  | -   | -   | R10 A+B  | R10 A+B  | R10 A+B  |  |
| <b>Description</b>     | -  | -  | -  | -  | -  |  | Mosaic 4,7 × 4,7   | Bullnose  | Bullnose  | Step with grooves  | Step with grooves  | Step with grooves  |  |
| <b>White Satin</b>     | X126350X6  | X123350X6  | X1010350X6   | X600350X6  | X630350X6  |  | X370350X6  | X1065350X6  | X670350X6   | X3213350X6   | X3100350X6   | X360350X6  |  <b>V2</b><br>slightly different tone   |
| <b>Vanilla Lace</b>    | X126351X6  | X123351X6  | *X1010351X6  | X600351X6  | X630351X6  |  | X370351X6  | *X1065351X6   | X670351X6   | X3213351X6   | X3100351X6   | X360351X6  |  <b>V2</b><br>slightly different tone   |
| <b>Shantung Greige</b> | X126352X6  | X123352X6  | X1010352X6   | X600352X6  | X630352X6  |  | X370352X6  | X1065352X6  | X670352X6   | X3213352X6   | X3100352X6   | X360352X6  |  <b>V2</b><br>slightly different tone   |
| <b>Velvet Brown</b>    | X126353X6  | X123353X6  | *X1010353X6  | X600353X6  | X630353X6  |  | X370353X6  | *X1065353X6   | X670353X6   | X3213353X6   | X3100353X6   | X360353X6  |  <b>V3</b><br>different tone           |
| <b>Black Chiffon</b>   | X126354X6  | X123354X6  | X1010354X6   | X600354X6  | X630354X6  |  | X370354X6  | X1065354X6  | X670354X6   | X3213354X6   | X3100354X6   | X360354X6  |  <b>V3</b><br>different tone          |
| <b>Light Ornament</b>  | X1266350X6   | X1236350X6   |  | X606350X6  |  |  |  |   |   |  |  |  |  <b>V2</b><br>slightly different tone |
| <b>Dark Ornament</b>   | X1266354X6   | X1236354X6   |  | X606354X6  |  |  |  |   |   |  |  |  |  <b>V3</b><br>different tone          |
| <b>Features</b>        |  <b>GRIP+</b> |  <b>GRIP+</b> |  <b>GRIP+</b> |  <b>GRIP+</b> |  <b>GRIP+</b> |  |  <b>GRIP+</b> |   |   |  <b>GRIP+</b> |  <b>GRIP+</b> |  <b>GRIP+</b> |  |
|                        |  |  |  |  |  |  |  |   |   |  |  |  | <b>Note</b>  |
| <b>pieces - box</b>    | 3  | 5  | 2  | 5  | 10   |  | 11   | 12  | 15  | 5  | 5  | 8  | *Production upon request   |
| <b>boxes - pallet</b>  | 32   | 40   | 26   | 32   | 40   |  | -  | -   | -   | -  | -  | -  |  |
| <b>sqm - box</b>       | 2,16   | 1,8  | 2  | 1,8  | 1,8  |  | 0,99   | 0,78  | 0,63  | 1,8  | 1,5  | 1,44   |  |
| <b>sqm - pallet</b>    | 69,12  | 72   | 52   | 57,6   | 72   |  | -  | -   | -   | -  | -  | -  |  |
| <b>kg - sqm</b>        | 14,35  | 14,35  | 14,06  | 13,89  | 13,89  |  | 1,25   | 0,92  | 0,59  | 5,17   | 4,2  | 2,5  |  |
| <b>kg - box</b>        | 30,996   | 25,83  | 28,12  | 25,002   | 25,002   |  | 13,75  | 11,04   | 8,85  | 25,85  | 21   | 20   |  |



# Color Studio



Collection: Color Studio | Colors: Cream, Biscuit, Malt, Brown



Collection: Color Studio | Specials pieces configuration



## Color Studio | Summary




Collection: Color Studio | Color: Powder – Mosaic


## Colors




Night




Sage




Powder




White\*




Brown



Biscuit



Malt



Cream

## Technical features

### Natural | R9 A | $\pm 6$ mm

- 120×60
- 120×30\*
- 100×100
- 60×60
- 60×30

### Specials


- Bullnose
- Step




20×20  
Square




20×20×28  
Triangle




46×23  
Trapezoid




23×23  
Rhombus




28×20  
Parallelogram



30×30  
Brick Mosaic



30×30  
Listel



30×30  
Mosaic



40% Raw material from recycling process  
products assessed and found to comply  
with the LEED and BREEAM regulations.



[click here for](#)

Visit the collection webpage  
in other languages.

# Color Studio

## Product details


















Technical product features at page **208 - 209**

|                        |           |           |             |           |           |  |                    |                     |           |           |           |           | <b>Slabs<br/>Variability<br/>Index</b><br><br>The shade variation index is a rating to determine tile variation between individual pieces of the same color group. |                    |
|------------------------|-----------|-----------|-------------|-----------|-----------|--|--------------------|---------------------|-----------|-----------|-----------|-----------|--|--------------------|
| <b>Format (cm)</b>     | 120 × 60  | 120 × 30  | 100 × 100   | 60 × 60   | 60 × 30   |  | 28 × 20            | 23 × 23             | 20 × 20   | 46 × 23   | 20 × 20   |           |  |                    |
| <b>Thickness (mm)</b>  | ±6 mm     | ±6 mm     | ±6 mm       | ±6 mm     | ±6 mm     |  | ±6 mm              | ±6 mm               | ±6 mm     | ±6 mm     | ±6 mm     |           |  |                    |
| <b>Finishing</b>       | Natural   | Natural   | Natural     | Natural   | Natural   |  | Natural            | Natural             | Natural   | Natural   | Natural   | Natural   | V1<br>uniform tone   |                    |
| <b>Skid Resistance</b> | R9 A      | R9 A      | R9 A        | R9 A      | R9 A      |  | R9 A               | R9 A                | R9 A      | R9 A      | R9 A      | R9 A      |  | V1<br>uniform tone |
| <b>Description</b>     | -         | -         | -           | -         | -         |  | Parallelogram Left | Parallelogram Right | Rhombus   | Square    | Trapezoid | Triangle  |  |                    |
| <b>White</b>           | X126360X6 | X123360X6 | X1010360X6  | X600360X6 | X630360X6 |  | XPARL360X6         | XPARR360X6          | XRHO360X6 | XSQU360X6 | XTRA360X6 | XTRI360X6 |  |                    |
| <b>Sage</b>            | X126361X6 |           | *X1010361X6 | X600361X6 | X630361X6 |  | XPARL361X6         | XPARR361X6          | XRHO361X6 | XSQU361X6 | XTRA361X6 | XTRI361X6 |  |                    |
| <b>Powder</b>          | X126362X6 |           | *X1010362X6 | X600362X6 | X630362X6 |  | XPARL362X6         | XPARR362X6          | XRHO362X6 | XSQU362X6 | XTRA362X6 | XTRI362X6 |  |                    |
| <b>Night</b>           | X126363X6 |           | X1010363X6  | X600363X6 | X630363X6 |  | XPARL363X6         | XPARR363X6          | XRHO363X6 | XSQU363X6 | XTRA363X6 | XTRI363X6 |  |                    |
| <b>Cream</b>           | X126364X6 |           | X1010364X6  | X600364X6 | X630364X6 |  | XPARL364X6         | XPARR364X6          | XRHO364X6 | XSQU364X6 | XTRA364X6 | XTRI364X6 |  |                    |
| <b>Biscuit</b>         | X126365X6 |           | X1010365X6  | X600365X6 | X630365X6 |  | XPARL365X6         | XPARR365X6          | XRHO365X6 | XSQU365X6 | XTRA365X6 | XTRI365X6 |  |                    |
| <b>Malt</b>            | X126366X6 |           | *X1010366X6 | X600366X6 | X630366X6 |  | XPARL366X6         | XPARR366X6          | XRHO366X6 | XSQU366X6 | XTRA366X6 | XTRI366X6 |  |                    |
| <b>Brown</b>           | X126367X6 |           | *X1010367X6 | X600367X6 | X630367X6 |  | XPARL367X6         | XPARR367X6          | XRHO367X6 | XSQU367X6 | XTRA367X6 | XTRI367X6 |  |                    |
|                        |           |           |             |           |           |  |                    |                     |           |           |           |           | <b>Note</b><br><br>*Production upon request  |                    |
| <b>pieces - box</b>    | 3         | 5         | 2           | 5         | 10        |  | 12                 | 12                  | 12        | 8         | 24        |           |  |                    |
| <b>boxes - pallet</b>  | 32        | 40        | 26          | 32        | 40        |  | -                  | -                   | 132       | -         | -         | -         |  |                    |
| <b>sqm - box</b>       | 2,16      | 1,8       | 2           | 1,8       | 1,8       |  | 0,468              | 0,54                | 0,48      | 0,544     | 0,48      |           |  |                    |
| <b>sqm - pallet</b>    | 69,12     | 72        | 52          | 57,6      | 72        |  | -                  | -                   | 63,36     | -         | -         | -         |  |                    |
| <b>kg - sqm</b>        | 14,35     | 14,35     | 14,06       | 13,89     | 13,89     |  | 13,89              | 13,89               | 13,89     | 13,89     | 13,89     | 13,89     |  |                    |
| <b>kg - box</b>        | 30,996    | 25,83     | 28,12       | 25,002    | 25,002    |  | 6,501              | 7,501               | 6,667     | 7,556     | 6,667     |           |  |                    |

# Color Studio

## Product details

Technical product features at page **208 - 209**

|                 | *  |                        | *  |                        | *  |                        | *  |                        | *  |                          | *  |                        | *  |  | *  |            | *  |  | Slabs Variability Index  |
|-----------------|---|------------------------|---|------------------------|---|------------------------|---|------------------------|---|--------------------------|---|------------------------|---|--|---|------------|---|--|--|
|                 | Format (cm)   | 30 × 30                | 30 × 30   | 30 × 30                | 30 × 30   | 30 × 30                | 30 × 30   | 30 × 30                | 100 × 6,5   | 60 × 7                   | 120 × 30  | 100 × 30               | 60 × 30   |  |   |            |   |  |  |
| Thickness (mm)  | ±6 mm   |                        | ±6 mm   |                        | ±6 mm   |                        | ±6 mm   |                        | ±6 mm   |                          | ±6 mm   |                        | ±6 mm   |  | ±6 mm   |            | ±6 mm   |  | The shade variation index is a rating to determine tile variation between individual pieces of the same color group. |
| Finishing       | Natural   |                        | Natural   |                        | Natural   |                        | Natural   |                        | Natural   |                          | Natural   |                        | Natural   |  | Natural   |            | Natural   |  |  |
| Skid Resistance | R9 A+B  |                        | R9 A  |                        | R9 A  |                        | R9 A  |                        | -   |                          | -   |                        | R9 A  |  | R9 A  |            | R9 A  |  |  |
| Description     | Mosaic 3,1 × 3,1  |                        | Mosaic 4,7 × 4,7  |                        | Listel  |                        | Brick Mosaic  |                        | Bullnose  |                          | Bullnose  |                        | Step with grooves   |  | Step with grooves   |            | Step with grooves   |  |  |
| White           | X373360X6   | X373COLDX6<br>Cold Mix | X370360X6   | X370COLDX6<br>Cold Mix | X371360X6   | X371COLDX6<br>Cold Mix | X372360X6   | X372COLDX6<br>Cold Mix | X1065360X6  | X670360X6                | X3213360X6  | X3100360X6             | X360360X6   |  V1<br>uniform tone |   |            |   |  |  |
| Sage            | X373361X6   |                        | X370361X6   |                        | X371361X6   |                        | X372361X6   |                        | *X1065361X6   | *X670361X6               | X3213361X6  | X3100361X6             | X360361X6   |  V1<br>uniform tone |   |            |   |  |  |
| Powder          | X373362X6   |                        | X370362X6   |                        | X371362X6   |                        | X372362X6   |                        | *X1065362X6   | *X670362X6               | X3213362X6  | X3100362X6             | X360362X6   |  V1<br>uniform tone |   |            |   |  |  |
| Night           | X373363X6   |                        | X370363X6   |                        | X371363X6   |                        | X372363X6   |                        | X1065363X6  | X670363X6                | X3213363X6  | X3100363X6             | X360363X6   |  V1<br>uniform tone |   |            |   |  |  |
| Cream           | X373364X6   |                        | X373WARMX6<br>Warm Mix  |                        | X370364X6   |                        | X370WARMX6<br>Warm Mix  |                        | X371364X6   | X371WARMX6<br>Warm Mix   | X372364X6   | X372WARMX6<br>Warm Mix | X1065364X6  | X670364X6  | X3213364X6  | X3100364X6 | X360364X6   |  V1<br>uniform tone |  |
| Biscuit         | X373365X6   |                        |   |                        | X370365X6   |                        |   |                        | X371365X6   |                          | X372365X6   |                        | X1065365X6  | X670365X6  | X3213365X6  | X3100365X6 | X360365X6   |  V1<br>uniform tone |  |
| Malt            | X373366X6   |                        |   |                        | X370366X6   |                        |   |                        | X371366X6   |                          | X372366X6   |                        | *X1065366X6   | *X670366X6   | X3213366X6  | X3100366X6 | X360366X6   |  V1<br>uniform tone |  |
| Brown           | X373367X6   |                        |   |                        | X370367X6   |                        |   |                        | X371367X6   |                          | X372367X6   |                        | *X1065367X6   | *X670367X6   | X3213367X6  | X3100367X6 | X360367X6   |  V1<br>uniform tone |  |
|                 |   |                        |   |                        |   |                        |   |                        |   |                          |   |                        |   |  |   |            |   |  |  |
| Note            |   |                        |   |                        |   |                        |   |                        |   |                          |   |                        |   |  |   |            |   |  |  |
| pieces - box    | 11  | 11                     | 11  | 11                     | 12  | 15                     | 5   | 5                      | 8   | *Production upon request |   |                        |   |  |   |            |   |  |  |
| boxes - pallet  | -   | -                      | -   | -                      | -   | -                      | -   | -                      | -   |                          |   |                        |   |  |   |            |   |  |  |
| sqm - box       | 0,99  | 0,99                   | 0,99  | 0,99                   | 0,78  | 0,63                   | 1,8   | 1,5                    | 1,44  |                          |   |                        |   |  |   |            |   |  |  |
| sqm - pallet    | -   | -                      | -   | -                      | -   | -                      | -   | -                      | -   |                          |   |                        |   |  |   |            |   |  |  |
| kg - sqm        | 1,25  | 1,25                   | 1,25  | 1,25                   | 0,92  | 0,59                   | 5,17  | 4,2                    | 2,5   |                          |   |                        |   |  |   |            |   |  |  |
| kg - box        | 13,75   | 13,75                  | 13,75   | 13,75                  | 11,04   | 8,85                   | 25,85   | 21                     | 20  |                          |   |                        |   |  |   |            |   |  |  |


# Great Elite - One



Collection: Great Elite - One | Color: Elite Statuario



Collection: Great Elite - One | Colors: Elite Marquina, Elite Alpi



## Great Elite - One | Summary




Collection: Great Elite - One | Color: Elite Calacatta


## Colors




Elite Statuario




Elite Marquina



Elite Noir




Elite Calacatta



Elite Alpi



Elite Invisible



One White\*

## Technical features

### Honed | R9 | ±6 mm

- 300×150\*
- 300×100\*
- 270×120
- 150×150\*
- 150×100\*
- 120×120
- 100×100\*

### Bright | ±6 mm

- 300×150\*
- 300×100\*
- 270×120
- 150×150\*
- 150×100\*
- 120×120
- 100×100\*

### Satin | ±6 mm

- 270×120
- 120×120



40% Raw material from recycling process products assessed and found to comply with the LEED and BREEAM regulations.



Great Elite



Great One

[click here for](#)

Great Elite collection webpage in other languages.

[click here for](#)

Great One collection webpage in other languages.







# Great Elite - One


## Product details

Packaging details **216 - 163**

Technical product features at page **208 - 209**

|                        |   |        |       |  |        |       |   |       |        |   |       |        |                                |  |
|------------------------|---|--------|-------|--|--------|-------|---|-------|--------|---|-------|--------|--------------------------------|--|
| <b>Format (cm)</b>     |  300 × 150 |        |       |  300 × 100 |        |       |  270 × 120 |       |        |  150 × 150 |       |        | <b>Slabs Variability Index</b> |  |
| <b>Thickness (mm)</b>  | ±6mm  |        |       | ±6mm   |        |       | ±6mm  |       |        | ±6mm  |       |        |                                |  |
| <b>Finishing</b>       | Honed   | Bright | Satin | Honed  | Bright | Satin |   | Honed | Bright | Satin   | Honed | Bright | Satin                          | The shade variation index is a rating to determine tile variation between individual pieces of the same color group. |
| <b>Skid Resistance</b> | R9  | -      | -     | R9   | -      | -     |   | R9    | -      | -   | R9    | -      | -                              |  |
| <b>Description</b>     | -   | -      | -     | -  | -      | -     |   | -     | -      | -   | -     | -      | -                              |  |

### Great Elite

|   |  |  |  |  |  |  |  |            |            |            |  |  |  |  |
|---|--|--|--|--|--|--|--|------------|------------|------------|--|--|--|--|
|  Elite Statuario   |  |  |  |  |  |  |  | X2712400X6 | P2712400X6 |            |  |  |  |  <b>V3</b><br>different tone          |
|  Elite Marquina    |  |  |  |  |  |  |  |            | P2712401X6 | X2712401X6 |  |  |  |  <b>V2</b><br>slightly different tone |
|  Elite Noir       |  |  |  |  |  |  |  |            | P2712402X6 | X2712402X6 |  |  |  |  <b>V3</b><br>different tone         |
|  Elite Calacatta |  |  |  |  |  |  |  | X2712403X6 | P2712403X6 |            |  |  |  |  <b>V3</b><br>different tone        |
|  Elite Alpi      |  |  |  |  |  |  |  | X2712404X6 | P2712404X6 |            |  |  |  |  <b>V3</b><br>different tone        |
|  Elite Invisible |  |  |  |  |  |  |  |            | P2712405X6 |            |  |  |  |  <b>V3</b><br>different tone        |

### Great One




|                       |            |            |  |            |            |  |  |  |  |       |            |            |       |   |
|-----------------------|------------|------------|--|------------|------------|--|--|--|--|-------|------------|------------|-------|---|
| <b>One White</b>      | X3015480X6 | P3015480X6 |  | X3010480X6 | P3010480X6 |  |  |  |  |       | X1515480X6 | P1515480X6 |       |  <b>V1</b><br>uniform tone   |
| <b>Features</b>       |            |            |  |            |            |  |  |  |  |       |            |            |       |   |
|                       |            |            |  |            |            |  |  |  |  |       |            |            |       | <b>Note</b>   |
| <b>pieces - box</b>   |            | min.2      |  |            | min.3      |  |  |  |  | min.3 |            |            | min.4 | All articles of the GREAT collections are produced on order in Castellarano factory (Italy).<br><br>Porcelaingres reserves the right to modify technical details included in this catalogue as well as irregularities in the grain. |
| <b>boxes - pallet</b> |            | 12         |  |            | -          |  |  |  |  | 16    |            |            | 24    |   |
| <b>sqm - box</b>      |            | 4,50       |  |            | 3,00       |  |  |  |  | 3,24  |            |            | 2,25  |   |
| <b>sqm - pallet</b>   |            | 54,00      |  |            | -          |  |  |  |  | 51,84 |            |            | 54,00 |   |
| <b>kg - sqm</b>       |            | 14,07      |  |            | 14,07      |  |  |  |  | 14,07 |            |            | 14,07 |   |
| <b>kg - box</b>       |            | 63,32      |  |            | -          |  |  |  |  | 45,59 |            |            | 31,66 |   |

# Great Elite - One

## Product details

Packaging details 216 - 163


Technical product features at page 208 - 209

|                        |   |                    |       |   |                    |       |   |                    |        |       |  |  |  |
|------------------------|---|--------------------|-------|---|--------------------|-------|---|--------------------|--------|-------|--|--|--|
| <b>Format (cm)</b>     |  |                    |       |  |                    |       |  |                    |        |       |  |  | <b>Slabs Variability Index</b>   |
|                        | <b>Thickness (mm)</b>   | 150 × 100<br>±6 mm |       |   | 120 × 120<br>±6 mm |       |   | 100 × 100<br>±6 mm |        |       |  |  |  |
| <b>Finishing</b>       | Honed   | Bright             | Satin | Honed   | Bright             | Satin |   | Honed              | Bright | Satin |  |  | The shade variation index is a rating to determine tile variation between individual pieces of the same color group. |
| <b>Skid Resistance</b> | R9  | -                  | -     | R9  | -                  | -     |   | R9                 | -      | -     |  |  |  |
| <b>Description</b>     | -   | -                  | -     | -   | -                  | -     |   | -                  | -      | -     |  |  |  |

### Great Elite

|   |  |  |  |            |            |            |  |  |  |  |  |  |  |
|---|--|--|--|------------|------------|------------|--|--|--|--|--|--|--|
|    |  |  |  | X1212400X6 | P1212400X6 |            |  |  |  |  |  |  |  <b>V3</b><br>different tone          |
|    |  |  |  |            | P1212401X6 | X1212401X6 |  |  |  |  |  |  |  <b>V2</b><br>slightly different tone |
|   |  |  |  |            | P1212402X6 | X1212402X6 |  |  |  |  |  |  |  <b>V3</b><br>different tone         |
|  |  |  |  | X1212403X6 | P1212403X6 |            |  |  |  |  |  |  |  <b>V3</b><br>different tone        |
|  |  |  |  | X1212404X6 | P1212404X6 |            |  |  |  |  |  |  |  <b>V3</b><br>different tone        |
|  |  |  |  |            | P1212405X6 |            |  |  |  |  |  |  |  <b>V3</b><br>different tone        |

### Great One

|                       |            |            |  |  |       |  |  |            |            |  |  |  |   |
|-----------------------|------------|------------|--|--|-------|--|--|------------|------------|--|--|--|---|
| <b>One White</b>      | X1510480X6 | P1510480X6 |  |  |       |  |  | X1010480X6 | P1010480X6 |  |  |  |  <b>V1</b><br>uniform tone   |
| <b>Features</b>       |            |            |  |  |       |  |  |            |            |  |  |  |   |
|                       |            |            |  |  |       |  |  |            |            |  |  |  | <b>Note</b>   |
| <b>pieces - box</b>   |            | min.2      |  |  | 2     |  |  |            | 2          |  |  |  | All articles of the GREAT collections are produced on order in Castellarano factory (Italy).<br><br>Porcelaingres reserves the right to modify technical details included in this catalogue as well as irregularities in the grain. |
| <b>boxes - pallet</b> |            | -          |  |  | 26    |  |  |            | -          |  |  |  |   |
| <b>sqm - box</b>      |            | 3,00       |  |  | 2,88  |  |  |            | 2,00       |  |  |  |   |
| <b>sqm - pallet</b>   |            | -          |  |  | 74,88 |  |  |            | -          |  |  |  |   |
| <b>kg - sqm</b>       |            | 14,07      |  |  | 14,07 |  |  |            | 14,07      |  |  |  |   |
| <b>kg - box</b>       |            | -          |  |  | 40,52 |  |  |            | -          |  |  |  |   |

# Radical



Collection: Radical | Color: Shabby Brown



Collection: Radical | Colors: Shabby White, Shabby Brown



## Radical | Summary



Collection: Radical | Colors: Shabby Grey, Shabby Black

## Colors




Shabby Black



Shabby Brown



Shabby Grey



Shabby White

## Technical features

### Natural | R9 | $\leq 6$ mm

- 120×60
- 100×100
- 60×60
- 60×30

### Specials

- Mosaic
- Bullnose
- Step



40% Raw material from recycling process products assessed and found to comply with the LEED and BREEAM regulations.



[click here for](#)

Visit the collection webpage in other languages.

# Radical

Product details

Technical product features at page **208 - 209**

|                        |           |            |           |           |                  |  |            |           |                   |                   |                             | <b>Slabs<br/>Variability<br/>Index</b>   |
|------------------------|-----------|------------|-----------|-----------|------------------|--|------------|-----------|-------------------|-------------------|-----------------------------|--|
| <b>Format (cm)</b>     | 120 × 60  | 100 × 100  | 60 × 60   | 60 × 30   | 30 × 30          |  | 100 × 6,5  | 60 × 7    | 120 × 30          | 100 × 30          |                             |  |
| <b>Thickness (mm)</b>  | ±6 mm     | ±6 mm      | ±6 mm     | ±6 mm     | ±6 mm            |  | ±6 mm      | ±6 mm     | ±6 mm             | ±6 mm             |                             |  |
| <b>Finishing</b>       | Natural   | Natural    | Natural   | Natural   | Natural          |  | Natural    | Natural   | Natural           | Natural           |                             | The shade variation index is a rating to determine tile variation between individual pieces of the same color group. |
| <b>Skid Resistance</b> | R9        | R9         | R9        | R9        | R9               |  | -          | -         | R9                | R9                |                             |  |
| <b>Description</b>     | -         | -          | -         | -         | Mosaic 7,2 × 7,2 |  | Bullnose   | Bullnose  | Step with grooves | Step with grooves |                             |  |
| <b>Shabby Black</b>    | X126270X6 | X1010270X6 | X600270X6 | X630270X6 | X370270X6        |  | X1065270X6 | X670270X6 | X3213270X6        | X3100270X6        | <b>V3</b><br>different tone |  |
| <b>Shabby Brown</b>    | X126271X6 | X1010271X6 | X600271X6 | X630271X6 | X370271X6        |  | X1065271X6 | X670271X6 | X3213271X6        | X3100271X6        | <b>V3</b><br>different tone |  |
| <b>Shabby Grey</b>     | X126272X6 | X1010272X6 | X600272X6 | X630272X6 | X370272X6        |  | X1065272X6 | X670272X6 | X3213272X6        | X3100272X6        | <b>V3</b><br>different tone |  |
| <b>Shabby White</b>    | X126273X6 | X1010273X6 | X600273X6 | X630273X6 | X370273X6        |  | X1065273X6 | X670273X6 | X3213273X6        | X3100273X6        | <b>V3</b><br>different tone |  |
|                        |           |            |           |           |                  |  |            |           |                   |                   |                             |  |
|                        |           |            |           |           |                  |  |            |           |                   |                   |                             |  |
|                        |           |            |           |           |                  |  |            |           |                   |                   |                             |  |
|                        |           |            |           |           |                  |  |            |           |                   |                   |                             |  |
|                        |           |            |           |           |                  |  |            |           |                   |                   |                             |  |
|                        |           |            |           |           |                  |  |            |           |                   |                   |                             |  |
|                        |           |            |           |           |                  |  |            |           |                   |                   |                             |  |
|                        |           |            |           |           |                  |  |            |           |                   |                   |                             |  |
|                        |           |            |           |           |                  |  |            |           |                   |                   |                             |  |
|                        |           |            |           |           |                  |  |            |           |                   |                   |                             |  |
|                        |           |            |           |           |                  |  |            |           |                   |                   |                             |  |
|                        |           |            |           |           |                  |  |            |           |                   |                   |                             | <b>Note</b>  |
| <b>pieces - box</b>    | 3         | 2          | 5         | 10        | 11               |  | 12         | 15        | 5                 | 5                 |                             | *Production upon request   |
| <b>boxes - pallet</b>  | 32        | 26         | 32        | 40        | -                |  | -          | -         | -                 | -                 |                             |  |
| <b>sqm - box</b>       | 2,16      | 2          | 1,8       | 1,8       | 0,99             |  | 0,78       | 0,63      | 1,8               | 1,5               |                             |  |
| <b>sqm - pallet</b>    | 69,12     | 52         | 57,6      | 72        | -                |  | -          | -         | -                 | -                 |                             |  |
| <b>kg - sqm</b>        | 14,35     | 14,06      | 13,89     | 13,89     | 1,25             |  | 0,92       | 0,59      | 5,17              | 4,2               |                             |  |
| <b>kg - box</b>        | 30,996    | 28,12      | 25,002    | 25,002    | 13,75            |  | 11,04      | 8,85      | 25,85             | 21                |                             |  |

# Pure Wood



Collection: Pure Wood | Color: Pure Hazel



Collection: Pure Wood | Colors: Pure Brown, Pure Black






## Pure Wood | Summary



Collection: Pure Wood | Color: Pure White

## Colors



Pure Black



Pure Brown



Pure Hazel



Pure Amber



Pure Grey



Pure White

## Technical features

**Natural | R10 A+B |  $\geq 6$  mm**



- 120 x 20

### Specials

- Bullnose



40% Raw material from recycling process products assessed and found to comply with the LEED and BREEAM regulations.





[click here for](#)

Visit the collection webpage in other languages.

# Pure Wood

Product details

Technical product features at page **210 - 211**

| Format (cm)<br>Thickness (mm)               | 120 × 20<br>±6 mm  | 120 × 7<br>±6 mm         |  |  |  |  |  |  | Slabs<br>Variability<br>Index  |
|---|--|--------------------------|--|--|--|--|--|--|--|
| Finishing<br>Skid Resistance<br>Description | Natural<br>R10 A+B<br>-  | Natural<br>-<br>Bullnose |  |  |  |  |  |  | The shade variation index is a rating to determine tile variation between individual pieces of the same color group. |
| Pure Black                                  | X122340X6  | X1270340X6               |  |  |  |  |  |  |  <b>V3</b><br>different tone      |
| Pure Brown                                  | X122341X6  | X1270341X6               |  |  |  |  |  |  |  <b>V3</b><br>different tone      |
| Pure Hazel                                  | X122342X6  | X1270342X6               |  |  |  |  |  |  |  <b>V3</b><br>different tone      |
| Pure Amber                                  | X122343X6  | X1270343X6               |  |  |  |  |  |  |  <b>V3</b><br>different tone      |
| Pure Grey                                   | X122344X6  | X1270344X6               |  |  |  |  |  |  |  <b>V3</b><br>different tone    |
| Pure White                                  | X122345X6  | X1270345X6               |  |  |  |  |  |  |  <b>V3</b><br>different tone    |
| Features                                    |  <b>GRIP+</b> |                          |  |  |  |  |  |  |  |
| <b>Note</b>                                 |  |                          |  |  |  |  |  |  |  |
| pieces - box                                | 8  | 16                       |  |  |  |  |  |  |  |
| boxes - pallet                              | 36   | -                        |  |  |  |  |  |  |  |
| sqm - box                                   | 1,92   | 1,344                    |  |  |  |  |  |  |  |
| sqm - pallet                                | 69,12  | -                        |  |  |  |  |  |  |  |
| kg - sqm                                    | 12,9   | 1,084                    |  |  |  |  |  |  |  |
| kg - box                                    | 24,768   | 17,344                   |  |  |  |  |  |  | *Production upon request   |



Collection: In Wood | Color: Maple



Collection: In Wood | Color: Canaletto



## In Wood | Summary



Collection: In Wood | Color: Maple

## Colors



Acacia



Canaletto\*



Maple\*



Mulberry

## Technical features

### Natural | R10 A | $\pm 8$ mm

- 120 x 30
- 120 x 20
- 120 x 15

### Natural | R11 A+B | $\pm 20$ mm\*



- 120 x 60
- 120 x 30

### Specials

- Modul Shade
- Modul Oblique
- Bullnose



40% Raw material from recycling process products assessed and found to comply with the LEED and BREEAM regulations.

















[click here for](#)

Visit the collection webpage in other languages.

# In Wood



















## Product details

Technical product features at page 210 - 211

|                        |                  |                  |  |  |  |  | *<br> | *<br>   |  | <b>Slabs Variability Index</b>   |
|------------------------|---|---|--|---|--|---|--|--|---|--|
| <b>Format (cm)</b>     | 120 × 60  | 120 × 30  | 120 × 30   | 120 × 20  |  | 120 × 15  | 120 × 30   | 60 × 15  | 60 × 7  |  |
| <b>Thickness (mm)</b>  | ±20 mm  | ±20 mm  | ±8 mm  | ±8 mm   |  | ±8 mm   | ±8 mm  | ±8 mm  | ±8 mm   |  |
| <b>Finishing</b>       | Natural   | Natural   | Natural  | Natural   |  | Natural   | Natural  | Natural  | Natural   | The shade variation index is a rating to determine tile variation between individual pieces of the same color group. |
| <b>Skid Resistance</b> | R11 A+B   | R11 A+B   | R10 A  | R10 A   |  | R10 A   | -  | R10 A  | -   |  |
| <b>Description</b>     | -   | -   | -  | -   |  | -   | Modul Shade  | Modul Oblique (Left & Right)   | Bullnose  |  |
| <b>Acacia</b>          |   |   | X123280X8  | X122280X8   |  | X125280X8   | X1230280X8   | X1560280X8   | X670280X8   |  <b>V3</b><br>different tone      |
| <b>Canaletto</b>       | X126281X20  | X123281X20  | X123281X8  | X122281X8   |  | X125281X8   | X1230281X8   | X1560281X8   | X670281X8   |  <b>V3</b><br>different tone      |
| <b>Maple</b>           | X126282X20  | X123282X20  | X123282X8  | X122282X8   |  | X125282X8   | X1230282X8   | X1560282X8   | X670282X8   |  <b>V3</b><br>different tone      |
| <b>Mulberry</b>        |   |   | X123283X8  | X122283X8   |  | X125283X8   | X1230283X8   | X1560283X8   | X670283X8   |  <b>V3</b><br>different tone      |
|                        |   |   |  |   |  |   |  |  <p>1 Box contains:</p>   |   |  |
| <b>Features</b>        |  <b>CLEAN+</b> |  <b>CLEAN+</b> |  |   |  |   |  |  |   |  |
|                        | <b>Note</b>   |   |  |   |  |   |  |  |   |  |
| <b>pieces - box</b>    | 1   | 2   | 4  | 8   |  | 8   | 3  | 12   | 10  | * Production upon request  |
| <b>boxes - pallet</b>  | 32  | 30  | 32   | 36  |  | 40  | -  | -  | -   |  |
| <b>sqm - box</b>       | 0,72  | 0,72  | 1,44   | 1,92  |  | 1,44  | 1,08   | 0,81   | 0,42  |  |
| <b>sqm - pallet</b>    | 23,04   | 21,6  | 46,08  | 69,12   |  | 57,6  | -  | -  | -   |  |
| <b>kg - sqm</b>        | 39,814  | 45  | 17,79  | 17,21   |  | 17,79   | 6,4  | 1,2  | 0,78  |  |
| <b>kg - box</b>        | 28,666  | 32,4  | 25,618   | 33,043  |  | 25,618  | 19,2   | 14,4   | 7,8   |  |

# Overview | All collections

Find your product according to your needs and destination of use.

| Effects  | Collections             | Colors   | Finishings           | ≈ 6 mm | ≈ 8 mm | ≈ 20 mm | Large Format | LOOK+ Full Body | Page      |
|----------|-------------------------|--|----------------------|--------|--------|---------|--------------|-----------------|-----------|
| Concrete | Urban (NEW)             |    | Natural              | ●      | ●      | ●       |              |                 | 64 - 73   |
|          | Soft Concrete           |     | Natural              | ●      | ●      | ●       |              |                 | 82 - 91   |
|          | Stardust                |    | Natural              | ●      | ●      |         |              | ●               | 92 - 99   |
|          | Urban Great (NEW)       |    | Natural              | ●      |        |         | ●            |                 | 74 - 81   |
|          | Cosmo (NEW)             |     | Natural Structured   | ●      | ●      | ●       |              |                 | 54 - 61   |
| Stone    | Dune (NEW)              |    | Natural Structured   | ●      | ●      | ●       |              |                 | 26 - 35   |
|          | Solid Stone (NEW)       |     | Natural Structured   | ●      | ●      | ●       |              |                 | 36 - 43   |
|          | Native Stone (NEW)      |   | Natural              | ●      | ●      | ●       |              |                 | 44 - 53   |
|          | Royal Stone             |   | Natural              | ●      | ●      | ●       |              |                 | 100 - 109 |
|          | Loft                    |   | Natural              | ●      | ●      | ●       |              | ●               | 118 - 127 |
|          | Quartz Stone            |   | Structured           |        |        | ●       |              |                 | 128 - 135 |
|          | Silk Stone              |  | Natural              | ●      |        |         |              |                 | 136 - 143 |
|          | Great Royal Stone       |   | Natural              | ●      |        |         | ●            |                 | 110 - 117 |
| Marble   | Great Elite - One (NEW) |  | Bright Honed - Satin | ●      |        |         | ●            |                 | 154 - 163 |
| Color    | Color Studio            |  | Natural              | ●      |        |         |              |                 | 144 - 153 |
| Metal    | Radical                 |   | Natural              | ●      |        |         |              |                 | 164 - 171 |
| Wood     | Pure Wood               |  | Natural              | ●      |        |         |              |                 | 172 - 179 |
|          | In Wood                 |   | Natural              |        | ●      | ●       |              |                 | 180 - 187 |

# 4

## Features.

**Our two production plants, one in Italy in Castellarano, and the other in Germany in Vetschau, use the best raw materials and modern technologies.**

|                              |           |
|------------------------------|-----------|
| GRIP+   More skid resistance | 192 - 193 |
| CLEAN+   Easy to clean       | 194 - 195 |
| LOOK+   Full Body            | 196 - 197 |
| Edge finishes                | 198 - 199 |



# GRIP+

## Features


### More slip resistances.

GRIP+, the groundbreaking surface finishing for selected Porcelaingres floor tiles, unfolds its full strength wherever it gets wet and damp. This is because GRIP+ actively reduces the risk of slipping on the floor when exposed to moisture. Thanks to their innovative microcrystals, these new tiles have a lifelong durability of their slip resistance class A+B. Thus they meet the requirements for barrier-free family bathrooms and ageappropriate bathroom renovations.



### Collections with GRIP+ :

|               |           |
|---------------|-----------|
| Dune          | 26 - 35   |
| Solid Stone   | 36 - 43   |
| Native Stone  | 44 - 53   |
| Cosmo         | 54 - 61   |
| Urban         | 64 - 73   |
| Soft Concrete | 82 - 91   |
| Stardust      | 92 - 99   |
| Royal Stone   | 100 - 109 |
| Loft          | 118 - 127 |
| Silk Stone    | 136 - 143 |
| Pure Wood     | 172 - 179 |



# CLEAN+

## Features

### A velvet surface with grip and comfort of care.


The new technological processing of the porcelain stoneware surfaces with the aid of micro-sandblasting during the production process provides a softer touch. As a result, the surface is not only pleasant to the touch, but also guarantees better cleaning results. At the same time, the grip improves to a slip resistance class of R11 A+B.

The new surfaces with CLEAN+ is applied to our 20mm slabs.



### Collections with CLEAN+ :

|               |           |
|---------------|-----------|
| Dune          | 26 - 35   |
| Solid Stone   | 36 - 43   |
| Native Stone  | 44 - 53   |
| Cosmo         | 54 - 61   |
| Urban         | 64 - 73   |
| Soft Concrete | 82 - 91   |
| Royal Stone   | 100 - 109 |
| Loft          | 118 - 127 |
| Quartz Stone  | 128 - 135 |
| In Wood       | 180 - 187 |



# LOOK+

## Features

### New Generation Full Body

Fullbody generation porcelain stoneware surfaces are characterized by a uniform, indestructible, waterproof and very durable body. This is compressed by a high pressure and fired at very high temperatures (1300°) to ensure maximum resistance, hygiene and stain resistance. slabs for yourself.

### More than design

The design of each piece is unique, modern and never uniform thanks to a harmonious and random mixture of granules and flakes of different colors and dimensions. Due to our modern production facilities and cutting-edge expertise, fragments and coloured base mixtures come together in various ways, to simulate the unpredictability of nature and hand-made objects which gives the impression of using whole stone slabs.



### Collections with LOOK+ :

|          |           |
|----------|-----------|
| Stardust | 92 - 99   |
| Loft     | 118 - 127 |




# Edge finishes


## Features

**Choose from a variety of edge finishes to customize each collection, creating a unique masterpiece that suits your style and environment.**



We offer customization of the edge finishes based on the specific needs of your project, even if not included in the options listed in the catalog.




**90° Rounded**



**Rounded**



**Squared**



# 4

# Insights.

**Our Expertise, Proven Excellence.  
Where Innovation Succeeds.**

|                                      |           |
|--------------------------------------|-----------|
| Certifications                       | 202 - 203 |
| Technical products features          | 204 - 211 |
| Cleaning and Maintenance             | 212 - 215 |
| Packaging details   Great Collection | 216 - 225 |

# Certifications

Sensitivity towards ethyca, environmental, safety and quality concerns

## Product Certifications:



**LEED certification:** is a global system used in 40+ countries to check if buildings are environmentally friendly. The LEED (Leadership in Energy and Environmental Design) It evaluates how well a building is sustainable in terms of the environment, society, and economy. The slabs in this tool have over 40% recycled material, following the ISO 14021 standard, ensuring the highest LEED points.

**BREEAM certification** is a widely used global standard that measures how buildings impact the environment. It has strictw rules and checks based on the latest technology and knowledge. The rating system demands certifications based on strict technical parameters and quality control.

You can find the updated list of certified collections at [www.porcelaingres.com/downloads/](http://www.porcelaingres.com/downloads/).



**UPEC classification** associated with the QB certification mark attests to the compliance of floor and wall coverings with the technical requirements set out in certification reference documents. It assigns classifications of use indicating that the durability of a product is appropriate for use on specific types of premises.

The list of the certified products is available at <http://evaluation.cstb.fr/>



**CE MARK** - It indicates that Porcelaingres products comply with the requirements of 305/2011 UE directive – in particular with regard to health production and the users and consumers' safety – and may thus be freely circulated on the Community market. **For the declarations of conformity of each single product, please refer to:** [www.porcelaingres.com/downloads/](http://www.porcelaingres.com/downloads/).



放射性水平A类  
See official listing

The **China Compulsory Certificate** mark, commonly known as a **CCC Mark**, is a compulsory safety mark for our Great Format products imported, sold or used in the Chinese market.

The certification is available at [www.porcelaingres.com/downloads/](http://www.porcelaingres.com/downloads/).



**EPD (Environmental Product Declaration):** a voluntary type III product declaration, based on analysis of the product life cycle (with a "from cradle to grave" approach) in accordance with the EN 15804 standard. This declaration is drawn up with reference to the guidelines of the UNI EN ISO 14040 standard and the specific PCR (Product Category Rules). This document describes the environmental impact linked to the entire life cycle of a specific quantity of product. Our Company was the first to certify its products (see [www.environdec.com](http://www.environdec.com)) with specific EPD, validated by an independent third-party Body.

The certification is available at [www.porcelaingres.com/downloads/](http://www.porcelaingres.com/downloads/).



**GREENGUARD certification** ensures indoor products have minimal emissions of volatile substances for healthier environments. GREENGUARD Gold Certification considers safety for sensitive individuals and approves products for use in places like schools and healthcare facilities. Widely recognized globally in sustainable building programs, it is referenced by The Collaborative for High Performance Schools (CHPS) and Leadership in Energy and Environmental Design (LEED) in the United States.

Certified collections can be found at <https://spot.ul.com/>.

## Integrated Management System Certifications:



**ISO 9001 certification:** for corporate Quality system management. The certification, valid at an international level, concerns corporate management in its entirety, from research and development to production, and from distribution to customer support. This system certifies that the Company has implemented an internal quality management system.

The certification is available at [www.porcelaingres.com/downloads/](http://www.porcelaingres.com/downloads/).



**ISO 50001 certification:** for organizations committed to addressing their impact, conserving resources and improving the bottom line through efficient energy management. The standard specifies the requirements for establishing, implementing, maintaining and improving an energy management system, whose purpose is to enable an organization to follow a systematic approach in achieving continual improvement of energy performance, including energy efficiency, energy security, energy use and consumption.

The certification is available at [www.porcelaingres.com/downloads/](http://www.porcelaingres.com/downloads/).

## Environmental Information and Labels:



**Declare label:** a badge for construction materials, essentially functioning as a voluntary self-disclosure program. This initiative furnishes details about the material's composition, final assembly locations, lifespan, end-of-life options, and overall adherence to pertinent Living Building Challenge® (LBC) requirements.

Accessible through a complimentary database, Declare® labels prove to be an essential tool for designers and architects, empowering them to specify products aligning with the criteria of key green building standards, including Core Green Building certifications, LBC, LEED, and WELL.

All our materials hold the classification of being "Red List Free," affirming their absence of chemicals listed in the Living Building Challenge's "Red List."

More info available at <https://declare.living-future.org/products/ceramic-slabs>.



**ISO 14067 certification:** is an international standard that outlines the principles and guidelines for measuring and communicating the carbon footprint of products. This certification focuses on assessing and managing the carbon emissions associated with all stages of a product's life cycle, from raw material extraction through production, distribution, use, and disposal.











The certification is available at [www.porcelaingres.com/downloads/](http://www.porcelaingres.com/downloads/).



\* Information sur le niveau d'émission de substances volatiles dans l'air intérieur, présentant un risque de toxicité par inhalation, sur une échelle de classe allant de A+ (très faibles émissions) à C (fortes émissions).











# Technical product features

## Declared values of production

| Features  | Norms        | ▲ Required standard  | Urban<br>pag. 64 - 73  | Soft Concrete<br>pag. 82 - 91                                      | Stardust<br>pag. 92 - 99   | Urban Great<br>pag. 74 - 81  | Royal Stone<br>pag. 100 - 109                                      |
|---|--------------|--|--|--|--|--|--|
|  water absorption                | ISO 10545-3  | ≤ 0,5%   | < 0,05%  | < 0,05%  | ≤ 0,05%  | < 0,05%  | < 0,05%  |
|  sizes                           | ISO 10545-2  | length and width ± 0,6% max<br>thickness ± 5,0% max<br>linearity ± 0,5% max<br>wedging ± 0,6% max<br>warpage ± 0,5% max                                  | ± 0,2% max<br>± 5,0% max<br>± 0,2% max<br>± 0,2% max<br>± 0,2% max | ± 0,2% max<br>± 5,0% max<br>± 0,2% max<br>± 0,2% max<br>± 0,2% max | ± 0,2% max<br>± 5,0% max<br>± 0,2% max<br>± 0,2% max<br>± 0,2% max | ± 0,2% max<br>± 5,0% max<br>± 0,2% max<br>± 0,2% max<br>± 0,2% max | ± 0,2% max<br>± 5,0% max<br>± 0,2% max<br>± 0,2% max<br>± 0,2% max |
|  bending strength                | ISO 10545-4  | ≥ 35 N/mm <sup>2</sup>   | > 48N/mm <sup>2</sup><br>For 20mm slabs:<br>> 42N/mm <sup>2</sup>  | > 48N/mm <sup>2</sup><br>For 20mm slabs:<br>> 42N/mm <sup>2</sup>  | ≥ 48N/mm <sup>2</sup>  | > 48N/mm <sup>2</sup>  | > 48N/mm <sup>2</sup><br>For 20mm slabs:<br>> 42N/mm <sup>2</sup>  |
|  resistance to deep abrasion    | ISO 10545-6  | ≤ 175 N/mm <sup>3</sup>  | ≤ 140 mm <sup>3</sup>  | ≤ 140 mm <sup>3</sup>  | ≤ 140 mm <sup>3</sup>  | ≤ 140 mm <sup>3</sup>  | ≤ 140 mm <sup>3</sup>  |
|  thermal expansion coefficient | ISO 10545-8  | testing method available   | 7 MK <sup>-1</sup>   | 7 MK <sup>-1</sup>   | 7 MK <sup>-1</sup>   | 7 MK <sup>-1</sup>   | 7 MK <sup>-1</sup>   |
|  thermal shock resistance      | ISO 10545-9  | testing method available   | resistant  | resistant  | resistant  | resistant  | resistant  |
|  frost resistance              | ISO 10545-12 | no sample must show alterations to surface   | frost resistance   | frost resistance   | frost resistance   | frost resistance   | frost resistance   |
|  chemical resistance           | ISO 10545-13 | no sample must show visible signs of chemical attack (acids-bases-additives for pools) except for products containing hydrofluoric acid and derivatives. | unaffected   | unaffected   | unaffected   | unaffected   | unaffected   |
|  stain resistance              | ISO 10545-14 | unglazed tiles: testing method available   | class 5  | class 5  | class 5  | class 5  | class 5  |
|  colour resistance to light    | DIN 51094    | no sample must show noticeable colour change   | no change in brightness or colour                                  | no change in brightness or colour                                  | no change in brightness or colour                                  | no change in brightness or colour                                  | no change in brightness or colour                                  |

# Technical product features











## Declared values of production

| Features  | Norms        | ▲ Required standard  | Loft<br>pag. 118 - 127   | Quartz Stone<br>pag. 128 - 135                                     | Silk Stone<br>pag. 136 - 143                                       | Great Royal Stone<br>pag. 110 - 117                                | Color Studio<br>pag. 144 - 153                                     |
|---|--------------|--|--|--|--|--|--|
|  water absorption                | ISO 10545-3  | ≤ 0,5%   | ≤ 0,05%  | < 0,05%  | ≤ 0,05%  | < 0,05%  | < 0,05%  |
|  sizes                           | ISO 10545-2  | length and width ± 0,6% max<br>thickness ± 5,0% max<br>linearity ± 0,5% max<br>wedging ± 0,6% max<br>warpage ± 0,5% max                                  | ± 0,2% max<br>± 5,0% max<br>± 0,2% max<br>± 0,2% max<br>± 0,2% max | ± 0,2% max<br>± 5,0% max<br>± 0,2% max<br>± 0,2% max<br>± 0,2% max | ± 0,2% max<br>± 5,0% max<br>± 0,2% max<br>± 0,2% max<br>± 0,2% max | ± 0,2% max<br>± 5,0% max<br>± 0,2% max<br>± 0,2% max<br>± 0,2% max | ± 0,2% max<br>± 5,0% max<br>± 0,2% max<br>± 0,2% max<br>± 0,2% max |
|  bending strength                | ISO 10545-4  | ≥ 35 N/mm <sup>2</sup>   | ≥ 48N/mm <sup>2</sup><br>For 20mm slabs:<br>> 42N/mm <sup>2</sup>  | > 42N/mm <sup>2</sup>  | > 48N/mm <sup>2</sup>  | > 48N/mm <sup>2</sup>  | > 48N/mm <sup>2</sup>  |
|  resistance to deep abrasion    | ISO 10545-6  | ≤ 175 N/mm <sup>3</sup>  | ≤ 140 mm <sup>3</sup>  | 140 mm <sup>3</sup>  | ≤ 140 mm <sup>3</sup>  | 140 mm <sup>3</sup>  | 140 mm <sup>3</sup>  |
|  thermal expansion coefficient | ISO 10545-8  | testing method available   | 7 MK <sup>-1</sup>   | 7 MK <sup>-1</sup>   | 7 MK <sup>-1</sup>   | 7 MK <sup>-1</sup>   | 7 MK <sup>-1</sup>   |
|  thermal shock resistance      | ISO 10545-9  | testing method available   | resistant  | resistant  | resistant  | resistant  | resistant  |
|  frost resistance              | ISO 10545-12 | no sample must show alterations to surface   | frost resistance   | frost resistance   | frost resistance   | frost resistance   | frost resistance   |
|  chemical resistance           | ISO 10545-13 | no sample must show visible signs of chemical attack (acids-bases-additives for pools) except for products containing hydrofluoric acid and derivatives. | unaffected   | unaffected   | unaffected   | unaffected   | unaffected   |
|  stain resistance              | ISO 10545-14 | unglazed tiles: testing method available   | class 5  | class 5  | class 5  | class 5  | class 5  |
|  colour resistance to light    | DIN 51094    | no sample must show noticeable colour change   | no change in brightness or colour                                  | no change in brightness or colour                                  | no change in brightness or colour                                  | no change in brightness or colour                                  | no change in brightness or colour                                  |













# Technical product features

## Declared values of production

| Features  | Norms        | ▲ Required standard  | Great Elite<br>pag. 154 - 163                                      | Great One<br>pag. 154 - 163  | Cosmo<br>pag. 54 - 61  | Solid Stone<br>pag. 36 - 43  | Radical<br>pag. 164 - 171  |
|---|--------------|--|--|--|--|--|--|
|  water absorption                | ISO 10545-3  | ≤ 0,5%   | < 0,05%  | < 0,05%  | < 0,05%  | < 0,05%  | < 0,05%  |
|  sizes                           | ISO 10545-2  | length and width ± 0,6% max<br>thickness ± 5,0% max<br>linearity ± 0,5% max<br>wedging ± 0,6% max<br>warpage ± 0,5% max                                  | ± 0,2% max<br>± 5,0% max<br>± 0,2% max<br>± 0,2% max<br>± 0,2% max | ± 0,2% max<br>± 5,0% max<br>± 0,2% max<br>± 0,2% max<br>± 0,2% max | ± 0,2% max<br>± 5,0% max<br>± 0,2% max<br>± 0,2% max<br>± 0,2% max | ± 0,2% max<br>± 5,0% max<br>± 0,2% max<br>± 0,2% max<br>± 0,2% max | ± 0,2% max<br>± 5,0% max<br>± 0,2% max<br>± 0,2% max<br>± 0,2% max |
|  bending strength                | ISO 10545-4  | ≥ 35 N/mm <sup>2</sup>   | > 42N/mm <sup>2</sup>  | > 42N/mm <sup>2</sup>  | > 48N/mm <sup>2</sup><br>For 20mm slabs:<br>> 42N/mm <sup>2</sup>  | > 48N/mm <sup>2</sup><br>For 20mm slabs:<br>> 42N/mm <sup>2</sup>  | > 48N/mm <sup>2</sup>  |
|  resistance to deep abrasion    | ISO 10545-6  | ≤ 175 N/mm <sup>3</sup>  | 140 mm <sup>3</sup>  | 140 mm <sup>3</sup>  | ≤ 140 mm <sup>3</sup>  | ≤ 140 mm <sup>3</sup>  | 140 mm <sup>3</sup>  |
|  thermal expansion coefficient | ISO 10545-8  | testing method available   | 7 MK <sup>-1</sup>   | 7 MK <sup>-1</sup>   | 7 MK <sup>-1</sup>   | 7 MK <sup>-1</sup>   | 7 MK <sup>-1</sup>   |
|  thermal shock resistance      | ISO 10545-9  | testing method available   | resistant  | resistant  | resistant  | resistant  | resistant  |
|  frost resistance              | ISO 10545-12 | no sample must show alterations to surface   | frost resistance   | frost resistance   | frost resistance   | frost resistance   | frost resistance   |
|  chemical resistance           | ISO 10545-13 | no sample must show visible signs of chemical attack (acids-bases-additives for pools) except for products containing hydrofluoric acid and derivatives. | unaffected   | unaffected   | unaffected   | unaffected   | unaffected   |
|  stain resistance              | ISO 10545-14 | unglazed tiles: testing method available   | class 5<br>class 4 (bright slabs)                                  | class 5  | class 5  | class 5  | class 5  |
|  colour resistance to light    | DIN 51094    | no sample must show noticeable colour change   | no change in brightness or colour                                  | no change in brightness or colour                                  | no change in brightness or colour                                  | no change in brightness or colour                                  | no change in brightness or colour                                  |

# Technical product features

## Declared values of production

| Features  | Norms        | ▲ Required standard  | Dune<br>pag. 26 - 35   | Pure Wood<br>pag. 172 - 179  | In Wood<br>pag. 180 - 187  | Native Stone<br>pag. 44 - 53                                       |
|---|--------------|--|--|--|--|--|
|  water absorption                | ISO 10545-3  | ≤ 0,5%   | < 0,05%  | < 0,05%  | < 0,05%  | < 0,05%  |
|  sizes                           | ISO 10545-2  | length and width ± 0,6% max<br>thickness ± 5,0% max<br>linearity ± 0,5% max<br>wedging ± 0,6% max<br>warpage ± 0,5% max                                  | ± 0,2% max<br>± 5,0% max<br>± 0,2% max<br>± 0,2% max<br>± 0,2% max | ± 0,2% max<br>± 5,0% max<br>± 0,2% max<br>± 0,2% max<br>± 0,2% max | ± 0,2% max<br>± 5,0% max<br>± 0,2% max<br>± 0,2% max<br>± 0,2% max | ± 0,2% max<br>± 5,0% max<br>± 0,2% max<br>± 0,2% max<br>± 0,2% max |
|  bending strength                | ISO 10545-4  | ≥ 35 N/mm <sup>2</sup>   | > 48N/mm <sup>2</sup><br>For 20mm slabs:<br>> 42N/mm <sup>2</sup>  | > 48N/mm <sup>2</sup>  | > 48N/mm <sup>2</sup>  | > 48N/mm <sup>2</sup><br>For 20mm slabs:<br>> 42N/mm <sup>2</sup>  |
|  resistance to deep abrasion    | ISO 10545-6  | ≤ 175 N/mm <sup>3</sup>  | ≤ 140 mm <sup>3</sup>  | 140 mm <sup>3</sup>  | 140 mm <sup>3</sup>  | ≤ 140 mm <sup>3</sup>  |
|  thermal expansion coefficient | ISO 10545-8  | testing method available   | 7 MK <sup>-1</sup>   | 7 MK <sup>-1</sup>   | 7 MK <sup>-1</sup>   | 7 MK <sup>-1</sup>   |
|  thermal shock resistance      | ISO 10545-9  | testing method available   | resistant  | resistant  | resistant  | resistant  |
|  frost resistance              | ISO 10545-12 | no sample must show alterations to surface   | frost resistance   | frost resistance   | frost resistance   | frost resistance   |
|  chemical resistance           | ISO 10545-13 | no sample must show visible signs of chemical attack (acids-bases-additives for pools) except for products containing hydrofluoric acid and derivatives. | unaffected   | unaffected   | unaffected   | unaffected   |
|  stain resistance              | ISO 10545-14 | unglazed tiles: testing method available   | class 5  | class 5  | class 5  | class 5  |
|  colour resistance to light    | DIN 51094    | no sample must show noticeable colour change   | no change in brightness or colour                                  | no change in brightness or colour                                  | no change in brightness or colour                                  | no change in brightness or colour                                  |

# Cleaning & Maintenance

## Instructions for porcelain stoneware slabs

As our porcelain slabs are fired at 1250 C°, this results in a very dense surface which is impenetrable to contamination.

If contamination occurs, it is only on the surface of the tile and can easily be removed. The recommendations for cleaning and maintenance listed below are for Porcelaingres porcelain stoneware slabs with a natural or textured surface.

1. Initial cleaning after installation
2. Regular maintenance cleaning
3. Intensive basic cleaning as needed
4. Calcareous (hard) water
5. Outdoor areas

Special instructions regarding initial cleaning, regular maintenance cleaning and care of our slabs with a smooth surface will be provided to you on request by our technical support.

Furthermore, special instructions should be observed for the initial cleaning of grouting with epoxy resin and slabs with a metallic appearance. These are also available on request.

### 1. Initial cleaning after installation

After laying and grouting the floor covering with cement sealing compounds and joint sealants, cement residues will often remain on the surface despite careful cleaning with clear water. These are not always immediately recognisable. Various contaminants can later become stuck to the residues. Some cement from the top layer of cement joints will also dissolve during the first maintenance cleanings. This process is normal and will steadily decrease.

Therefore, it may be necessary to repeat the instructions listed below for the initial cleaning, for up to two months after laying the slabs.

A cement remover (eg Lithofin KF cement remover or Fila Deterdek) will clean the cement residue from the surface after laying and grouting. Also, much of the “loose” cement will immediately be removed from the top layer of the cement joints.

As described above, subsequent repeated treatment will be necessary after the few first maintenance cleanings. The cement remover is an acidic aqueous solution or an “acidic cleaner” with a ph-value of approximately 1 (concentrate).

Please soak the joints before use and follow the manufacturer’s instructions for the cleaning agent.

When using flexible grouts, additional cleaning with an intensive stoneware cleaner (e.g. Lithofin KF Intensive Cleaner or Fila PS 87) may be necessary due to plastic components in the grout. The plastic particles may also accumulate on the surface of the porcelain stoneware slabs. This cleaner dissolves the plastic compounds and the plastic can be removed with a microfibre mop. The intensive stoneware cleaner is an alkaline (basic) cleaning agent with a pH-value of approximately 14 (concentrate).

### 2. Regular maintenance cleaning

For routine maintenance, and for cleaning away light dirt, it is enough in most cases to use warm water with a dash of vinegar or vinegar cleaner with a microfibre mop or microfibre washcloth. The vinegar or vinegar cleaner binds to the permanently present lime in the water used for cleaning.

For greasy contaminants, instead of vinegar, use a porcelain stoneware care cleaner (eg Lithofin KF Care Cleaner or Fila Cleaner). This cleaner is a mildly alkaline cleaning agent with a pH-value of approximately 10 (concentrate). Under no circumstance should cleaning agents (e.g. washing-up liquid) with waxy and film-forming ingredients be used.

If this cleaning agent is used, it will result in barely soluble layers of wax forming on the surface of the slabs. The wax forms into a layer of “glue”, which in turn promotes the adhesion of dirt and contaminants.

At first, these unwanted wax layers cannot be seen, or can only be seen against a strong light. Layers which have been forming for a longer amount of time result in visible grey deposits on the joint edges. The resulting residue can only be removed through intensive basic cleaning (e.g. using Lithofin KF Intensive Cleaner or Fila PS 87).

**Hint:** Porcelain stoneware has a similar surface to glass, therefore cleaning can be done using similar methods.

### 3. Intensive basic cleaning as needed

If the slabs are very dirty, come under heavy use or if there is a formation of dirt layers, basic cleaning with an intensive porcelain stoneware cleaner is necessary.

A porcelain stoneware cleaner (e.g. Lithofin KF Intensive Cleaner or Fila PS 87) is an

# Cleaning & Maintenance

## Instructions for porcelain stoneware slabs

alkaline (basic) cleaning agent with a pH-value of approximately 14 (concentrate).

This cleaning agent dissolves dirt and should be rinsed off with clean water and a microfibre mop. Preferably, the dirty water can be sucked up with a wet vacuum cleaner, as this cleaning device sucks up liquid from the deeper grooves efficiently.

The information of the various manufacturers must be observed.

### 4. Calcareous (hard) water

Calcareous water can cause deposits of lime to accumulate on the surface of the slabs. The resulting "greyness" appears stronger on darker slabs.

When using natural soap, the lime/salts contained in the water can, together with the soap, combine to produce light/grey hard-to-remove residues of lime soap.

To avoid such deposits, as little water as possible should be allowed to remain and dry out on the slabs after cleaning or showering. In the shower, removal with window rubber has proven to dry the tile covering effectively. Also, a second drying using a dry cloth can effectively inhibit the formation of calcium deposits.

Nevertheless, it may be necessary to periodically clean the slabs with a (slightly acidic) acidcontaining cleaning agent for sanitary facilities (Lithofin KF Sanitary Cleaner; 1:15 diluted). This cleaner is particularly suitable for removing limescale.

**Hint:** For wiping, it is possible to use a microfibre cloth. A lot of dirt attaches itself to the fibres of microfibre cloth. The dirt particles can then easily be rinsed away under cold or hot water. For cleaning and maintaining larger areas, a cleaning machine is recommended.

### 5. Outdoor areas

Like all products used outdoors, porcelain stoneware slabs are also subject to constant influences from the environment or surface usage. These influences are not only dependent on the local conditions (e.g. covered areas, shady areas under trees, etc.) but also on the priority use of the surface (e.g. garden path, entrance, driveway, etc.).

Due to the required high slip resistance of porcelain stoneware slabs, there may be rubber marks from tyres or shoes, e.g. at garage entrances, doorways and walkways.

Such traces are unavoidable and do not indicate a defect of the finished products. They can also be removed by targeted cleaning.

Basically, however, one can say that the more visible contaminants have become, the brighter, smoother and more homogeneous is the surface. For darker, multi-coloured or structured products, dirt is not generally as much of a problem.

Normal contamination of porcelain stoneware surfaces (eg., due to soil, or dust) can usually be cleaned away with a stiff brush or broom and running water. Dirty rubber marks, and also oil/grease contamination can be treated using a porcelain stoneware cleaner (e.g. Lithofin KF Intensive Cleaner or Fila PS 87). Mix the cleaning agent according to the manufacturer's instructions, apply to the slabs, leave it to act, then scrub with a brush or white scouring pad before rinsing away with lots of clean water.

Spots which arise, for example, due to strong colour-bleeding leaves or petals can be minimized by a fast removal of the cause. Prolonged exposure to contamination must be treated with a porcelain stoneware intensive cleaner.

For coarse contaminants, such as oil, grease or moss, a wide variety of especially suitable cleaning agents are commercially available. These should be applied according to the manufacturer's instructions.





Cleaning and care products of the manufacturer Lithofin have proven to be particularly suitable. For more information regarding the products of Lithofin please visit [www.lithofin.de](http://www.lithofin.de)

**Please be sure to observe the manufacturer's instructions and recommendations. Set up a small test area and, in case of doubt, contact the manufacturer or our technical support.**

# Packaging details

## Great Collections | Large formats



**Great Collections:**  
 Urban Great at page 74 - 81  
 Great Royal Stone at page 110 - 117  
 Great Elite - One at page 154 - 163

| Crate with pudding layers<br>Package informations  | Format<br>Slab in cm | Slabs<br>Max. capacity | Boxes<br>Max. capacity | Sqm<br>Max. capacity | Kg<br>Max. capacity | Price<br>€ - Euro | Note<br>Important recommendations  |
|--|----------------------|------------------------|------------------------|----------------------|---------------------|-------------------|--|
|  <p>Size: 322 × 163 × h.34 cm<br/>           Weight: 117 kg<br/>           Code: MAX-IMB11L</p>   | 300 × 150            | 12                     | -                      | 54,00                | 876,80              | -                 | <ul style="list-style-type: none"> <li>- minimum order: 2 slabs per crate;</li> <li>- no more than 6 items (colors) per crate allowed;</li> </ul> Loading on lorry: <ul style="list-style-type: none"> <li>- stack max. 6 crates on lorry;</li> <li>- max. 24 crates on lorry (4 spaces) within total weight limits;</li> <li>- option of placing 2 euro-pallets next to each stack</li> </ul>   |
|  <p>Size: 325 × 113 × h.37 cm<br/>           Weight: 104 kg<br/>           Code: MAX-IMB01L</p> | 300 × 100            | 16                     | -                      | 48,00                | 779,40              | -                 | <ul style="list-style-type: none"> <li>- minimum order: 3 slabs per crate;</li> <li>- no more than 6 items (colors) per crate allowed;</li> </ul> Loading on lorry: <ul style="list-style-type: none"> <li>- stack max. 5 crates on lorry;</li> <li>- max. 32 crates on lorry (8 spaces) within total weight limits;</li> <li>- option of placing crates next to each other</li> </ul>   |
|  <p>Size: 290 × 132 × h.37 cm<br/>           Weight: 100 kg<br/>           Code: MAX-IMB01L</p> | 270 × 120            | 16                     | -                      | 51,84                | 740,00              | -                 | <ul style="list-style-type: none"> <li>- minimum order: 3 slabs per crate;</li> <li>- no more than 6 items (colors) per crate allowed;</li> </ul> Loading on lorry: <ul style="list-style-type: none"> <li>- stack max. 5 crates on lorry;</li> <li>- max. 32 crates on lorry (8 spaces) within total weight limits;</li> <li>- option of placing crates next to each other</li> </ul>   |
|  <p>Size: 172 × 163 × h.41 cm<br/>           Weight: 68 kg<br/>           Code: MAX-IMB02L</p>  | 150 × 150            | 24                     | -                      | 54,00                | 827,80              | -                 | <ul style="list-style-type: none"> <li>- minimum order: 4 slabs per crate;</li> <li>- each crate must contain an even number of slabs per item;</li> <li>- no more than 6 items (colors) per crate allowed;</li> </ul> Loading on lorry: <ul style="list-style-type: none"> <li>- stack max. 5 crates on lorry;</li> <li>- max. 28 crates on lorry (7 spaces) within total weight limits;</li> <li>- option of placing 1 euro-pallet next to each stack</li> </ul> |

# Packaging details

## Great Collections | Large formats




**Great Collections:**  
 Urban Great at page 74 - 81  
 Great Royal Stone at page 110 - 117  
 Great Elite - One at page 154 - 163

| Rack<br>Package informations  | Format<br>Slab in cm | Slabs<br>Max. capacity | Boxes<br>Max. capacity | Sqm<br>Max. capacity | Kg<br>Max. capacity | Price<br>€ - Euro | Note<br>Important recommendations  |
|---|----------------------|------------------------|------------------------|----------------------|---------------------|-------------------|--|
|  <p>Size: 312 × 74 × h.191 cm<br/>                     Weight: 227 kg<br/>                     Code: MAX-IMB04C</p> | 300 × 150            | 50                     | -                      | 225,00               | 3392,80             | -                 | - one rack may contain up 5 different items (colors);<br>- the rack must be filled to the maximum capacity specified;<br>- in order to optimise space, this rack may be filled with 48 slabs (instead of 2 racks with 24 slabs each) |
| <p>Size: 312 × 70 × h.191 cm<br/>                     Weight: 194 kg<br/>                     Code: MAX-IMB03C</p>  | 300 × 150            | 24                     | -                      | 108,00               | 1713,60             | -                 | - one rack may contain up 5 different items (colors);<br>- the rack must be filled to the maximum capacity specified   |
| <p>Size: 312 × 74 × h.140 cm<br/>                     Weight: 180 kg<br/>                     Code: MAX-IMB04C</p>  | 300 × 100            | 50                     | -                      | 150,00               | 2290,50             | -                 | - one rack may contain up 5 different items (colors);<br>- the rack must be filled to the maximum capacity specified;<br>- in order to optimise space, this rack may be filled with 48 slabs (instead of 2 racks with 24 slabs each) |
| <p>Size: 312 × 70 × h.140 cm<br/>                     Weight: 158 kg<br/>                     Code: MAX-IMB07C</p>  | 300 × 100            | 32                     | -                      | 96,00                | 1508,50             | -                 | - one rack may contain up 5 different items (colors);<br>- the rack must be filled to the maximum capacity specified   |
| <p>Size: 312 × 74 × h.191 cm<br/>                     Weight: 227 kg<br/>                     Code: MAX-IMB08C</p>  | 270 × 120            | 50                     | -                      | 162,00               | 2506,34             | -                 | - one rack may contain up 5 different items (colors);<br>- the rack must be filled to the maximum capacity specified;<br>- in order to optimise space, this rack may be filled with 48 slabs (instead of 2 racks with 24 slabs each) |
|  <p>Size: 161 × 74 × h.191 cm<br/>                     Weight: 85 kg<br/>                     Code: MAX-IMB05C</p> | 150 × 150            | 48                     | -                      | 108,00               | 1604,60             | -                 | - one rack may contain up 5 different items (colors);<br>- the rack must be filled to the maximum capacity specified   |

# Packaging details

## Great Collections | Large formats




**Great Collections:**  
 Urban Great at page 74 - 81  
 Great Royal Stone at page 110 - 117  
 Great Elite - One at page 154 - 163

| <b>Tall Crate</b><br>Package informations  | <b>Format</b><br>Slab in cm | <b>Slabs</b><br>Max. capacity | <b>Boxes</b><br>Max. capacity | <b>Sqm</b><br>Max. capacity | <b>Kg</b><br>Max. capacity | <b>Price</b><br>€ - Euro | <b>Note</b><br>Important recommendations  |
|--|-----------------------------|-------------------------------|-------------------------------|-----------------------------|----------------------------|--------------------------|---|
|  <p>Size: 171 × 112 × h.65 cm<br/>           Weight: 72 kg<br/>           Code: MAX-IMBCG</p>   | 150 × 100                   | 40                            | 40                            | 60,00                       | 916,20                     | -                        | <ul style="list-style-type: none"> <li>- minimum order: 2 boxes (= 2 slabs);</li> <li>- each crate must contain an even number of slabs/boxes;</li> <li>- one tall crate may contain up 3 different items (colors) for the same size while the short crate only 2 different items;</li> </ul> Loading on lorry: <ul style="list-style-type: none"> <li>- stack max. 3 tall crates on lorry;</li> <li>- max. 30 tall crates on lorry (15 spaces) within total weight limits</li> </ul> |
|  <p>Size: 172 × 89 × h.65 cm<br/>           Weight: 59 kg<br/>           Code: MAX-IMBCG</p>    | 150 × 75                    | 52                            | 26                            | 58,50                       | 882,10                     | -                        | <ul style="list-style-type: none"> <li>- minimum order: 1 box (= 2 slabs);</li> <li>- one tall crate may contain up 3 different items (colors) for the same size while the short crate only 2 different items;</li> </ul> Loading on lorry: <ul style="list-style-type: none"> <li>- stack max. 3 tall crates on lorry;</li> <li>- max. 30 tall crates on lorry (15 spaces) within total weight limits</li> </ul>   |
| <p>Size: 172 × 89 × h.65 cm<br/>           Weight: 59 kg<br/>           Code: MAX-IMBCG</p>  | 75 × 37,5                   | 264                           | 44                            | 74,25                       | 1103,70                    | -                        | <ul style="list-style-type: none"> <li>- minimum order: 1 box (= 6 slabs);</li> <li>- one tall crate may contain up 3 different items (colors); for the same size while the short crate only 2 different items;</li> </ul> Loading on lorry: <ul style="list-style-type: none"> <li>- stack max. 3 tall crates on lorry;</li> <li>- max. 30 tall crates on lorry (15 spaces) within total weight limits</li> </ul>  |
| <p>Size: 141 × 132 × h.65 cm<br/>           Weight: 70 kg<br/>           Code: MAX-IMBCG12</p>   | 120 × 120                   | 52                            | 26                            | 74,88                       | 1060,00                    | -                        | <ul style="list-style-type: none"> <li>- minimum order: 1 box (= 2 slabs);</li> <li>- one tall crate may contain up 3 different items (colors) for the same size while the short crate only 2 different items;</li> </ul> Loading on lorry: <ul style="list-style-type: none"> <li>- stack max. 3 tall crates on lorry;</li> <li>- max. 44 tall crates on lorry (22 spaces) within total weight limits</li> </ul>   |
|  <p>Size: 121 × 112 × h.65 cm<br/>           Weight: 55 kg<br/>           Code: MAX-IMBCG</p> | 100 × 100                   | 52                            | 26                            | 52,00                       | 786,70                     | -                        | <ul style="list-style-type: none"> <li>- minimum order: 1 box (= 2 slabs);</li> <li>- one tall crate may contain up 3 different items (colors) for the same size while the short crate only 2 different items;</li> </ul> Loading on lorry: <ul style="list-style-type: none"> <li>- stack max. 3 tall crates on lorry;</li> <li>- max. 44 tall crates on lorry (22 spaces) within total weight limits</li> </ul>   |
| <p>Size: 172 × 89 × h.65 cm<br/>           Weight: 59 kg<br/>           Code: MAX-IMBCG</p>  | 75 × 75                     | 114                           | 38                            | 64,13                       | 961,31                     | -                        | <ul style="list-style-type: none"> <li>- minimum order: 1 box (= 3 slabs);</li> <li>- one tall crate may contain up 3 different items (colors) for the same size while the short crate only 2 different items;</li> </ul> Loading on lorry: <ul style="list-style-type: none"> <li>- stack max. 3 tall crates on lorry;</li> <li>- max. 30 tall crates on lorry (15 spaces) within total weight limits</li> </ul>   |

# Packaging details

## Great Collections | Large formats

**Great Collections:**  
 Urban Great at page 74 - 81  
 Great Royal Stone at page 110 - 117  
 Great Elite - One at page 154 - 163



| Short Crate<br>Package informations  | Format<br>Slab in cm | Slabs<br>Max. capacity | Boxes<br>Max. capacity | Sqm<br>Max. capacity | Kg<br>Max. capacity | Price<br>€ - Euro | Note<br>Important recommendations  |
|--|----------------------|------------------------|------------------------|----------------------|---------------------|-------------------|--|
|  <p>Size: 171 × 112 × h.40 cm<br/>           Weight: 54 kg<br/>           Code: MAX-IMBCP</p>   | 150 × 100            | 18                     | 18                     | 27,00                | 433,90              | -                 | <ul style="list-style-type: none"> <li>- minimum order: 1 box (= 2 slabs):</li> <li>- one tall crate may contain up 3 different items (colors) for the same size while the short crate only 2 different items;</li> </ul> Loading on lorry: <ul style="list-style-type: none"> <li>- stack max. 3 tall crates on lorry;</li> <li>- max. 30 tall crates on lorry (15 spaces) within total weight limits</li> </ul>  |
|  <p>Size: 172 × 89 × h.41 cm<br/>           Weight: 47 kg<br/>           Code: MAX-IMBCP</p>    | 150 × 75             | 24                     | 12                     | 27,00                | 426,90              | -                 | <ul style="list-style-type: none"> <li>- minimum order: 1 box (= 2 slabs):</li> <li>- one tall crate may contain up 3 different items (colors) for the same size while the short crate only 2 different items;</li> </ul> Loading on lorry: <ul style="list-style-type: none"> <li>- stack max. 3 tall crates on lorry;</li> <li>- max. 30 tall crates on lorry (15 spaces) within total weight limits</li> </ul>  |
| <p>Size: 172 × 89 × h.41 cm<br/>           Weight: 47 kg<br/>           Code: MAX-IMBCP</p>  | 75 × 37,5            | 120                    | 20                     | 33,75                | 521,90              | -                 | <ul style="list-style-type: none"> <li>- minimum order: 1 box (= 6 slabs):</li> <li>- one tall crate may contain up 3 different items (colors); for the same size while the short crate only 2 different items;</li> </ul> Loading on lorry: <ul style="list-style-type: none"> <li>- stack max. 3 tall crates on lorry;</li> <li>- max. 30 tall crates on lorry (15 spaces) within total weight limits</li> </ul> |
| <p>Size: 141 × 132 × h.41 cm<br/>           Weight: 60 kg<br/>           Code: MAX-IMBCP12</p>   | 120 × 120            | 24                     | 12                     | 34,56                | 486,50              | -                 | <ul style="list-style-type: none"> <li>- minimum order: 1 box (= 2 slabs):</li> <li>- one tall crate may contain up 3 different items (colors) for the same size while the short crate only 2 different items;</li> </ul> Loading on lorry: <ul style="list-style-type: none"> <li>- stack max. 3 tall crates on lorry;</li> <li>- max. 44 tall crates on lorry (22 spaces) within total weight limits</li> </ul>  |
|  <p>Size: 121 × 112 × h.41 cm<br/>           Weight: 44 kg<br/>           Code: MAX-IMBCP</p> | 100 × 100            | 24                     | 12                     | 24,00                | 381,70              | -                 | <ul style="list-style-type: none"> <li>- minimum order: 1 box (= 2 slabs):</li> <li>- one tall crate may contain up 3 different items (colors) for the same size while the short crate only 2 different items;</li> </ul> Loading on lorry: <ul style="list-style-type: none"> <li>- stack max. 3 tall crates on lorry;</li> <li>- max. 44 tall crates on lorry (22 spaces) within total weight limits</li> </ul>  |
| <p>Size: 172 × 89 × h.41 cm<br/>           Weight: 47 kg<br/>           Code: MAX-IMBCP</p>  | 75 × 75              | 54                     | 18                     | 30,38                | 474,50              | -                 | <ul style="list-style-type: none"> <li>- minimum order: 1 box (= 3 slabs):</li> <li>- one tall crate may contain up 3 different items (colors) for the same size while the short crate only 2 different items;</li> </ul> Loading on lorry: <ul style="list-style-type: none"> <li>- stack max. 3 tall crates on lorry;</li> <li>- max. 30 tall crates on lorry (15 spaces) within total weight limits</li> </ul>  |



# Packaging details

Great Collections | Large formats

**Great Collections:**  
 Urban Great at page 74 - 81  
 Great Royal Stone at page 110 - 117  
 Great Elite - One at page 154 - 163

| <b>Container</b><br>Package informations   | <b>Tailor-made packaging</b><br>Max. capacity   | <b>Note</b><br>Important recommendations   |
|--|---|--|
| <p>20 FOOT CONTAINER</p> <p>Size: 5,90 × 2,32 × h. 2,35 meters</p>      | <ul style="list-style-type: none"> <li>• 6 crates 300×150;</li> <li>• 10 crates 300×100 + 5 crates 150×150;</li> <li>• 10 crates 300×100 + 10 tall crates 150×100;</li> <li>• 10 crates 300×100 + 6 tall crates 75×37,5\75×75\150×75;</li> <li>• 10 crates 300×100 + 12 tall crates 100×100;</li> <li>• 15 crates 150×150 + 3 tall crates 75×37,5\75×75\150×75;</li> <li>• 12 tall crates 120×120 (within weight limits);</li> <li>• 27 tall crates 100×100 (within weight limits);</li> <li>• 18 tall crates 75×37,5\75×75\150×75;</li> <li>• 18 tall crates 150×100.</li> </ul> |  |
| <p>40 FOOT CONTAINER</p> <p>Size: 11,90 × 2,33 × h. 2,35 meters*</p>  | <ul style="list-style-type: none"> <li>• 18 crates 300×150;</li> <li>• 30 crates 300×100 + 5 crates 150×150;</li> <li>• 30 crates 300×100 + 6 tall crates 75×37,5\75×75\150×75;</li> <li>• 30 crates 300×100 + 6 tall crates 100×100;</li> <li>• 30 crates 300×100 + 10 tall crates 150×100;</li> <li>• 24 tall crates 120×120 (within weight limits);</li> <li>• 35 tall crates 150×150 (within weight limits).</li> </ul>   | <p>*concerning the 120×120, 100×100 or 75×37,5\75×75\150×75 formats, calculation must take weight into account</p> <p>(the space is never completely filled as weight would be exceeded)</p> |

# 5

## Finder.

**Find your product according to your needs and destination of use.**

|  |           |
|--|-----------|
| Search by: $\frac{1}{2}$ 6 mm formats  | 228 - 229 |
| Search by: $\frac{1}{2}$ 8 mm formats  | 230 - 231 |
| Search by: $\frac{1}{2}$ 20 mm formats | 232 - 233 |
| Search by: Special formats             | 234 - 237 |
| Search by: Skid Resistances            | 238 - 239 |

# Search by: $\pm 6$ mm formats

Find your product according to your needs and destination of use.

|                 | Formats (cm)   | 300 × 150         | 300 × 100  | 270 × 120  | 150 × 150 | 150 × 100 | 150 × 75  |  | 120 × 120 | 120 × 60  | 120 × 30  | 120 × 20 | 100 × 100 | 75 × 75   | 75 × 37,5 | 60 × 60   | 60 × 30   |
|-----------------|----------------|-------------------|------------|------------|-----------|-----------|-----------|--|-----------|-----------|-----------|----------|-----------|-----------|-----------|-----------|-----------|
|                 | Formats (inch) | 120" × 60"        | 120" × 40" | 108" × 48" | 60" × 60" | 60" × 40" | 60" × 30" |  | 48" × 48" | 48" × 24" | 48" × 12" | 48" × 8" | 40" × 40" | 30" × 30" | 30" × 15" | 24" × 24" | 24" × 12" |
| <b>Concrete</b> |                |                   |            |            |           |           |           |  |           |           |           |          |           |           |           |           |           |
| <b>NEW ▶</b>    | 64 - 73        | Urban             |            |            |           |           | ●         |  |           |           |           |          | ●         | ●         |           |           |           |
|                 | 82 - 91        | Soft Concrete     |            |            |           |           |           |  |           |           |           |          | ●         |           |           |           |           |
|                 | 92 - 99        | Stardust          |            |            |           |           |           |  |           |           |           |          | ●         |           |           |           |           |
| <b>NEW ▶</b>    | 74 - 81        | Urban Great       | ●          | ●          |           | ●         |           |  | ●         |           |           |          |           |           |           |           |           |
| <b>NEW ▶</b>    | 54 - 61        | Cosmo             |            |            |           |           |           |  |           |           |           |          | ●         |           |           |           |           |
| <b>Stone</b>    |                |                   |            |            |           |           |           |  |           |           |           |          |           |           |           |           |           |
| <b>NEW ▶</b>    | 26 - 35        | Dune              |            |            |           |           | ●         |  |           |           |           |          | ●         | ●         |           |           |           |
| <b>NEW ▶</b>    | 36 - 43        | Solid Stone       |            |            |           |           |           |  |           |           |           |          | ●         |           |           |           |           |
| <b>NEW ▶</b>    | 44 - 53        | Native Stone      |            |            |           |           | ●         |  |           |           |           |          | ●         | ●         |           |           |           |
|                 | 100 - 109      | Royal Stone       |            |            |           |           | ●         |  |           |           |           |          | ●         | ●         |           |           |           |
|                 | 118 - 127      | Loft              |            |            |           |           |           |  |           |           |           |          | ●         |           |           |           |           |
|                 | 128 - 135      | Quartz Stone      |            |            |           |           |           |  |           |           |           |          |           |           |           |           |           |
|                 | 136 - 143      | Silk Stone        |            |            |           |           |           |  |           | ●         | ●         |          | ●         |           |           | ●         | ●         |
|                 | 110 - 117      | Great Royal Stone | ●          |            | ●         | ●         | ●         |  | ●         |           |           |          |           | ●         | ●         |           |           |
| <b>Marble</b>   |                |                   |            |            |           |           |           |  |           |           |           |          |           |           |           |           |           |
|                 | 154 - 163      | Great Elite       |            | ●          |           |           |           |  | ●         |           |           |          |           |           |           |           |           |
| <b>NEW ▶</b>    | 154 - 163      | Great One         | ●          | ●          |           | ●         | ●         |  |           |           |           |          | ●         |           |           |           |           |
| <b>Color</b>    |                |                   |            |            |           |           |           |  |           |           |           |          |           |           |           |           |           |
|                 | 144 - 153      | Color Studio      |            |            |           |           |           |  |           | ●         | ●         |          | ●         |           |           | ●         | ●         |
| <b>Metal</b>    |                |                   |            |            |           |           |           |  |           |           |           |          |           |           |           |           |           |
|                 | 164 - 171      | Radical           |            |            |           |           |           |  |           | ●         |           |          | ●         |           |           | ●         | ●         |
| <b>Wood</b>     |                |                   |            |            |           |           |           |  |           |           |           |          |           |           |           |           |           |
|                 | 172 - 179      | Pure Wood         |            |            |           |           |           |  |           |           |           | ●        |           |           |           |           |           |
|                 | 180 - 187      | In Wood           |            |            |           |           |           |  |           |           |           |          |           |           |           |           |           |

# Search by: $\pm 8$ mm formats

Find your product according to your needs and destination of use.

| Formats (cm)    |           |                   | 120 × 60  | 120 × 30  | 120 × 20 | 120 × 15 | 60 × 60   | 60 × 30   |   | 60 × 10  |   |  |  |  |  |  |  |
|-----------------|-----------|-------------------|-----------|-----------|----------|----------|-----------|-----------|---|----------|---|--|--|--|--|--|--|
| Formats (inch)  |           |                   | 48" × 24" | 48" × 12" | 48" × 8" | 48" × 6" | 24" × 24" | 24" × 12" |   | 24" × 4" |   |  |  |  |  |  |  |
| <b>Concrete</b> |           |                   |           |           |          |          |           |           |   |          |   |  |  |  |  |  |  |
| <b>NEW ▶</b>    | 64 - 73   | Urban             | ●         |           |          |          |           | ●         | ● |          | ● |  |  |  |  |  |  |
|                 | 82 - 91   | Soft Concrete     | ●         |           |          |          |           | ●         | ● |          |   |  |  |  |  |  |  |
|                 | 92 - 99   | Stardust          | ●         |           |          |          |           | ●         | ● |          |   |  |  |  |  |  |  |
| <b>NEW ▶</b>    | 74 - 81   | Urban Great       |           |           |          |          |           |           |   |          |   |  |  |  |  |  |  |
| <b>NEW ▶</b>    | 54 - 61   | Cosmo             | ●         |           |          |          |           | ●         | ● |          |   |  |  |  |  |  |  |
| <b>Stone</b>    |           |                   |           |           |          |          |           |           |   |          |   |  |  |  |  |  |  |
| <b>NEW ▶</b>    | 26 - 35   | Dune              | ●         |           |          |          |           | ●         | ● |          |   |  |  |  |  |  |  |
| <b>NEW ▶</b>    | 36 - 43   | Solid Stone       | ●         |           |          |          |           | ●         | ● |          |   |  |  |  |  |  |  |
| <b>NEW ▶</b>    | 44 - 53   | Native Stone      | ●         |           |          |          |           | ●         | ● |          | ● |  |  |  |  |  |  |
|                 | 100 - 109 | Royal Stone       | ●         |           |          |          |           | ●         | ● |          | ● |  |  |  |  |  |  |
|                 | 118 - 127 | Loft              | ●         |           |          |          |           | ●         | ● |          |   |  |  |  |  |  |  |
|                 | 128 - 135 | Quartz Stone      |           |           |          |          |           |           |   |          |   |  |  |  |  |  |  |
|                 | 136 - 143 | Silk Stone        |           |           |          |          |           |           |   |          |   |  |  |  |  |  |  |
|                 | 110 - 117 | Great Royal Stone |           |           |          |          |           |           |   |          |   |  |  |  |  |  |  |
| <b>Marble</b>   |           |                   |           |           |          |          |           |           |   |          |   |  |  |  |  |  |  |
|                 | 154 - 163 | Great Elite       |           |           |          |          |           |           |   |          |   |  |  |  |  |  |  |
| <b>NEW ▶</b>    | 154 - 163 | Great One         |           |           |          |          |           |           |   |          |   |  |  |  |  |  |  |
| <b>Color</b>    |           |                   |           |           |          |          |           |           |   |          |   |  |  |  |  |  |  |
|                 | 144 - 153 | Color Studio      |           |           |          |          |           |           |   |          |   |  |  |  |  |  |  |
| <b>Metal</b>    |           |                   |           |           |          |          |           |           |   |          |   |  |  |  |  |  |  |
|                 | 164 - 171 | Radical           |           |           |          |          |           |           |   |          |   |  |  |  |  |  |  |
| <b>Wood</b>     |           |                   |           |           |          |          |           |           |   |          |   |  |  |  |  |  |  |
|                 | 172 - 179 | Pure Wood         |           |           |          |          |           |           |   |          |   |  |  |  |  |  |  |
|                 | 180 - 187 | In Wood           |           | ●         | ●        | ●        |           |           |   |          |   |  |  |  |  |  |  |

# Search by: $\approx$ 20 mm formats

Find your product according to your needs and destination of use.

| Formats (cm)    |           |                   | 120 × 60  | 120 × 30  | 100 × 100 | 60 × 60   |  |  |  |  |  |  |  |  |  |  |
|-----------------|-----------|-------------------|-----------|-----------|-----------|-----------|--|--|--|--|--|--|--|--|--|--|
| Formats (inch)  |           |                   | 48" × 24" | 48" × 12" | 40" × 40" | 24" × 24" |  |  |  |  |  |  |  |  |  |  |
| <b>Concrete</b> |           |                   |           |           |           |           |  |  |  |  |  |  |  |  |  |  |
| <b>NEW ▶</b>    | 64 - 73   | Urban             | ●         |           | ●         | ●         |  |  |  |  |  |  |  |  |  |  |
|                 | 82 - 91   | Soft Concrete     | ●         |           |           | ●         |  |  |  |  |  |  |  |  |  |  |
|                 | 92 - 99   | Stardust          |           |           |           |           |  |  |  |  |  |  |  |  |  |  |
| <b>NEW ▶</b>    | 74 - 81   | Urban Great       |           |           |           |           |  |  |  |  |  |  |  |  |  |  |
| <b>NEW ▶</b>    | 54 - 61   | Cosmo             | ●         |           | ●         | ●         |  |  |  |  |  |  |  |  |  |  |
| <b>Stone</b>    |           |                   |           |           |           |           |  |  |  |  |  |  |  |  |  |  |
| <b>NEW ▶</b>    | 26 - 35   | Dune              | ●         |           | ●         | ●         |  |  |  |  |  |  |  |  |  |  |
| <b>NEW ▶</b>    | 36 - 43   | Solid Stone       | ●         |           | ●         | ●         |  |  |  |  |  |  |  |  |  |  |
| <b>NEW ▶</b>    | 44 - 53   | Native Stone      | ●         |           | ●         | ●         |  |  |  |  |  |  |  |  |  |  |
|                 | 100 - 109 | Royal Stone       | ●         |           | ●         | ●         |  |  |  |  |  |  |  |  |  |  |
|                 | 118 - 127 | Loft              | ●         |           | ●         | ●         |  |  |  |  |  |  |  |  |  |  |
|                 | 128 - 135 | Quartz Stone      | ●         |           |           | ●         |  |  |  |  |  |  |  |  |  |  |
|                 | 136 - 143 | Silk Stone        |           |           |           |           |  |  |  |  |  |  |  |  |  |  |
|                 | 110 - 117 | Great Royal Stone |           |           |           |           |  |  |  |  |  |  |  |  |  |  |
| <b>Marble</b>   |           |                   |           |           |           |           |  |  |  |  |  |  |  |  |  |  |
|                 | 154 - 163 | Great Elite       |           |           |           |           |  |  |  |  |  |  |  |  |  |  |
| <b>NEW ▶</b>    | 154 - 163 | Great One         |           |           |           |           |  |  |  |  |  |  |  |  |  |  |
| <b>Color</b>    |           |                   |           |           |           |           |  |  |  |  |  |  |  |  |  |  |
|                 | 144 - 153 | Color Studio      |           |           |           |           |  |  |  |  |  |  |  |  |  |  |
| <b>Metal</b>    |           |                   |           |           |           |           |  |  |  |  |  |  |  |  |  |  |
|                 | 164 - 171 | Radical           |           |           |           |           |  |  |  |  |  |  |  |  |  |  |
| <b>Wood</b>     |           |                   |           |           |           |           |  |  |  |  |  |  |  |  |  |  |
|                 | 172 - 179 | Pure Wood         |           |           |           |           |  |  |  |  |  |  |  |  |  |  |
|                 | 180 - 187 | In Wood           | ●         | ●         |           |           |  |  |  |  |  |  |  |  |  |  |

# Search by: Special formats

Find your product according to your needs and destination of use.














Mosaic, Special shape, Module Oblique, Module Shade and Fishbone Module at page **236 - 237**

|                 | Bullnose       |                   |          |          |        |        |      | Step with grooves |          |          |          |           |         |         |      |
|-----------------|----------------|-------------------|----------|----------|--------|--------|------|-------------------|----------|----------|----------|-----------|---------|---------|------|
|                 | 120 × 7        | 100 × 6,5         | 75 × 6,5 | 75 × 6,5 | 60 × 7 | 60 × 7 |      | 150 × 37,5        | 120 × 30 | 120 × 30 | 100 × 30 | 75 × 37,5 | 60 × 30 | 60 × 30 |      |
|                 | Thickness (mm) | ±6mm              | ±6mm     | ±6mm     | ±8mm   | ±6mm   | ±8mm |                   | ±6mm     | ±6mm     | ±8mm     | ±6mm      | ±6mm    | ±6mm    | ±8mm |
| <b>Concrete</b> |                |                   |          |          |        |        |      |                   |          |          |          |           |         |         |      |
| <b>NEW ▶</b>    | 64 - 73        | Urban             | •        | •        |        |        | •    | •                 |          | •        | •        | •         | •       |         | •    |
|                 | 82 - 91        | Soft Concrete     | •        |          |        |        | •    |                   |          |          | •        |           |         |         | •    |
|                 | 92 - 99        | Stardust          | •        |          |        |        | •    |                   |          | •        | •        |           |         |         | •    |
| <b>NEW ▶</b>    | 74 - 81        | Urban Great       |          |          |        |        |      |                   |          |          |          |           |         |         |      |
| <b>NEW ▶</b>    | 54 - 61        | Cosmo             | •        |          |        |        | •    |                   |          | •        | •        |           |         |         | •    |
| <b>Stone</b>    |                |                   |          |          |        |        |      |                   |          |          |          |           |         |         |      |
| <b>NEW ▶</b>    | 26 - 35        | Dune              | •        | •        |        |        | •    | •                 |          | •        | •        | •         | •       |         | •    |
| <b>NEW ▶</b>    | 36 - 43        | Solid Stone       | •        |          |        |        | •    |                   |          | •        | •        |           |         |         | •    |
| <b>NEW ▶</b>    | 44 - 53        | Native Stone      | •        | •        |        |        | •    | •                 |          | •        | •        | •         | •       |         | •    |
|                 | 100 - 109      | Royal Stone       | •        | •        |        |        | •    | •                 |          | •        | •        | •         | •       |         | •    |
|                 | 118 - 127      | Loft              | •        |          |        |        | •    |                   |          | •        | •        |           |         |         | •    |
|                 | 128 - 135      | Quartz Stone      |          |          |        |        |      |                   |          |          |          |           |         |         |      |
|                 | 136 - 143      | Silk Stone        | •        |          |        | •      |      |                   | •        | •        | •        |           |         | •       |      |
|                 | 110 - 117      | Great Royal Stone |          | •        |        |        |      |                   |          |          |          |           |         |         |      |
| <b>Marble</b>   |                |                   |          |          |        |        |      |                   |          |          |          |           |         |         |      |
|                 | 154 - 163      | Great Elite       |          |          |        |        |      |                   |          |          |          |           |         |         |      |
| <b>NEW ▶</b>    | 154 - 163      | Great One         |          |          |        |        |      |                   |          |          |          |           |         |         |      |
| <b>Color</b>    |                |                   |          |          |        |        |      |                   |          |          |          |           |         |         |      |
|                 | 144 - 153      | Color Studio      | •        |          |        | •      |      |                   | •        |          | •        |           |         | •       |      |
| <b>Metal</b>    |                |                   |          |          |        |        |      |                   |          |          |          |           |         |         |      |
|                 | 164 - 171      | Radical           | •        |          |        | •      |      |                   | •        |          | •        |           |         |         |      |
| <b>Wood</b>     |                |                   |          |          |        |        |      |                   |          |          |          |           |         |         |      |
|                 | 172 - 179      | Pure Wood         | •        |          |        |        |      |                   |          |          |          |           |         |         |      |
|                 | 180 - 187      | In Wood           |          |          |        |        | •    |                   |          |          |          |           |         |         |      |

# Search by: Special formats

Find your product according to your needs and destination of use.

Bullnose and step at page **234 - 235**

|                                   |  |  |  |  |  |   |  |  |  |  |  |  |  |  |   |
|-----------------------------------|---|---|--|---|---|---|---|---|---|---|---|---|---|---|---|
|                                   | Mosaic 3,1 x 3,1  | Mosaic 4,7 x 4,7  | Mosaic 7,2 x 7,2   | Brick Mosaic  | Listel Mosaic   |   | Triangle  | Parallelogram   | Square  | Rhombus   | Trapezoid   | Modul Shade   | Modul Oblique   | Fishbone  |   |
| Formats (cm)                      | 30 x 30   | 30 x 30   | 30 x 30  | 30 x 30   | 30 x 30   |   | 20 x 20   | 28 x 20   | 20 x 20   | 23 x 23   | 23 x 46   | 120 x 30  | 60 x 15   | 60 x 10   |   |
| Thickness (mm)                    | ±6 mm   | ±8 mm   | ±6 mm  | ±8 mm   | ±6 mm   |   | ±6 mm   | ±6 mm   | ±6 mm   | ±6 mm   | ±6 mm   | ±8 mm   | ±8 mm   | ±8 mm   |   |
| <b>Concrete</b>                   |   |   |  |   |   |   |   |   |   |   |   |   |   |   |   |
| <b>NEW ▶</b> 64 - 73 Urban        |   | ●   |  | ●   |   |   |   |   |   |   |   |   |   |   | ● |
| 82 - 91 Soft Concrete             |   | ●   |  | ●   |   |   |   |   |   |   |   |   |   |   |   |
| 92 - 99 Stardust                  |   |   |  | ●   |   |   |   |   |   |   |   |   |   |   |   |
| <b>NEW ▶</b> 74 - 81 Urban Great  |   |   |  |   |   |   |   |   |   |   |   |   |   |   |   |
| <b>NEW ▶</b> 54 - 61 Cosmo        |   |   |  | ●   |   |   |   |   |   |   |   |   |   |   |   |
| <b>Stone</b>                      |   |   |  |   |   |   |   |   |   |   |   |   |   |   |   |
| <b>NEW ▶</b> 26 - 35 Dune         |   |   |  | ●   |   |   |   |   |   |   |   |   |   |   |   |
| <b>NEW ▶</b> 36 - 43 Solid Stone  |   |   |  | ●   |   |   |   |   |   |   |   |   |   |   |   |
| <b>NEW ▶</b> 44 - 53 Native Stone |   | ●   |  | ●   |   |   |   |   |   |   |   |   |   |   | ● |
| 100 - 109 Royal Stone             |   | ●   |  | ●   |   |   |   |   |   |   |   |   |   |   | ● |
| 118 - 127 Loft                    |   | ●   |  | ●   |   |   |   |   |   |   |   |   |   |   |   |
| 128 - 135 Quartz Stone            |   |   |  |   |   |   |   |   |   |   |   |   |   |   |   |
| 136 - 143 Silk Stone              |   |   | ●  |   |   |   |   |   |   |   |   |   |   |   |   |
| 110 - 117 Great Royal Stone       |   |   |  |   |   |   |   |   |   |   |   |   |   |   |   |
| <b>Marble</b>                     |   |   |  |   |   |   |   |   |   |   |   |   |   |   |   |
| 154 - 163 Great Elite             |   |   |  |   |   |   |   |   |   |   |   |   |   |   |   |
| <b>NEW ▶</b> 154 - 163 Great One  |   |   |  |   |   |   |   |   |   |   |   |   |   |   |   |
| <b>Color</b>                      |   |   |  |   |   |   |   |   |   |   |   |   |   |   |   |
| 144 - 153 Color Studio            | ●   |   | ●  |   | ●   | ● |   | ●   | ●   | ●   | ●   | ●   |   |   |   |
| <b>Metal</b>                      |   |   |  |   |   |   |   |   |   |   |   |   |   |   |   |
| 164 - 171 Radical                 |   |   |  | ●   |   |   |   |   |   |   |   |   |   |   |   |
| <b>Wood</b>                       |   |   |  |   |   |   |   |   |   |   |   |   |   |   |   |
| 172 - 179 Pure Wood               |   |   |  |   |   |   |   |   |   |   |   |   |   |   |   |
| 180 - 187 In Wood                 |   |   |  |   |   |   |   |   |   |   |   | ●   | ●   |   |   |

# Search by: Skid Resistances

Find your product according to your needs and destination of use.

## DIN EN 16165 - Annex B

This method aims to measure the tiles suitability for laying in areas where people walk footwear. Defining the "R-value" of the surfaces according to the table below.

## DIN EN 16165 - Annex A

This method aims to measure the surfaces suitability for laying in areas where people walk barefoot. Given an "A, B and C value" according to the table below.

| Thicknesses (mm)            | R9<br>Annex B ▶ $6^\circ \leq \alpha \leq 10^\circ = R9$ |       |        | R9 A<br>Annex B ▶ $6^\circ \leq \alpha \leq 10^\circ = R9$<br>Annex A ▶ $12^\circ \leq \alpha < 18^\circ = A$ |       |        | R10 A<br>Annex B ▶ $10^\circ < \alpha \leq 19^\circ = R10$<br>Annex A ▶ $12^\circ \leq \alpha < 18^\circ = A$ |       |        | R10 A+B<br>Annex B ▶ $10^\circ < \alpha \leq 19^\circ = R10$<br>Annex A ▶ $18^\circ \leq \alpha < 24^\circ = A+B$ |       |        | R11 A+B<br>Annex B ▶ $19^\circ < \alpha \leq 27^\circ = R11$<br>Annex A ▶ $18^\circ \leq \alpha < 24^\circ = A+B$ |       |        | R11 A+B+C<br>Annex B ▶ $19^\circ < \alpha \leq 27^\circ = R11$<br>Annex A ▶ $\alpha \geq 24^\circ = A+B+C$ |       |        |
|-----------------------------|--|-------|--------|---|-------|--------|---|-------|--------|---|-------|--------|---|-------|--------|--|-------|--------|
|                             | ±6 mm  | ±8 mm | ±20 mm | ±6 mm   | ±8 mm | ±20 mm | ±6 mm   | ±8 mm | ±20 mm | ±6 mm   | ±8 mm | ±20 mm | ±6 mm   | ±8 mm | ±20 mm | ±6 mm  | ±8 mm | ±20 mm |
| <b>Concrete</b>             |  |       |        |   |       |        |   |       |        |   |       |        |   |       |        |  |       |        |
| NEW ▶ 64 - 73 Urban         |  |       |        |   |       |        | ●   |       |        |   | ●     |        |   |       |        | ●  | ●     | ●      |
| 82 - 91 Soft Concrete       |  |       |        |   |       |        |   |       |        | ●   | ●     |        |   |       |        |  |       | ●      |
| 92 - 99 Stardust            |  |       |        |   |       |        |   |       |        | ●   | ●     |        |   |       |        |  |       |        |
| NEW ▶ 74 - 81 Urban Great   |  |       |        |   |       |        | ●   |       |        |   |       |        |   |       |        |  |       |        |
| NEW ▶ 54 - 61 Cosmo         |  |       |        |   |       |        |   |       |        | ●   | ●     |        |   |       |        |  |       | ●      |
| <b>Stone</b>                |  |       |        |   |       |        |   |       |        |   |       |        |   |       |        |  |       |        |
| NEW ▶ 26 - 35 Dune          |  |       |        |   |       |        |   |       |        | ●   | ●     |        |   |       |        |  | ●     | ●      |
| NEW ▶ 36 - 43 Solid Stone   |  |       |        |   |       |        |   |       |        | ●   | ●     |        |   |       |        |  |       | ●      |
| NEW ▶ 44 - 53 Native Stone  |  |       |        |   |       |        |   |       |        | ●   | ●     |        |   |       |        |  | ●     | ●      |
| 100 - 109 Royal Stone       |  |       |        |   |       |        |   |       |        | ●   | ●     |        |   |       | ●      | ●  | ●     | ●      |
| 118 - 127 Loft              |  |       |        |   |       |        |   |       |        | ●   | ●     |        |   |       |        |  |       | ●      |
| 128 - 135 Quartz Stone      |  |       |        |   |       |        |   |       |        |   |       |        |   |       |        |  |       | ●      |
| 136 - 143 Silk Stone        |  |       |        |   |       |        |   |       |        | ●   |       |        |   |       |        |  |       |        |
| 110 - 117 Great Royal Stone |  |       |        |   |       |        | ●   |       |        |   |       |        |   |       |        |  |       |        |
| <b>Marble</b>               |  |       |        |   |       |        |   |       |        |   |       |        |   |       |        |  |       |        |
| 154 - 163 Great Elite       | ●  |       |        |   |       |        |   |       |        |   |       |        |   |       |        |  |       |        |
| NEW ▶ 154 - 163 Great One   | ●  |       |        |   |       |        |   |       |        |   |       |        |   |       |        |  |       |        |
| <b>Color</b>                |  |       |        |   |       |        |   |       |        |   |       |        |   |       |        |  |       |        |
| 144 - 153 Color Studio      |  |       |        | ●   |       |        |   |       |        |   |       |        |   |       |        |  |       |        |
| <b>Metal</b>                |  |       |        |   |       |        |   |       |        |   |       |        |   |       |        |  |       |        |
| 164 - 171 Radical           | ●  |       |        |   |       |        |   |       |        |   |       |        |   |       |        |  |       |        |
| <b>Wood</b>                 |  |       |        |   |       |        |   |       |        |   |       |        |   |       |        |  |       |        |
| 172 - 179 Pure Wood         |  |       |        |   |       |        |   |       |        | ●   |       |        |   |       |        |  |       |        |
| 180 - 187 In Wood           |  |       |        |   |       |        |   | ●     |        |   |       |        |   |       | ●      |  |       |        |





## Porcelaingres GmbH

Irisstraße 1  
03226 Vetschau – Germany  
Tel. +49 (0)35433 / 597-0

## GranitiFiandre spa

Via Radici Nord, 112  
42014 Castellarano (RE) – Italy  
Tel. +39 0536 819611

## Castellarano Showroom

Via Guido Reni 2  
42014 Castellarano (RE) – Italy  
[www.porcelaingres.com](http://www.porcelaingres.com)  
[info@porcelaingres.com](mailto:info@porcelaingres.com)

## Vetschau Showroom

Irisstraße 1  
03226 Vetschau – Germany  
[www.porcelaingres.com](http://www.porcelaingres.com)  
[info@porcelaingres.com](mailto:info@porcelaingres.com)

A BRAND OF  IRIS  
CERAMICA  
GROUP

Search “PORCELAINGRES”  
on your app store  
[www.porcelaingres.com/pdfapp](http://www.porcelaingres.com/pdfapp)



**Note:** Smart Book updated on July 2024

Colors and decors reproductions are approximate. All rights are reserved.  
Total or partial reproduction of text or illustrations of this catalogue is  
prohibited and is subject to legal sanctions. Data were updated at the  
catalogue printing time; therefore, the listed data may alter.