

DAKOTA™

OUTDOOR

PRODUCTS FOR EXTERNAL



www.dakota.eu

VENTILATION GRILLES

ABS universal grill, fixed round and rectangular grill	O 108
Grill to embed	O 110
Inspection and grill hatch	O 111
Grill with gravity damper	O 112
Grill with shutter	O 113
Vortex fixed grill	O 113
Fixed valve with adjustable diffuser without mesh	O 114
ABS copper colour universal grill	O 115
Aluminium universal grill, fixed round and rectangular grill	O 116
Ventilation grid with anti-insects mesh and handle	O 117
Stainless steel grill	O 119
Stainless steel AISI 304 grill	O 121
Copper universal grill, fixed round and rectangular grill	O 122

DOORS AND BOXES

Hatch for gas, water and electricity	O 124
Retractable galvanized steel hatch	O 124
Stainless steel hatch	O 125
Electricity inspection box	O 127
Galvanized gas inspection box and back section	O 128

ACCESSORIES FOR CONCRETE

Chamfers, chamfers finned for pillars and balcony drip protection	O 130
Spacer for formwork	O 131
Rigid tube for panels and cap	O 133

PRODUCTS FOR FLOORING

ARKIMEDE - Adjustable Support and accessories	O 134
Support for 3D-Scopic tile-support and accessories	O 136
Pipe Cube	O 143
Green Plus, 2.4 and 2.5	O 143
Thermo-Treated wood tile and accessories	O 144
Dk's tile	O 146
Dk's tile accessories	O 147
Draining tile	O 148

ROOF DRAINING OUTLETS

TPE water nozzle outlet	O 149
PVC water nozzle outlet	O 150
Water outlet	O 151
Leaf-grate	O 152

DRIPS

Open/closed marble plastic top drainer	O 153
Open/closed marble ceramic top drainer	O 154

UNIVERSAL GRILL

Code	Product	Dimensions (mm)	Pkg.	Pallet	UM
UNI09-6434ABS	Universal grill ø 70	inlet from 40 to 60	200 pcs	6.000 pcs	pc.
UNI09-6428ABS	Universal grill ø 140	inlet from 80 to 125	100 pcs	1.500 pcs	pc.
UNI09-6427ABS	Universal grill ø 180	inlet from 120 to 160	50 pcs	750 pcs	pc.
UNI09-6429ABS	Universal grill ø 230	inlet from 140 to 200	18 pcs	360 pcs	pc.
UNI09-6213ABS	Universal rectangular grill 210 x 230	inlet from 140 to 200	20 pcs	360 pcs	pc.

Description

Control system with springs, it can be adapted to different diameters. Equipped with anti-insects mesh. Packed in blister with barcode.

Material

Made of ABS, white glossy effect.


It is particularly resistant to ageing caused by exposure to the atmospheric agents.

Application

It guarantees the air circulation between the internal and external environments, reducing the condensation and the formation of mold.



FIXED ROUND GRILL

Code	Product	Dimensions (mm)	Pkg.	Pallet	UM
UNI09-6360ABS	Fixed round grill	inlet 60	200 pcs	6.000 pcs	pc.
UNI09-6380ABS	Fixed round grill	inlet 80	100 pcs	3.000 pcs	pc.
UNI09-6400ABS	Fixed round grill	inlet 100	100 pcs	2.000 pcs	pc.
UNI09-6410ABS 	Fixed round grill	inlet 110	80 pcs	1.600 pcs	pc.
UNI09-6420ABS	Fixed round grill	inlet 120	50 pcs	1.000 pcs	pc.
UNI09-6441ABS	Fixed round grill	inlet 140	80 pcs	1.200 pcs	pc.
UNI09-6442ABS	Fixed round grill	inlet 160	60 pcs	1.200 pcs	pc.
UNI09-6443ABS	Fixed round grill	inlet 200	30 pcs	750 pcs	pc.

Description

Equipped with anti-insects mesh. Packed in blister with barcode.

Material

Made of ABS, white glossy effect.

It is particularly resistant to ageing caused by exposure to the atmospheric agents.

Application

It guarantees the air circulation between the internal and external environments, reducing the condensation and the formation of mold.



FIXED RECTANGULAR GRILL

Code	Ref.	Product	Dimensions (mm)	Pkg.	Pallet	UM
UNI09-6435ABS	01	Fixed rectangular grill	145 x 145	100 pcs	3.000 pcs	pc.
UNI09-6421ABS	01	Fixed rectangular grill	200 x 150	100 pcs	2.000 pcs	pc.
UNI09-6214ABS	01	Fixed rectangular grill	235 x 215	50 pcs	1.000 pcs	pc.
UNI09-6430ABS	02	Fixed rectangular grill to embed	130 x 260	50 pcs	1.000 pcs	pc.
UNI09-6423ABS	03	Fixed rectangular grill to embed	365 x 125	50 pcs	1.000 pcs	pc.

Description


Equipped with anti-insects mesh.
Packed in blister with barcode.

Material

Made of ABS, white glossy effect.
It is particularly resistant to ageing caused by exposure to the atmospheric agents.

Application

It guarantees the air circulation between the internal and external environments, reducing the condensation and the formation of mold.



FIXED RECTANGULAR MODULAR GRILL

Code	Product	Dimensions (mm)	Pkg.	Pallet	UM
UNI11-6425	Plastic fixed modular grill	430 x 220	25 pcs	600 pcs	pc.
UNI11-6426	Plastic fixed modular grill	630 x 220	25 pcs	375 pcs	pc.
UNI11-6427	Plastic fixed modular grill	830 x 220	25 pcs	300 pcs	pc.

Description


Equipped with anti-insects mesh.
Packed in blister with barcode.

Material

Made of ABS, white glossy effect.
It is particularly resistant to ageing caused by exposure to the atmospheric agents.

Application

It guarantees the air circulation between the internal and external environments, reducing the condensation and the formation of mold.



GRILL TO EMBED

Code	Product	Dimensions (mm)	Pkg.	Pallet	UM
UNI12-6460	Grill to embed	150 x 150	10 pcs	1.200 pcs	pc.
UNI12-6461	Grill to embed	190 x 190	10 pcs	750 pcs	pc.
UNI12-6462	Grill to embed	170 x 250	10 pcs	500 pcs	pc.
UNI12-6463	Grill to embed	140 x 300	10 pcs	500 pcs	pc.

Description

Made of glossy white, it is composed of an embed frame and a rounded profile mask. Provided with a damper to regulate the flow of ventilation and anti-insects mesh.

Equipped with anti-insects mesh. Packed in blister with barcode.

Material

Made of ABS, white glossy effect, it is particularly resistant to ageing caused by exposure to the atmospheric agents.

Application

It guarantees the air circulation between the internal and external environments, reducing the condensation and the formation of mold.



GRILL TO EMBED WITH ADJUSTABLE SHUTTER

Code	Product	Dimensions (mm)	Pkg.	Pallet	UM
UNI12-6460S	Grill to embed with adjustable shutter	150 x 150	10 pcs	1.200 pcs	pc.
UNI12-6461S	Grill to embed with adjustable shutter	190 x 190	10 pcs	750 pcs	pc.
UNI12-6462S	Grill to embed with adjustable shutter	170 x 250	10 pcs	500 pcs	pc.
UNI12-6463S	Grill to embed with adjustable shutter	140 x 300	10 pcs	500 pcs	pc.

Description

Made of glossy white, it is composed of an embed frame and a rounded profile mask. Provided with a damper to regulate the flow of ventilation and anti-insects mesh. Equipped with anti-insects mesh.

Packed in blister with barcode.

Material

Made of ABS, white glossy effect, it is particularly resistant to ageing caused by exposure to the atmospheric agents.

Application

It guarantees the air circulation between the internal and external environments, reducing the condensation and the formation of mold.



GRILL TO EMBED WITH MESH, ADJUSTABLE SHUTTER AND INLET

Code	Product	Dimensions (mm)	Pkg.	Pallet	UM
UNI12-6460SI	Grill to embed with adjustable shutter and inlet	ø 100 - 150 x 150	10 pcs	500 pcs	pc.
UNI12-6461SI	Grill to embed with adjustable shutter and inlet	ø 125 - 190 x 190	10 pcs	270 pcs	pc.
UNI12-6462SI	Grill to embed with adjustable shutter and inlet	ø 150 - 190 x 190	10 pcs	270 pcs	pc.

Description

Made of glossy white, it is composed of an embed frame and a rounded profile mask. Provided with a damper to regulate the flow of ventilation and anti-insects mesh. Equipped with anti-insects mesh.

Packed in blister with barcode.

Material

Made of ABS, white glossy effect, it is particularly resistant to ageing caused by exposure to the atmospheric agents.

Application

It guarantees the air circulation between the internal and external environments, reducing the condensation and the formation of mold.



INSPECTION DOOR

Code	Product	Dimensions (mm)	Pkg.	Pallet	UM
TER30-7044	ABS inspection hatch	165 x 165	6 pcs	720 pcs	pc.
TER30-7045	ABS inspection hatch	165 x 215	6 pcs	450 pcs	pc.
TER30-7046	ABS inspection hatch	215 x 215	6 pcs	450 pcs	pc.
TER30-7047	ABS inspection hatch	215 x 265	6 pcs	300 pcs	pc.
TER30-7048	ABS inspection hatch	215 x 315	6 pcs	300 pcs	pc.
TER30-7049	ABS inspection hatch	305 x 305	6 pcs	204 pcs	pc.

Description

Inspection hatch, it is composed of an embed frame and a rounded profile mask. Openable with a "push" open-close system.

Packed in blister with barcode.

Material

Made of ABS white glossy effect, it is particularly resistant to aging from exposure the atmospheric agents.

Application

It allows a quick and easy inspection of the space behind it.



INSPECTON GRILL WITH FILTER

Code	Product	Dimensions (mm)	Pkg.	Pallet	UM
TER30-7044G	ABS inspecton grill with filter	165 x 165	6 pcs	720 pcs	pc.
TER30-7045G	ABS inspecton grill with filter	165 x 215	6 pcs	450 pcs	pc.
TER30-7046G	ABS inspecton grill with filter	215 x 215	6 pcs	450 pcs	pc.
TER30-7047G	ABS inspecton grill with filter	215 x 265	6 pcs	300 pcs	pc.
TER30-7048G	ABS inspecton grill with filter	215 x 315	6 pcs	300 pcs	pc.
TER30-7049G	ABS inspecton grill with filter	305 x 305	6 pcs	204 pcs	pc.

Description

Made of glossy white, it is composed of an embed frame and a mask from the rounded profile. Openable with a “push” open-close system. Equipped with air filter.

Packed in blister with barcode.

Material

Made of ABS white glossy effect, it is particularly resistant to ageing caused by exposure to the atmospheric elements.

Application

It allows a quick and easy inspection of the rear compartment. The filter is removable and easy to clean with water.



GRILL WITH GRAVITY DAMPER

Code	Product	Dimensions (mm)	Pkg.	Pallet	UM
TER30-7044S	ABS surface-mounted grill with gravity damper	150 x 150	10 pcs	1.200 pcs	pc.
TER30-7045S	ABS surface-mounted grill with gravity damper	190 x 190	10 pcs	750 pcs	pc.
TER30-7046SG	ABS surface-mounted grill with gravity damper with inlet ø 100	150 x 150 - ø 100	10 pcs	500 pcs	pc.
TER30-7047SG	ABS surface-mounted grill with gravity damper with inlet ø 125	190 x 190 - ø 125	10 pcs	270 pcs	pc.
TER30-7048SG	ABS surface-mounted grill with gravity damper with inlet ø 150	190 x 190 - ø 150	10 pcs	270 pcs	pc.

Description

Made of glossy white, it is composed of an embed frame. The shutter flaps open and close according to the ventilation and/or the internal-external pressure differential. Equipped with anti-insects mesh. Packed in blister with barcode.

Material

Made of ABS white glossy effect, it is particularly resistant to ageing caused by exposure to the atmospheric elements.

Application

It guarantees the air circulation between the internal and external environments, reducing the condensation and the formation of mold.



GRILL WITH SHUTTER

Code	Product	Dimensions (mm)	Pkg.	Pallet	UM
TER30-7144S	ABS surface-mounted grill with shutter	150 x 150	10 pcs	1.200 pcs	pc.
TER30-7145S	ABS surface-mounted grill with shutter	190 x 190	10 pcs	750 pcs	pc.
TER30-7146SG	ABS surface-mounted grill with shutter with inlet ø 100	150 x 150 - ø 100	10 pcs	500 pcs	pc.
TER30-7147SG	ABS surface-mounted grill with shutter with inlet ø 125	190 x 190 - ø 125	10 pcs	270 pcs	pc.
TER30-7148SG	ABS surface-mounted grill with shutter with inlet ø 150	190 x 190 - ø 150	10 pcs	270 pcs	pc.

Description

Made of glossy white, it is composed of an embed frame. The opening of the damper is adjustable. Equipped with anti-insects mesh. Packed in blister with barcode.

Material

Made of white glossy ABS, it is particularly resistant to ageing caused by exposure to the atmospheric elements.

Application

It guarantees the air circulation between the internal and external environments, reducing the condensation and the formation of mold.



VORTEX FIXED GRILL

Code	Product	Dimensions (mm)	Pkg.	Pallet	UM
TER30-7150	ABS Vortex fixed grill	ø 100	10 pcs	340 pcs	pc.
TER30-7151	ABS Vortex fixed grill	ø 125	10 pcs	340 pcs	pc.
TER30-7152	ABS Vortex fixed grill	ø 150	10 pcs	200 pcs	pc.

Description

Made of opaque white, with spiral design. Equipped with anti-insects mesh. Packed in blister with barcode.

Material

Made of white matt ABS, it is particularly resistant to ageing caused by exposure to the atmospheric elements.

Application

It guarantees the air circulation between the internal and external environments, reducing the condensation and the formation of mold.



FIXED VALVE WITH ADJUSTABLE DIFFUSER WITHOUT MESH

Code	Product	Dimensions (mm)	Pkg.	Pallet	UM
TER30-7160	ABS fixed valve with adjustable diffuser without mesh	ø 100	10 pcs	340 pcs	pc.
TER30-7161	ABS fixed valve with adjustable diffuser without mesh	ø 125	10 pcs	270 pcs	pc.
TER30-7162	ABS fixed valve with adjustable diffuser without mesh	ø 150	10 pcs	270 pcs	pc.

Description

Made of opaque white, it is composed of a fixed inlet and an adjustable diffuser.

Individually packed in blister with barcode.

Material

Made of white matt ABS, it is particularly resistant to ageing caused by exposure to the atmospheric elements.

Application

It guarantees the air circulation between the internal and external environments, reducing the condensation and the formation of mold.



FIXED VALVE SPRING WITH ADJUSTABLE DIFFUSER WITHOUT MESH

Code	Product	Dimensions (mm)	Pkg.	Pallet	UM
TER30-7165	ABS fixed valve with spring adjustable diffuser without mesh	ø 100	10 pcs	500 pcs	pc.
TER30-7166	ABS fixed valve with spring adjustable diffuser without mesh	ø 125	10 pcs	340 pcs	pc.
TER30-7167	ABS fixed valve with spring adjustable diffuser without mesh	ø 150/160	10 pcs	340 pcs	pc.

Description

Made in white opaque, it is composed of an inlet with a variable diameter and an adjustable diffuser.

Packed in blister with barcode.

Material

Made of white matt ABS, it is particularly resistant to ageing caused by exposure to the atmospheric elements.

Application

It guarantees the air circulation between the internal and external environments, reducing the condensation and the formation of mold.

Using the control system with springs, it can adapt to different diameters.



UNIVERSAL ROUND GRILL

Code	Product	Dimensions (mm)	Pkg.	Pallet	UM
UNI09-6434AR	Universal round grill ø 70	inlet from 40 to 60	100 pcs	-	pc.
UNI09-6428AR	Universal round grill ø 140	inlet from 80 to 125	100 pcs	-	pc.
UNI09-6427AR	Universal round grill ø 180	inlet from 120 to 160	50 pcs	-	pc.
UNI09-6429AR	Universal round grill ø 230	inlet from 140 to 200	100 pcs	-	pc.
UNI09-6213AR	Universal rectangular grill 210 x 230	inlet from 140 to 200	100 pcs	-	pc.

Description

Using the control system with springs, it can be adapted to different diameters.

Equipped with anti-insects mesh.

Packed in blister with barcode.

Material

Made of ABS, with copper polished effect, it is particularly resistant to ageing caused by exposure to the atmospheric elements.

Application

It guarantees the air circulation between the internal and external environments, reducing the condensation and the formation of mold.



UNIVERSAL GRILL

Code	Product	Dimensions (mm)	Pkg.	Pallet	UM
UNI02-6428AB	Universal round grill ø 150 in Blister	inlet from 80 to 125	25 pcs	2.500 pcs	pc.
UNI02-6427AB	Universal round grill ø 180 in Blister	inlet from 120 to 160	25 pcs	1.925 pcs	pc.
UNI02-6429AB	Universal round grill ø 222 in Blister	inlet from 140 to 200	25 pcs	1.050 pcs	pc.

Description

Equipped with anti-insects mesh.
Airflow stated on the outer side.
Packed in blister with barcode.

Material

Made of aluminium, matt effect, it is particularly resistant to ageing caused by exposure to the atmospheric elements.

Application

It guarantees the air circulation between the internal and external environments, reducing the condensation and the formation of mold.



FIXED ROUND GRILL

Code	Product	Dimensions (mm)	Pkg.	Pallet	UM
UNI20-6080	Fixed round grill	inlet 80	24 pcs	-	pc.
UNI20-6100	Fixed round grill	inlet 100	24 pcs	-	pc.
UNI20-6120	Fixed round grill	inlet 120	24 pcs	-	pc.
UNI20-6140	Fixed round grill	inlet 140	24 pcs	-	pc.
UNI20-6150	Fixed round grill	inlet 150	24 pcs	-	pc.
UNI20-6160	Fixed round grill	inlet 160	24 pcs	-	pc.
UNI20-6200	Fixed round grill	inlet 200	24 pcs	-	pc.

Description


Equipped with anti-insects mesh.
Airflow stated on the outer side.
Packed in blister with barcode.

Material

Made of aluminium, matt effect, it is particularly resistant to ageing caused by exposure to the atmospheric elements.

Application

It guarantees the air circulation between the internal and external environments, reducing the condensation and the formation of mold.



FIXED RECTANGULAR GRILL

Code	Product	Dimensions (mm)	Pkg.	Pallet	UM
UNI21-6214	Fixed rectangular grill squared	150 x 150	50 pcs	-	pc.
UNI21-6213	Fixed rectangular grill squared	235 x 235	40 pcs	-	pc.
UNI21-6211	Fixed rectangular grill rectangular	280 x 150	25 pcs	-	pc.
UNI21-6212	Fixed rectangular grill rectangular	415 x 150	25 pcs	-	pc.

Description

Equipped with anti-insects mesh.

Airflow stated on the outer side.

Packed in blister with barcode.

Material

Made of aluminium, matt effect, it is particularly resistant to ageing caused by exposure to the atmospheric elements.

Application

It allows the circulation of air between indoor-outdoor and ventilation, limiting, condensation and mold.



GRILL FOR VENTILATION WITH SHUTTER

Code	Product	Dimensions (mm)	Pkg.	Pallet	UM
UNI05-6603	Ventilation grid with anti-insects mesh and handle	200 x 200	25 pcs	-	pc.
UNI05-6605	Ventilation grid with anti-insects mesh and handle	300 x 150	25 pcs	-	pc.
UNI05-6690	Inlet for grating with shutter	200 x 200 - ø 80	25 pcs	-	pc.
UNI05-6691	Inlet for grating with shutter	200 x 200 - ø 100	25 pcs	-	pc.
UNI05-6692	Inlet for grating with shutter	300 x 150 - ø 80	25 pcs	-	pc.
UNI05-6693	Inlet for grating with shutter	300 x 150 - ø 100	25 pcs	-	pc.

Description

It is equipped with damper to adjust the ventilation flow, inlet and outer and anti-insects mesh.

Packed in blister with barcode.

Material

Made of aluminium, matt effect, it is particularly resistant to ageing caused by exposure to the atmospheric elements.

Application

It guarantees the air circulation between the internal and external environments, reducing the condensation and the formation of mold. It is also used for ventilation ducts for flue systems.



VENTILATION GRILL WITH SHUTTER (ADJUSTABLE BLADES)

Code	Product	Dimensions (mm)	Pkg.	Pallet	UM
UNI05-6610	Grid with adjustable blades and handle for opening	200 x 200	25 pcs	-	pc.
UNI05-6612	Grid with adjustable blades and handle for opening	300 x 150	25 pcs	-	pc.
UNI05-6690	Inlet for grating with shutter	200 x 200 - ø 80	25 pcs	-	pc.
UNI05-6691	Inlet for grating with shutter	200 x 200 - ø 100	25 pcs	-	pc.
UNI05-6692	Inlet for grating with shutter	300 x 150 - ø 80	25 pcs	-	pc.
UNI05-6693	Inlet for grating with shutter	300 x 150 - ø 100	25 pcs	-	pc.

Description

Equipped with anti-insects mesh.

Airflow stated on the outer side.

Packed with protective film in the box or in blister, equipped with barcode.

Material

Made of aluminium, matt effect, it is particularly resistant to ageing caused by exposure to the atmospheric elements.

Application

It guarantees the air circulation between the internal and external environments, reducing the condensation and the formation of mold.



FIXED GRILL FOR FIREPLACE VENTILATION

Code	Product	Dimensions (mm)	Pkg.	Pallet	UM
UNI05-6616	Fixed grill for fireplace ventilation	330 x 70	25 pcs	-	pc.
UNI05-6617	Fixed grill for fireplace ventilation	405 x 70	25 pcs	-	pc.
UNI05-6618	Fixed grill for fireplace ventilation	440 x 70	25 pcs	-	pc.
UNI05-6619	Fixed grill for fireplace ventilation	515 x 70	25 pcs	-	pc.
UNI05-6620	Fixed grill for fireplace ventilation	555 x 70	25 pcs	-	pc.

Description

It is composed of an embed frame and a slotted mask with a round profile. Packed in blister with barcode.

Material

Made of aluminium, matt effect, it is particularly resistant to ageing caused by exposure to the atmospheric elements.

Application

It guarantees the air circulation between the internal and external environments, reducing the condensation and the formation of mold.

It can, also be used for the ventilation of fireplaces and/or pipelines for flue systems.



ADJUSTABLE GRILL

Code	Product	Dimensions (mm)	Pkg.	Pallet	UM
UNI05-6623	Adjustable grill	75 x 230	50 pcs	-	pc.
UNI05-6624	Adjustable grill	150 x 150	50 pcs	-	pc.
UNI05-6625	Adjustable grill	150 x 230	50 pcs	-	pc.
UNI05-6626	Adjustable grill	ø 195	50 pcs	-	pc.
UNI05-6627	Adjustable grill	ø 175	50 pcs	-	pc.

Description

It is composed of an embed frame and a slotted mask with a damper to regulate the flow of ventilation.
Packed in blister with barcode.

Material

Made of stainless steel polished effect, it is particularly resistant to ageing caused by exposure to the atmospheric elements.

Application

It guarantees the air circulation between the internal and external environments, reducing the condensation and the formation of mold.

It can also be used for the ventilation of fireplaces and/or pipelines for flue systems.



WHITE PAINTED ADJUSTABLE GRILL

Code	Product	Dimensions (mm)	Pkg.	Pallet	UM
UNI05-6628	White painted adjustable grill	75 x 230	50 pcs	-	pc.
UNI05-6629	White painted adjustable grill	150 x 150	50 pcs	-	pc.
UNI05-6630	White painted adjustable grill	150 x 230	50 pcs	-	pc.
UNI05-6631	White painted adjustable grill	ø 195	50 pcs	-	pc.
UNI05-6632	White painted adjustable grill	ø 175	50 pcs	-	pc.

Description

It is composed of an embed frame and a slotted mask with a damper to regulate the flow of ventilation.
Packed in blister with barcode.

Material

Made of stainless steel pre-painted in white colour, it is particularly resistant to ageing caused by exposure to the atmospheric elements.

Application

It guarantees the air circulation between the internal and external environments, reducing the condensation and the formation of mold.

It can, also be used for the ventilation of fireplaces and/or pipelines for flue systems.



STAINLESS STEEL NON-MAGNETIC GRILL

Code	Product	Dimensions (mm)	Pkg.	Pallet	UM
UNI05-6633	Stainless steel AISI 304 non-magnetic grill	180 x 180	50 pcs	-	pc.
UNI05-6634	Stainless steel AISI 304 non-magnetic grill	180 x 250	50 pcs	-	pc.
UNI05-6635	Stainless steel AISI 304 non-magnetic grill	180 x 320	50 pcs	-	pc.

Description

It is composed of an embed frame and a slotted mask with a damper to regulate the flow of ventilation. Packed in blister with barcode.

Material

Made of stainless steel, it is particularly resistant to ageing caused by exposure to the atmospheric elements.

Application

It guarantees the air circulation between the internal and external environments, reducing the condensation and the formation of mold. It can also be used for the ventilation of fireplaces and/or pipelines for flue systems.



FIXED NON-MAGNETIC PRE-PAINTED GRILL

Code	Product	Dimensions (mm)	Pkg.	Pallet	UM
UNI05-6636	White painted non-magnetic fixed grill	180 x 180	50 pcs	-	pc.
UNI05-6637	White painted non-magnetic fixed grill	180 x 250	50 pcs	-	pc.
UNI05-6638	White painted non-magnetic fixed grill	180 x 320	50 pcs	-	pc.

Description

Available in perforated or slotted design. Packed in blister with barcode.

Material

Made of stainless steel pre-painted in white colour, it is particularly resistant to ageing caused by exposure to the atmospheric elements.

Application

It guarantees the air circulation between the internal and external environments, reducing the condensation and the formation of mold.



■ FIXED GRILL PERFORATED

Code	Product	Dimensions (mm)	Pkg.	Pallet	UM
UNI05-6639	Stainless steel perforated 304	180 x 180	50 pcs	-	pc.
UNI05-6640	White painted stainless steel perforated 304	180 x 180	50 pcs	-	pc.

Description

Available in perforated design.
Packed in blister with barcode.

Material

Made of stainless steel, with pre-painted white or glossy effect, it is particularly resistant to ageing caused by exposure to the atmospheric elements.

Application

It guarantees the air circulation between the internal and external environments, reducing the condensation and the formation of mold.



UNIVERSAL GRILL

Code	Product	Dimensions (mm)	Pkg.	Pallet	UM
UNI03-6428RB	Universal grill ø 150	inlet from 80 to 125	25 pcs	2.500 pcs	pc.
UNI03-6427RB	Universal grill ø 180	inlet from 120 to 160	25 pcs	1.925 pcs	pc.
UNI03-6429RB	Universal grill ø 222	inlet from 140 to 200	25 pcs	1.050 pcs	pc.

Description

Using the control system with springs, it can be adapted to different diameters.

Equipped with anti-insects mesh.

Airflow stated on the outer side.

Packed in blister with barcode.

Material

Made of copper, with polished effect, it is particularly resistant to ageing caused by exposure to the atmospheric elements.

Application

It guarantees the air circulation between the internal and external environments, reducing the condensation and the formation of mold.



FIXED ROUND GRILL

Code	Product	Dimensions (mm)	Pkg.	Pallet	UM
UNI30-6081	Fixed round grill	inlet 80	24 pcs	-	pc.
UNI30-6101	Fixed round grill	inlet 100	24 pcs	-	pc.
UNI30-6121	Fixed round grill	inlet 120	24 pcs	-	pc.
UNI30-6141	Fixed round grill	inlet 140	24 pcs	-	pc.
UNI30-6151	Fixed round grill	inlet 150	24 pcs	-	pc.
UNI30-6161	Fixed round grill	inlet 160	24 pcs	-	pc.
UNI30-6201	Fixed round grill	inlet 200	24 pcs	-	pc.

Description

Using the control system with springs, it can adapt to different diameters. Equipped with anti-insects mesh.

Airflow stated on the outer side.

Packed in blister with barcode.

Material

Made of copper, with polished effect, it is particularly resistant to ageing caused by exposure to the atmospheric elements.

Application

It guarantees the air circulation between the internal and external environments, reducing the condensation and the formation of mold.



■ FIXED RECTANGULAR GRILL

Code	Product	Dimensions (mm)	Pkg.	Pallet	UM
UNI31-6219	Fixed rectangular grill squared	150 x 150	50 pcs	-	pc.
UNI31-6218	Fixed rectangular grill squared	235 x 235	40 pcs	-	pc.
UNI31-6216	Fixed rectangular grill rectangular	280 x 150	25 pcs	-	pc.
UNI31-6217	Fixed rectangular grill rectangular	415 x 150	25 pcs	-	pc.

Description

Equipped with anti-insects mesh.

Airflow stated on the outer side.

Packed in blister with barcode.

Material

Made of copper, with polished effect, it is particularly resistant to ageing caused by exposure to the atmospheric elements.

Application

It guarantees the air circulation between the internal and external environments, reducing the condensation and the formation of mold.



HATCH FOR GAS, WATER AND ELECTRICITY

Code	Product	Dimensions (mm)	Pkg.	Pallet	UM
TER30-7090	Hatch for gas, water and electricity	230 x 330	32 pcs	576 pcs	pc.
TER30-7091	Hatch for gas, water and electricity	310 x 460	15 pcs	270 pcs	pc.
TER30-7092	Hatch for gas, water and electricity	400 x 500	12 pcs	216 pcs	pc.
TER30-7093	Hatch for gas, water and electricity	600 x 400	12 pcs	180 pcs	pc.

Description

Designed to cover gas, water or electricity meters.
Frame flush with the wall, lock and key are included.
Packed in box.

Material

Made of ABS or galvanized steel, it is particularly resistant to ageing caused by exposure to the atmospheric elements.

Application

It is used to cover and to protect electric counters recessed in the wall, allowing the meter reading.



RETRACTABLE GALVANIZED HATCH

Code	Product	Dimensions (mm)	Pkg.	Pallet	UM
ZIN28-7080	Retractable galvanized hatch	300 x 400	1 pc.	145 pcs	pc.
ZIN28-7081	Retractable galvanized hatch	450 x 350	1 pc.	128 pcs	pc.
ZIN28-7082	Retractable galvanized hatch	500 x 300	1 pc.	92 pcs	pc.
ZIN28-7083	Retractable galvanized hatch	500 x 400	1 pc.	100 pcs	pc.
ZIN28-7084	Retractable galvanized hatch	500 x 500	1 pc.	63 pcs	pc.
ZIN28-7085	Retractable galvanized hatch	600 x 500	1 pc.	60 pcs	pc.

Description

Frame flush with the wall, lock and key are included.
Packed in box.

Material

Made of galvanized steel, it is particularly resistant to ageing caused by exposure to the atmospheric elements.

Application

It is used to cover and to protect electric counters recessed in the wall, allowing the meter reading.



GALVANIZED STEEL GAS HATCH

Code	Product	Dimensions (mm)	Pkg.	Pallet	UM
ZIN23-7009	Galvanized steel gas hatch	450 x 300	12 pcs	480 pcs	pc.
ZIN23-7009B	Galvanized steel gas hatch	450 x 350	12 pcs	360 pcs	pc.
ZIN23-7008	Galvanized steel gas hatch	500 x 300	12 pcs	360 pcs	pc.
ZIN23-7008B	Galvanized steel gas hatch	500 x 400	12 pcs	360 pcs	pc.
ZIN23-7000	Galvanized steel gas hatch	600 x 400	12 pcs	240 pcs	pc.
ZIN23-7002	Galvanized steel gas hatch	600 x 500	12 pcs	240 pcs	pc.
ZIN23-7001	Galvanized steel gas hatch	700 x 400	12 pcs	240 pcs	pc.

Description

Designed to cover gas meters.

Frame flush with the wall, lock and key are included.

Packed in box.

Material

Made of galvanized sheet metal, it is particularly resistant to ageing caused by exposure to the atmospheric elements.

Application

It is used to cover and to protect electric counters recessed in the wall, allowing the meter reading.



GALVANIZED STEEL WATER HATCH

Code	Product	Dimensions (mm)	Pkg.	Pallet	UM
ZIN24-7017B	Galvanized steel water hatch	300 x 400	12 pcs	384 pcs	pc.
ZIN24-7018	Galvanized steel water hatch	400 x 500	12 pcs	240 pcs	pc.
ZIN24-7019	Galvanized steel water hatch	500 x 600	12 pcs	168 pcs	pc.

Description

Designed to cover water meters.

Frame flush for the wall, lock and key are included.

Packed in box.

Material

Made of galvanized sheet metal, it is particularly resistant to ageing caused by exposure to the atmospheric elements.

Application

It is used to cover and protect electric counters recessed in the wall, allowing the meter reading.



STAINLESS STEEL GAS HATCH

Code	Product	Dimensions (mm)	Pkg.	Pallet	UM
ZIN23-7009I	Stainless steel gas hatch	450 x 300	12 pcs	480 pcs	pc.
ZIN23-7009BI	Stainless steel gas hatch	450 x 350	12 pcs	360 pcs	pc.
ZIN23-7008I	Stainless steel gas hatch	500 x 300	12 pcs	360 pcs	pc.
ZIN23-7008BI	Stainless steel gas hatch	500 x 400	12 pcs	360 pcs	pc.
ZIN23-7000I	Stainless steel gas hatch	600 x 400	12 pcs	240 pcs	pc.
ZIN23-7002I	Stainless steel gas hatch	600 x 500	12 pcs	240 pcs	pc.
ZIN23-7001I	Stainless steel gas hatch	700 x 400	12 pcs	240 pcs	pc.

Description

Designed to cover gas meters.

Frame flush for the wall, lock and key are included.

Packed in box.

Material

Made of galvanized sheet metal, it is particularly resistant to ageing caused by exposure to the atmospheric elements.

Application

It is used to cover and protect electric counters recessed in the wall, allowing the meter reading.



STAINLESS STEEL WATER HATCH

Code	Product	Dimensions (mm)	Pkg.	Pallet	UM
ZIN24-7017BI	Stainless steel water hatch	300 x 400	12 pcs	384 pcs	pc.
ZIN24-7018I	Stainless steel water hatch	400 x 500	12 pcs	240 pcs	pc.
ZIN24-7019I	Stainless steel water hatch	500 x 600	12 pcs	168 pcs	pc.

Description

Designed to cover water meters.

Frame flush for the wall, lock and key are included.

Packed in box.

Material

Made of galvanized sheet metal, it is particularly resistant to ageing caused by exposure to the atmospheric elements.

Application

It is used to cover and protect electric counters recessed in the wall, allowing the meter reading.



GALVANIZED STEEL INSPECTION HATCH

Code	Product	Dimensions (mm)	Pkg.	Pallet	UM
ZIN25-7010	Galvanized steel inspection hatch	150 x 150	25 pcs	450 pcs	pc.
ZIN25-7011	Galvanized steel inspection hatch	200 x 200	20 pcs	360 pcs	pc.
ZIN25-7012	Galvanized steel inspection hatch	200 x 250	25 pcs	450 pcs	pc.
ZIN25-7013	Galvanized steel inspection hatch	200 x 300	20 pcs	300 pcs	pc.
ZIN25-7014	Galvanized steel inspection hatch	250 x 250	25 pcs	-	pc.
ZIN25-7015	Galvanized steel inspection hatch	300 x 300	20 pcs	220 pcs	pc.
ZIN25-7016	Galvanized steel inspection hatch	250 x 500	15 pcs	-	pc.
ZIN25-7017	Galvanized steel inspection hatch	300 x 500	13 pcs	104 pcs	pc.

Description

Designed to cover gas meters, water or electricity.
Frame flush for the wall, lock and key are included.
Packed in box.

Material

Made of galvanized sheet metal, it is particularly resistant to ageing caused by exposure to the atmospheric elements.

Application

It is used to cover and protect electric counters recessed in the wall, allowing the meter reading.



ELECTRICITY INSPECTION BOX

Code	Product	Dimensions (mm)	Pkg.	Pallet	UM
TER31-7096	Electricity inspection box 1 P	232 x 420 x 210	1 pc.	30 pcs	pc.
TER31-7097	Electricity inspection box 2 P	390 x 420 x 230	1 pc.	14 pcs	pc.
TER31-7095	Electricity inspection box 4 P	685 x 640 x 235	1 pc.	8 pcs	pc.
TER31-7098	Support pole	1.420 x 120	1 pc.	-	pc.
TER31-7099	Pole bracket	one size	1 pc.	-	pc.

Description

It is designed to fit electricity meters, equipped with anti-condensation protection IP, double bit lock and supplied with a key internal set up for connection of the counters, according to energy norms.


Packed in box.

Material

Made of polyester resin, it is particularly resistant to shock and ageing caused by exposure to the atmospheric elements.

Application

It is used to accommodate individual or double electricity meters, to protect them from tampering and/or vandalism and to allow the periodic reading and maintenance.



BOX FOR GAS METER - GALVANIZED & STAINLESS STEEL

Code	Product	Dimensions (mm)	Pkg.	Pallet	UM
ZIN21-7006	Box for Gas Meter - Galvanized Steel	300 x 450 x 250	3 pcs	60 pcs	pc.
ZIN21-7006B	Box for Gas Meter - Galvanized Steel	350 x 450 x 250	3 pcs	60 pcs	pc.
ZIN21-7007	Box for Gas Meter - Galvanized Steel	300 x 500 x 250	3 pcs	54 pcs	pc.
ZIN21-7007B	Box for Gas Meter - Galvanized Steel	400 x 500 x 250	3 pcs	45 pcs	pc.
ZIN21-7003	Box for Gas Meter - Galvanized Steel	400 x 600 x 250	3 pcs	36 pcs	pc.
ZIN21-7005	Box for Gas Meter - Galvanized Steel	500 x 600 x 250	3 pcs	24 pcs	pc.
ZIN21-7004	Box for Gas Meter - Galvanized Steel	400 x 700 x 250	3 pcs	21 pcs	pc.
ZIN21-7006I	Box for Gas Meter - Stainless Steel	300 x 450 x 250	3 pcs	60 pcs	pc.
ZIN21-7006BI	Box for Gas Meter - Stainless Steel	350 x 450 x 250	3 pcs	60 pcs	pc.
ZIN21-7007I	Box for Gas Meter - Stainless Steel	300 x 500 x 250	3 pcs	54 pcs	pc.
ZIN21-7007BI	Box for Gas Meter - Stainless Steel	400 x 500 x 250	3 pcs	45 pcs	pc.
ZIN21-7003I	Box for Gas Meter - Stainless Steel	400 x 600 x 250	3 pcs	36 pcs	pc.
ZIN21-7005I	Box for Gas Meter - Stainless Steel	500 x 600 x 250	3 pcs	24 pcs	pc.
ZIN21-7004I	Box for Gas Meter - Stainless Steel	400 x 700 x 250	3 pcs	21 pcs	pc.

Description

Designed to accommodate gas counters with ventilation slots, this box is equipped with simple lock and key.

Item not provided with back hatch.

Packed in carton box.

Material

Made of galvanized or stainless steel, it is particularly resistant to shocks and ageing caused by exposure to the atmospheric elements.

Application

It is used to contain gas meters, to protect them from tampering and/or vandalism and to allow the meter reading and maintenance.



BACK HATCH FOR GAS METER BOX - GALVANIZED & STAINLESS STEEL

Code	Product	Dimensions (mm)	Pkg.	Pallet	UM
ZIN22-7023	Back hatch for gas meter box - galvanized steel	300 x 450	1 pc.	-	pc.
ZIN22-7023B	Back hatch for gas meter box - galvanized steel	350 x 450	1 pc.	-	pc.
ZIN22-7024	Back hatch for gas meter box - galvanized steel	300 x 500	1 pc.	-	pc.
ZIN22-7025	Back hatch for gas meter box - galvanized steel	400 x 500	1 pc.	-	pc.
ZIN22-7026	Back hatch for gas meter box - galvanized steel	400 x 600	1 pc.	-	pc.
ZIN22-7028	Back hatch for gas meter box - galvanized steel	500 x 600	1 pc.	-	pc.
ZIN22-7027	Back hatch for gas meter box - galvanized steel	400 x 700	1 pc.	-	pc.
ZIN22-7023I	Back hatch for gas meter box - stainless steel	300 x 450	1 pc.	-	pc.
ZIN22-7023BI	Back hatch for gas meter box - stainless steel	350 x 450	1 pc.	-	pc.
ZIN22-7024I	Back hatch for gas meter box - stainless steel	300 x 500	1 pc.	-	pc.
ZIN22-7025I	Back hatch for gas meter box - stainless steel	400 x 500	1 pc.	-	pc.
ZIN22-7026I	Back hatch for gas meter box - stainless steel	400 x 600	1 pc.	-	pc.
ZIN22-7028I	Back hatch for gas meter box - stainless steel	500 x 600	1 pc.	-	pc.
ZIN22-7027I	Back hatch for gas meter box - stainless steel	400 x 700	1 pc.	-	pc.

Description

Designed with shaped edges for an easy assembling with galvanized or stainless steel gas meter box.

Not packed.

Material

Made of galvanized or stainless steel, it is particularly resistant to shocks and ageing caused by exposure to the atmospheric elements.

Application

It is used as complementary element of gas meter boxes, in case of positioning on poles, nets or fences.



CHAMFERS FOR PILLARS

Code	Product	Dimensions (mm)	Pkg.	Pallet	UM
PRO02-1600	Chamfers for pillars	22 x 10 x 2.000	100 m	150 boxes	box
PRO02-1601	Chamfers for pillars	32 x 15 x 2.000	100 m	100 boxes	box
PRO02-1602	Chamfers for pillars	27 x 14 x 2.000	100 m	100 boxes	box

Description

2 meters long bar.

Material

Made of thermoset plastic.

Application

Specific use in construction.



CHAMFERS FINNED FOR PILLARS

Code	Product	Dimensions (mm)	Pkg.	Pallet	UM
PRO02-1603	Chamfers finned for pillars	22 x 10 x 2.000	100 m	200 boxes	box
PRO02-1603A	Chamfers finned for pillars	32 x 15 x 2.000	100 m	100 boxes	box

Description


2 meters long bar.

Material

Made of thermoset plastic.

Application

Specific use in construction.



BALCONY DRIP PROTECTION

Code	Product	Dimensions (mm)	Pkg.	Pallet	UM
PRO02-1604	Balcony drip protection	20 x 12 x 2.000	100 m	200 boxes	box
PRO02-1605	Balcony drip protection	30 x 15 x 2.000	100 m	100 boxes	box

Description

2 meters long bar.

Material

Made of thermoset plastic.

Application

Specific use in construction.



SPACER FOR FORMWORK TOWER SHAPED

Code	Product	Dimensions (mm)	Pkg.	Pallet	UM
PRO12-1663	Spacer for formwork tower shaped	10* x ø 12 x ø 4	2.000 pcs	30.000 pcs	pc.
PRO12-1664	Spacer for formwork tower shaped	15* x ø 12 x ø 4	1.800 pcs	27.000 pcs	pc.
PRO12-1665	Spacer for formwork tower shaped	20* x ø 12 x ø 4	1.500 pcs	22.500 pcs	pc.
PRO12-1666	Spacer for formwork tower shaped	25* x ø 12 x ø 4	1.500 pcs	22.500 pcs	pc.
PRO12-1667	Spacer for formwork tower shaped	30* x ø 12 x ø 4	1.000 pcs	15.000 pcs	pc.
PRO12-1668	Spacer for formwork tower shaped	40* x ø 12 x ø 4	500 pcs	22.500 pcs	pc.

Description

The tower-shaped design allows the laying of the reinforcement cages. Packed in box.

Material

Made of thermoset plastic.

Application

Specific use in construction.

It allows the installation of rebar, maintaining the correct distance for the "concrete cover".



ROUND SPACER FOR FORMWORK

Code	Product	Dimensions (mm)	Pkg.	Pallet	UM
PRO12-1658	Round spacer for formwork	10* x ø 4 x ø 6	2.000 pcs	100.000 pcs	pc.
PRO12-1658B	Round spacer for formwork	15* x ø 4 x ø 8	1.000 pcs	50.000 pcs	pc.
PRO12-1659	Round spacer for formwork	20* x ø 4 x ø 8	1.000 pcs	30.000 pcs	pc.
PRO12-1659B	Round spacer for formwork	25* x ø 4 x ø 12	1.000 pcs	20.000 pcs	pc.
PRO12-1657	Round spacer for formwork	30* x ø 4 x ø 12	1.000 pcs	20.000 pcs	pc.
PRO12-1657B	Round spacer for formwork	40* x ø 4 x ø 12	500 pcs	22.500 pcs	pc.

Description

Its round shape allows the installation of reinforcement cages. Packed in box.

Material

Made of thermoset plastic.

Application

Specific use in construction.

It enables the installation of rebar, maintaining the correct distance for the "concrete cover".



DISTANCE SPACER TUBE

Code	Product	Dimensions (mm)	Pkg.	Pallet	UM
PRO23-1664C	Distance spacer tube	ø 20 x 150	100 pcs	2.000 pcs	pc.
PRO23-1665C	Distance spacer tube	ø 20 x 200	100 pcs	1.500 pcs	pc.
PRO23-1666C	Distance spacer tube	ø 20 x 250	100 pcs	1.500 pcs	pc.
PRO23-1667C	Distance spacer tube	ø 20 x 300	100 pcs	1.500 pcs	pc.
PRO23-1668C	Distance spacer tube	ø 20 x 350	100 pcs	1.500 pcs	pc.
PRO23-1669C	Distance spacer tube	ø 20 x 400	100 pcs	1.500 pcs	pc.
PRO23-1670C	Distance spacer tube	ø 20 x 450	100 pcs	1.500 pcs	pc.
PRO23-1671C	Distance spacer tube	ø 20 x 500	100 pcs	1.500 pcs	pc.

Description

Designed with a round shape, it allows the installation in the formwork.

Packed in box.


Material

Made of thermoset plastic.

Application

Specific use in construction.

It keeps the formwork at same distance (in horizontal way) during casting.



BRIDGE SHAPED SPACER FOR FORMWORK

Code	Product	Dimensions (mm)	Pkg.	Pallet	UM
PRO12-1215N	Bridge shaped spacer for formwork	h. 15 l=2.000	100 m	42 boxes	box
PRO12-1220N	Bridge shaped spacer for formwork	h. 20 l=2.000	100 m	63 boxes	box
PRO12-1225N	Bridge shaped spacer for formwork	h. 25 l=2.000	100 m	49 boxes	box
PRO12-1230N	Bridge shaped spacer for formwork	h. 30 l=2.000	100 m	42 boxes	box
PRO12-1235N	Bridge shaped spacer for formwork	h. 35 l=1.000	60 m	60 boxes	box
PRO12-1240N	Bridge shaped spacer for formwork	h. 40 l=2.000	60 m	40 boxes	box
PRO12-1250NN	Bridge shaped spacer for formwork	h. 50 l=2.000	60 m	28 boxes	box

Description

Its shape allows installation in bridge formwork.

Material

Made of thermoset plastic.

Application

Specific use in construction.

It keeps the formwork at same distance (in vertical way) during the pour of concrete.



RIGID TUBE FOR PANELS

Code	Product	Dimensions (mm)	Pkg.	Pallet	UM
PRO17-1625	Rigid tube for panels	ø 20 x 2.000	50 m	100 boxes	box
PRO17-1626	Rigid tube for panels	ø 22 x 2.000	50 m	100 boxes	box

Description

2 meters long bar.


Material

Made of thermoset plastic.

Application

Specific use in construction.

It keeps the formwork horizontally at same distance during the pour of concrete.



CAP AND WASHER (RIGID TUBE)

Code	Product	Dimensions (mm)	Pkg.	Pallet	UM
PRO11-1653	Cap for rigid tube for panels	ø 20	1.000 pcs	-	pc.
PRO11-1654	Cap for rigid tube for panels	ø 22	1.000 pcs	-	pc.
PRO11-1655	Washer for rigid tube for panels	ø 20	500 pcs	21.500 pcs	pc.
PRO11-1656	Washer for rigid tube for panels	ø 22	1.000 pcs	-	pc.

Description

Supplied in plastic bags (plugs and washers).

Material

Made of thermoset plastic.

Application

Specific use in the construction industry, to close pipe lines.



FINNED TUBE SPACER AND PLATE

Code	Product	Dimensions (mm)	Pkg.	Pallet	UM
PRO17-1623	Finned tube spacer	ø 9 x 2.000	100 m	150 boxes	box
PRO17-1624	Finned tube spacer	ø 12 x 2.000	100 m	100 boxes	box
PRO17-1633	Tube spacer plate	ø 30 x 2.000	100 m	100 boxes	box
PRO11-1651	Finned cap spacer	ø 9	1.000 pcs	-	pc.
PRO11-1652	Finned cap spacer	ø 12	1.000 pcs	-	pc.
PRO11-1656C	Cap spacer plate	ø 30	1.000 pcs	-	pc.

Description

2 meters long bars, ø 9/2 mm finned.

2 meters long bars, ø 30 mm dish.

Supplied in plastic bags (finned), ø 9 mm and 12 mm.

Supplied in plastic bags (oval), ø 30 mm.


Material

Made of thermoset plastic.




Application

Specific use in construction.

It keeps the formwork horizontally at same distance during the pour of concrete.



ARKIMEDE - ADJUSTABLE SUPPORT

Code	Ref.	Products	Dimensions (mm)	Pkg.	Pallet	UM
TER09-1143/4A2M	 01	ARKIMEDE - Spacer tabs thickness 2 mm h. 10 mm	from 35 to 60 - thick. 2	30 pcs	1.200 pcs	pc.
TER09-1143/4A4M	 01	ARKIMEDE - Spacer tabs thickness 4 mm h. 10 mm	from 35 to 60 - thick. 4	30 pcs	1.200 pcs	pc.
TER09-1143/1A	 02	ARKIMEDE - Head for joists	from 35 to 60	30 pcs	1.200 pcs	pc.

Description

ARKIMEDE support with adjustable height starting from 35 mm.
Base laying surface: 314 cm².

Head diameter: 120 mm with a laying surface of 113 cm².

Available versions:

- Box composed by the base, rotating nut and head with 4 spacer tabs of 2 mm thickness.
- Box composed by the base, rotating nut and head with 4 spacer tabs of 4 mm thickness.
- Box composed by the base, rotating nut and head with 1 tab for joists.

The base allows the correct water drainage.

Material

Made of PP (polypropylene).

Application

Used in external areas, terraces, pavements.


01



02



EXTENSION 25 - ARKIMEDE

Code	Products	Dimensions	Pkg.	Pallet	UM
TER09-1143/P25	 ARKIMEDE - Extension 25 mm	25 mm	30 pcs	2.150 pcs	pc.

Description

Extension for adjustable support ARKIMEDE with 25 mm height.

Material

Made of PP (polypropylene).

Application

Used to increase the height of the adjustable support ARKIMEDE.



from 35 to 60 mm



from 60 to 85 mm
1 pc. h 25




from 85 to 110 mm
1 pc. h 50



from 110 to 135 mm
1 pc. h 25 and 1 pc. h 50

EXTENSION 50 - ARKIMEDE

Code	Products	Dimensions	Pkg.	Pallet	UM
TER09-1143/P50 	ARKIMEDE - Extension 50 mm	50 mm	30 pcs	1.620 pcs	pc.

Description

Extension for adjustable support ARKIMEDE with 50 mm height.

Material


Made of PP (polypropylene).

Application

Used to increase the height of the adjustable support ARKIMEDE.



ANTI-NOISE RUBBER SHIM - ARKIMEDE

Code	Products	Dimensions	Pkg.	Pallet	UM
TER09-1143/G 	Anti-Noise Rubber Shim - ARKIMEDE	ø 120 mm - thick. 2 mm	180 pcs	12.960 pcs	pc.

Description

Anti-noise rubber

Diameter 120 mm, thickness 2 mm.

Material

Made of rubber (TPV).

Application

Used to reduce walkover noise to a minimum.



from 135 to 160 mm
2 pcs h 50



from 160 to 185 mm
1 pc. h 25 and 2 pcs h 50














from 185 to 210 mm
3 pcs h 50



from 210 to 235 mm
1 pc. h 25 and 3 pcs h 50 and more...

3D-TELESCOPIC SUPPORTS - SELF-LEVELING HEAD only on demand

Code	Product	Dimensions (mm)	Pkg.	Pallet	UM
TER09-1123055N1 	Self-leveling 3D Scopic tile support provided with 4 removable wings for 2 mm slats	from 35 to 55	40 pcs	20 boxes	box
TER09-1123070N1 	Self-leveling 3D Scopic tile support provided with 4 removable wings for 2 mm slats	from 55 to 70	40 pcs	20 boxes	box
TER09-1123110N1 	Self-leveling 3D Scopic tile support provided with 4 removable wings for 2 mm slats	from 70 to 110	40 pcs	15 boxes	box
TER09-1123150N1 	Self-leveling 3D Scopic tile support provided with 4 removable wings for 2 mm slats	from 110 to 150	40 pcs	15 boxes	box
TER09-1123170N1 	Self-leveling 3D Scopic tile support provided with 4 removable wings for 2 mm slats	from 150 to 170	40 pcs	15 boxes	box
TER09-1123200N1 	Self-leveling 3D Scopic tile support provided with 4 removable wings for 2 mm slats	from 170 to 200	40 pcs	15 boxes	box
TER09-1123240N1 	Self-leveling 3D Scopic tile support provided with 4 removable wings for 2 mm slats	from 205 to 240	35 pcs	20 boxes	box
TER09-1123275N1 	Self-leveling 3D Scopic tile support provided with 4 removable wings for 2 mm slats	from 240 to 275	30 pcs	20 boxes	box
TER09-1123310N1 	Self-leveling 3D Scopic tile support provided with 4 removable wings for 2 mm slats	from 275 to 310	20 pcs	15 boxes	box
TER09-1123340N1 	Self-leveling 3D Scopic tile support provided with 4 removable wings for 2 mm slats	from 310 to 340	20 pcs	15 boxes	box
TER09-1123370N1 	Self-leveling 3D Scopic tile support provided with 4 removable wings for 2 mm slats	from 340 to 370	20 pcs	15 boxes	box
TER09-1123400N1 	Self-leveling 3D Scopic tile support provided with 4 removable wings for 2 mm slats	from 370 to 400	20 pcs	15 boxes	box
TER09-1123430N1 	Self-leveling 3D Scopic tile support provided with 4 removable wings for 2 mm slats	from 400 to 430	20 pcs	15 boxes	box
TER09-1123465N1 	Self-leveling 3D Scopic tile support provided with 4 removable wings for 2 mm slats	from 430 to 465	20 pcs	15 boxes	box
TER09-1123500N1 	Self-leveling 3D Scopic tile support provided with 4 removable wings for 2 mm slats	from 465 to 500	15 pcs	15 boxes	box
TER09-1123CHI 	Adjustment key for 3D Scopic tile support	-	1 pc.	-	pc.

Description

3D-scopic tiles support with adjustable height from min. 35 to max. 500 mm according to the model.

Each box includes a self-leveling head equipped with 4 wings of 10 mm, to be used for slats of 2 mm.

Terminal leveling variable inclination from 0 to 5%.


Adjustment of the support of 1,5 mm for each rotation of 90° (equal to 5 shots).

Material

Made of PP (polypropylene).

Application















Used in external areas, terraces, pavements.



Terminal leveling variable inclination from 0 up to 5%.



3D-TELESCOPIC SUPPORTS - SELF-LEVELING HEAD

Code	Product	Dimensions (mm)	Pkg.	Pallet	UM
TER09-1123055N2 	Self-leveling 3D Scopic tile support provided with 4 removable wings for 4 mm slat	from 35 to 55	40 pcs	20 boxes	box
TER09-1123070N2 	Self-leveling 3D Scopic tile support provided with 4 removable wings for 4 mm slat	from 55 to 70	40 pcs	20 boxes	box
TER09-1123110N2 	Self-leveling 3D Scopic tile support provided with 4 removable wings for 4 mm slat	from 70 to 110	40 pcs	15 boxes	box
TER09-1123150N2 	Self-leveling 3D Scopic tile support provided with 4 removable wings for 4 mm slat	from 110 to 150	40 pcs	15 boxes	box
TER09-1123170N2 	Self-leveling 3D Scopic tile support provided with 4 removable wings for 4 mm slat	from 150 to 170	40 pcs	15 boxes	box
TER09-1123200N2 	Self-leveling 3D Scopic tile support provided with 4 removable wings for 4 mm slat	from 170 to 200	40 pcs	15 boxes	box
TER09-1123240N2 	Self-leveling 3D Scopic tile support provided with 4 removable wings for 4 mm slat	from 205 to 240*	35 pcs	20 boxes	box
TER09-1123275N2 	Self-leveling 3D Scopic tile support provided with 4 removable wings for 4 mm slat	from 240 to 275*	30 pcs	20 boxes	box
TER09-1123310N2 	Self-leveling 3D Scopic tile support provided with 4 removable wings for 4 mm slat	from 275 to 310*	20 pcs	15 boxes	box
TER09-1123340N2 	Self-leveling 3D Scopic tile support provided with 4 removable wings for 4 mm slat	from 310 to 340*	20 pcs	15 boxes	box
TER09-1123370N2 	Self-leveling 3D Scopic tile support provided with 4 removable wings for 4 mm slat	from 340 to 370*	20 pcs	15 boxes	box
TER09-1123400N2 	Self-leveling 3D Scopic tile support provided with 4 removable wings for 4 mm slat	from 370 to 400*	20 pcs	15 boxes	box
TER09-1123430N2 	Self-leveling 3D Scopic tile support provided with 4 removable wings for 4 mm slat	from 400 to 430*	20 pcs	15 boxes	box
TER09-1123465N2 	Self-leveling 3D Scopic tile support provided with 4 removable wings for 4 mm slat	from 430 to 465*	20 pcs	15 boxes	box
TER09-1123500N2 	Self-leveling 3D Scopic tile support provided with 4 removable wings for 4 mm slat	from 465 to 500*	15 pcs	15 boxes	box
TER09-1123CHI 	Adjustment key for 3D Scopic tile support	-	1 pc.	-	pc.

*only on demand

Description

3D-scopic tiles support with adjustable height from min. 35 to max. 500 mm according to the model.

Each box includes a self-leveling head equipped with 4 wings of 10 mm, to be used for slats of 4 mm.

Terminal leveling variable inclination from 0 to 5%.


Adjustment of the support of 1,5 mm for each rotation of 90° (equal to 5 shots).

Material

Made of PP (polypropylene).

Application

Used in external areas, terraces, pavements.



3D-TELESCOPIC SUPPORTS - FIXED HEAD only on demand

Code	Product	Dimensions (mm)	Pkg.	Pallet	UM
TER09-1123055P1 <small>NEW</small>	Fixed 3D Scopic tile support provided with 4 removable wings for 2 mm slats	from 35 to 55	40 pcs	20 boxes	box
TER09-1123070P1 <small>NEW</small>	Fixed 3D Scopic tile support provided with 4 removable wings for 2 mm slats	from 55 to 70	40 pcs	20 boxes	box
TER09-1123110P1 <small>NEW</small>	Fixed 3D Scopic tile support provided with 4 removable wings for 2 mm slats	from 70 to 110	40 pcs	15 boxes	box
TER09-1123150P1 <small>NEW</small>	Fixed 3D Scopic tile support provided with 4 removable wings for 2 mm slats	from 110 to 150	40 pcs	15 boxes	box
TER09-1123170P1 <small>NEW</small>	Fixed 3D Scopic tile support provided with 4 removable wings for 2 mm slats	from 150 to 170	40 pcs	15 boxes	box
TER09-1123200P1 <small>NEW</small>	Fixed 3D Scopic tile support provided with 4 removable wings for 2 mm slats	from 170 to 200	40 pcs	15 boxes	box
TER09-1123240P1 <small>NEW</small>	Fixed 3D Scopic tile support provided with 4 removable wings for 2 mm slats	from 205 to 240	35 pcs	20 boxes	box
TER09-1123275P1 <small>NEW</small>	Fixed 3D Scopic tile support provided with 4 removable wings for 2 mm slats	from 240 to 275	30 pcs	20 boxes	box
TER09-1123310P1 <small>NEW</small>	Fixed 3D Scopic tile support provided with 4 removable wings for 2 mm slats	from 275 to 310	20 pcs	15 boxes	box
TER09-1123340P1 <small>NEW</small>	Fixed 3D Scopic tile support provided with 4 removable wings for 2 mm slats	from 310 to 340	20 pcs	15 boxes	box
TER09-1123370P1 <small>NEW</small>	Fixed 3D Scopic tile support provided with 4 removable wings for 2 mm slats	from 340 to 370	20 pcs	15 boxes	box
TER09-1123400P1 <small>NEW</small>	Fixed 3D Scopic tile support provided with 4 removable wings for 2 mm slats	from 370 to 400	20 pcs	15 boxes	box
TER09-1123430P1 <small>NEW</small>	Fixed 3D Scopic tile support provided with 4 removable wings for 2 mm slats	from 400 to 430	20 pcs	15 boxes	box
TER09-1123465P1 <small>NEW</small>	Fixed 3D Scopic tile support provided with 4 removable wings for 2 mm slats	from 430 to 465	20 pcs	15 boxes	box
TER09-1123500P1 <small>NEW</small>	Fixed 3D Scopic tile support provided with 4 removable wings for 2 mm slats	from 465 to 500	15 pcs	15 boxes	box
TER09-1123CHI <small>NEW</small>	Adjustment key for 3D Scopic tile support	-	1 pc.	-	pc.

Description

3D-scopic tiles support with adjustable height from min. 35 to max. 500 mm according to the model.

Each box includes a fixed head equipped with 4 wings of 10 mm, to be used for slats of 2 mm.


Adjustment of the support of 1,5 mm for each rotation of 90° (equal to 5 shots).

Material

Made of PP (polypropylene).

Application

Used in external areas, terraces, pavements.



3D-TELESCOPIC SUPPORTS - FIXED HEAD only on demand

Code	Product	Dimensions (mm)	Pkg.	Pallet	UM
TER09-1123055P2 <small>NEW</small>	Fixed 3D Scopic tile support provided with 4 removable wings for 4 mm slats	from 35 to 55	40 pcs	20 boxes	box
TER09-1123070P2 <small>NEW</small>	Fixed 3D Scopic tile support provided with 4 removable wings for 4 mm slats	from 55 to 70	40 pcs	20 boxes	box
TER09-1123110P2 <small>NEW</small>	Fixed 3D Scopic tile support provided with 4 removable wings for 4 mm slats	from 70 to 110	40 pcs	15 boxes	box
TER09-1123150P2 <small>NEW</small>	Fixed 3D Scopic tile support provided with 4 removable wings for 4 mm slats	from 110 to 150	40 pcs	15 boxes	box
TER09-1123170P2 <small>NEW</small>	Fixed 3D Scopic tile support provided with 4 removable wings for 4 mm slats	from 150 to 170	40 pcs	15 boxes	box
TER09-1123200P2 <small>NEW</small>	Fixed 3D Scopic tile support provided with 4 removable wings for 4 mm slats	from 170 to 200	40 pcs	15 boxes	box
TER09-1123240P2 <small>NEW</small>	Fixed 3D Scopic tile support provided with 4 removable wings for 4 mm slats	from 205 to 240	35 pcs	20 boxes	box
TER09-1123275P2 <small>NEW</small>	Fixed 3D Scopic tile support provided with 4 removable wings for 4 mm slats	from 240 to 275	30 pcs	20 boxes	box
TER09-1123310P2 <small>NEW</small>	Fixed 3D Scopic tile support provided with 4 removable wings for 4 mm slats	from 275 to 310	20 pcs	15 boxes	box
TER09-1123340P2 <small>NEW</small>	Fixed 3D Scopic tile support provided with 4 removable wings for 4 mm slats	from 310 to 340	20 pcs	15 boxes	box
TER09-1123370P2 <small>NEW</small>	Fixed 3D Scopic tile support provided with 4 removable wings for 4 mm slats	from 340 to 370	20 pcs	15 boxes	box
TER09-1123400P2 <small>NEW</small>	Fixed 3D Scopic tile support provided with 4 removable wings for 4 mm slats	from 370 to 400	20 pcs	15 boxes	box
TER09-1123430P2 <small>NEW</small>	Fixed 3D Scopic tile support provided with 4 removable wings for 4 mm slats	from 400 to 430	20 pcs	15 boxes	box
TER09-1123465P2 <small>NEW</small>	Fixed 3D Scopic tile support provided with 4 removable wings for 4 mm slats	from 430 to 465	20 pcs	15 boxes	box
TER09-1123500P2 <small>NEW</small>	Fixed 3D Scopic tile support provided with 4 removable wings for 4 mm slats	from 465 to 500	15 pcs	15 boxes	box
TER09-1123CHI <small>NEW</small>	Adjustment key for 3D Scopic tile support	-	1 pc.	-	pc.

Description

3D-scopic tiles support with adjustable height from min. 35 to max. 500 mm according to the model.

Each box includes a fixed head equipped with 4 wings of 10 mm, to be used for slats of 4 mm.


Adjustment of the support of 1,5 mm for each rotation of 90° (equal to 5 shots).

Material

Made of PP (polypropylene).

Application

Used in external areas, terraces, pavements.



FIN FOR WOOD

Code	Product	Dimensions (mm)	Pkg.	Pallet	UM
TER09-1123M	Fin for wood	60 mm	80 pcs	80.000 pcs	pc.

Description

Adjustable-width wing for positioning of wooden slats or similar. Length of 60 mm, snap-fit on terminal of 3D support. It allows to position elements of a width from 40 to 80 mm.

Material

Made of PP (polypropylene).

Application

For installation of wooden slats or similar.



HEAD TO DK'S TILE

Code	Product	Dimensions (mm)	Pkg.	Pallet	UM
TER09-1123T	Head to Dk's tile	-	150 pcs	-	pc.

Description

Head of connection between the 3D-Scopic support and Dakota's tile.

Material

Made of PP (polypropylene).

Application

It allows the installation of floating floors in outside areas, terraces, pavements combined with Dk's tile.



LOCKING RING

Code	Product	Dimensions (mm)	Pkg.	Pallet	UM
TER09-1123FLA	Locking ring for 3D-Scopic support	h. 8 - ø 75	250 pcs	7.500 pcs	pc.

Description

Hand block for 3D-Scopic support.

Height 8 mm; diameter 75 mm.

Used to block the screw and prevent movement after installation.

Material

Made of PP (polypropylene).

Application

For permanent locking of the 3D-scopic support.



ANTI-NOISE RUBBER SHIM

Code	Product	Dimensions (mm)	Pkg.	Pallet	UM
TER09-1143/G	Anti-noise rubber shim	ø 120 mm - thick. 2 mm	180 pcs	12.960 pcs	pc.

Description

Anti-noise rubber

Diameter 120 mm, thickness 2 mm.

It is placed on the terminal of both 3D-Scopic and ARKIMEDE Support.

Material



Made of rubber (TPV).

Application

Used to reduce walkover noise to a minimum.



WINDPROOF KIT

Code	Ref.	Product	Dimensions (mm)	Pkg.	Pallet	UM
TER09-1123K1	 01	Steel screw and washer	-	1.000 pcs	-	pc.
TER09-1123K2	 02	Polyurethane Adhesive	-	12 pcs	576 pcs	pc.

Description

Fixing screw and washer for plates supporting the head of the 3D-Scopic.

Polyurethane adhesive for fixing the base of the support (up to 10 elements) to the laying surface, which can be made in:


- Modified bitumen with granular structure
- EPDM.
- TPO.
- Metal.
- Bituminous membrane roofs with smooth surface.
- Layered roofs with granular surface.
- Cement.
- Wood.
- Aluminium.
- Stone.

Material

Product made in steel and polyurethane adhesive.

Application

It avoids lifting the support.



OUTDOOR SPACER FOR TILES

Code	Product	Dimensions (mm)	Bags	Pkg.	Pallet	UM
TER04-4300	 Outdoor spacer for tiles	thick. 4 - ø 32	100 pcs	10 boxes	200 boxes	pc.

Description

X shape tile spacer for outdoor.
100 pcs per bag.

Material


Made of PP (polypropylene homopolymer).

Application

Used as a spacer in the tiling.



ANTI-NOISE RUBBER SHIM FOR PLATES

Code	Product	Dimensions (mm)	Pkg.	Pallet	UM
TER09-1131	 Anti-noise rubber shim for plates	h 2 - ø 130	100 pcs	126 boxes	pc.

Description

Anti-noise rubber shim for plates. 2 mm height - 130 mm diameter.

Material

Made of rubber (TPV).

Application

It reduces walkover noise.



TILES SUPPORTS

Code	Product	Dimensions (mm)	Pkg.	Pallet	UM
TER09-1120	Tile support	-	360 pcs	2.880 pcs	pc.
TER09-1121/1	Leveller for tile	thick. 1	1.000 pcs	30.000 pcs	pc.
TER09-1121	Leveller for tile	thick. 3	500 pcs	12.500 pcs	pc.

Description

Tiles support for the positioning of plates in grit and cement.
Height 14 mm (overall dimensions 28 mm) and diameter 155 mm.
It can be splitted up in 4 pieces and connected with a leveller from 1 to 3 mm.

Material

Made of PP (polypropylene).

Application

For lifting of flooring plates in grit and cement, enabling the flow of rainwater, thus avoiding direct contact with any waterproofing.



PIPE CUBE

Code	Product	Dimensions (mm)	Pkg.	Pallet	UM
POZ01-1374AT	Catch-pit for irrigation system	400 x 400 x 360	1 pc.	36 pcs	pc.



Description

Catch-pit PIPE CUBE for garden, in green color and PP cover with handle.

Dimensions: 400 x 400 x 360 mm, with removable integrated irrigation system.

Internal predisposition to rewind the hose.

Material

Made of PE-HD (high density polyethylene) and PP (polypropylene).

Application

Installed underground, it contains the garden irrigation system, avoiding the use of buckets and hoses.



GREEN PLUS

Code	Product	Dimensions (mm)	Pkg.	Pallet	UM
GAR01-0001/5	Green Plus	400 x 400	1 pc.	510 pcs	pc.
GAR01-0002/4	Green Plus 2.4	800 x 400	1 pc.	156 pcs	pc.
GAR01-0002/5	Green Plus 2.5	800 x 400	1 pc.	132 pcs	pc.
GAR01-0005	Yellow cap	-	100 pcs	-	box
GAR01-0006	White cap	-	100 pcs	-	box
GAR01-0007	Blue cap	-	100 pcs	-	box

Description

GREEN PLUS is a green grass grating tile for garden.

It consists in a modular interlocking element of 400 x 400 x 50 mm.

Available in 2.0 version: 800 x 400 x 40 mm (GREEN PLUS 2.4) and 800 x 400 x 50 mm (GREEN PLUS 2.5).


It can be combined with 3 different types (for colour) cap signs. Loading capacity > 300 tons/m².

Material

Made of high density polyethylene (PE-HD).

Application

It is used for the reinforcement and strengthening of grass on parking spacer and/or recreational activities and/or exhibition areas.



THERMO-TREATED WOOD TILE

Code	Ref.	Product	Dimensions (mm)	Pkg.	Pallet	UM
LV014	 01	Tile made in thermo-treated pine	600 x 600 x 21+38	1 pc.	72 pcs	pc.
LV015	 02	Tile made in thermo-treated ash	600 x 600 x 21+38	1 pc.	72 pcs	pc.

Description

Tile for outdoor decking & flooring.

Dimensions: 600 x 600 mm.

It is composed by thermo-treated wooden deck boards with a smooth finishing (pine and/or ash wood essence).

The structure is 21 mm thick, with a PP support of 38 mm thickness, adjustable to the required height.

The main structure and deck boards are joined together by 36 fixing points 4 thermo-treated wood tiles correspond to 1,44 sqm. with a standard tolerance of 2,78 pcs/sqm.

Material

Made in thermo-treated wood (pine or ash) with adjustable supporting PP (polypropylene) base.

Application

Perfect for outdoor use, terraces, flooring.





01



02



PERIMETER PROFILE-KIT FOR THERMO-TREATED WOOD TILE

Code	Ref.	Product	Dimensions (mm)	Pkg.	Pallet	UM
LV016	 01	Trapezoidal element in thermo-treated wood (corner closure)	40 x 40 x 2.000	1 pc.	-	pc.
TER09-1141K16	 02-03	Corner kit made up by 16 base and 16 top elements	-	16 + 16 pcs	126 boxes	box
LV017	 04	Rectangular element in thermo-treated wood (flat closure)	60 x 30 x 2.000	1 pc.	-	pc.
TER09-1140K	 05-06	Flat kit made up by 4 base and 4 top elements	-	4 + 4 pcs	126 boxes	box

01



02



03



04



05



06



Description

Accessory kit that allows a perimeter closure of the thermo-treated wooden tile system.

Wooden elements are of 2.000 mm length, with trapezoidal and rectangular shape to facilitate the horizontal positioning of the slats.

Material







Made in PP (polypropylene) and thermo-treated pine wooden.

Application

Used to give your flooring an elegant sophisticated touch, with a uniform flat effect.



ACCESSORIES FOR THERMO-TREATED WOOD TILE

Code	Ref.	Product	Dimensions (mm)	Pkg.	Pallet	UM
TER09-1128	 01	Adjustable base for thermo-treated wood tile	ø 145 - height 30	100 pcs	4.000 pcs	pc.
TER09-1130	 02	Extension h. 25 for thermo-treated wood tile	h. 25	100 pcs	5.600 pcs	pc.
TER09-1129	 03	Extension h. 50 for thermo-treated wood tile	h. 50	50 pcs	2.800 pcs	pc.
TER09-1127	 04	Screw for supporting base – thermo-treated wood tile	ø 90 - height 38	100 pcs	5.400 pcs	pc.
TER09-1126	 05	Adjustable ring for supporting base – thermo-treated wood tile	ø 132 - height 40	100 pcs	3.000 pcs	pc.
TER09-1133	 06	Fixed ring for thermo-treated wood tile	ø 123 - height 40	100 pcs	3.000 pcs	pc.



Description


Leveling accessories for thermo-treated wood tile.

Material


Made of PP (polypropylene).

Application


Used to raise the laying height of thermo-treated wood tiles.




TER09-1126




TER09-1127



TER09-1130



TER09-1129



TER09-1128



■ FLAT TILE

Code	Product	Dimensions (mm)	Pkg.	Pallet	UM
GAR01-0008V	Green flat tile	400 x 400 h. 50	1 pc.	120 pcs	pc.
GAR01-0008R	Red flat tile	400 x 400 h. 50	1 pc.	120 pcs	pc.
GAR01-0008G	Grey flat tile	400 x 400 h. 50	1 pc.	120 pcs	pc.

Description

Green, red or grey closed tile for garden.

It consists in a modular interlocking element.

Dimensions: 400 x 400 x 50 mm.

It can be matched with ramps and corners for easy positioning and use. Loading capacity > 45 KN/m².

Material


Made of PE-HD (high density polyethylene) and PP (polypropylene).

Application

Alternative uses for residential areas or gardens conceived for garden furniture and/or recreational activities and/or walkways.



PATENTED



■ SEMI-PERFORATED TILE

Code	Product	Dimensions (mm)	Pkg.	Pallet	UM
GAR01-0009V	Green semi-perforated tile	400 x 400 h. 50	1 pc.	120 pcs	pc.
GAR01-0009R	Red semi-perforated tile	400 x 400 h. 50	1 pc.	120 pcs	pc.
GAR01-0009G	Grey semi-perforated tile	400 x 400 h. 50	1 pc.	120 pcs	pc.

Description

Green, red or grey semi-perforated tile for garden.

It consists in a modular interlocking element.

Dimensions: 400 x 400 x 50 mm.

It can be matched with ramps and corners for easy positioning and use. Loading capacity > 45 KN/m².

Material


Made of PE-HD (high density polyethylene) and PP (polypropylene).

Application

Alternative uses for residential areas or gardens conceived for garden furniture and/or recreational activities and/or walkways.



PATENTED



■ PERFORATED TILE

Code	Product	Dimensions (mm)	Pkg.	Pallet	UM
GAR01-0014V	Green perforated tile	400 x 400 h. 50	1 pc.	120 pcs	pc.
GAR01-0014R	Red perforated tile	400 x 400 h. 50	1 pc.	120 pcs	pc.
GAR01-0014G	Grey perforated tile	400 x 400 h. 50	1 pc.	120 pcs	pc.

Description

Green, red or grey perforated tile for garden.

It consists in a modular interlocking element.

Dimensions: 400 x 400 x 50 mm.


It can be matched with ramps and corners for easy positioning and use. Loading capacity > 45 KN/m².

Material


Made of PE-HD (high density polyethylene) and PP (polypropylene).

Application

Alternative uses for residential areas or gardens conceived for garden furniture and/or recreational activities and/or walkways.



PATENTED



RAMP FOR TILE

Code	Product	Dimensions (mm)	Pkg.	Pallet	UM
GAR01-0011V	Ramp for green tile	400 x 150 h. 50	1 pc.	600 pcs	pc.
GAR01-0011R	Ramp for red tile	400 x 150 h. 50	1 pc.	600 pcs	pc.
GAR01-0011G	Ramp for grey tile	400 x 150 h. 50	1 pc.	600 pcs	pc.

Description

Accessory for tiles.

It consists in a modular interlocking element.

Dimensions: 400 x 150 x 50 mm.

In combination with corners, it facilitates the placement and use.



Loading capacity > 45 KN/m².

Material

Made of PE-HD (high density polyethylene) and PP (polypropylene).

Application

Alternative uses for residential areas or gardens conceived for garden furniture and/or recreational activities and/or walkways.



CORNER FOR TILE

Code	Product	Dimensions (mm)	Pkg.	Pallet	UM
GAR01-0012V	Corner for green tile	150 x 150 h. 50	1 pc.	-	pc.
GAR01-0012R	Corner for red tile	150 x 150 h. 50	1 pc.	-	pc.
GAR01-0012G	Corner for grey tile	150 x 150 h. 50	1 pc.	-	pc.

Description

Accessory for tiles.

It consists in a modular interlocking element.

Dimensions: 150 x 150 x 50 mm.

It can be matched with ramps for easy positioning and use.


Loading capacity > 45 KN/m².

Material

Made of PE-HD (high density polyethylene) and PP (polypropylene).

Application

Alternative uses for residential areas or gardens conceived for garden furniture and/or recreational activities and/or walkways.



BASE FOR TILE

Code	Product	Dimensions (mm)	Pkg.	Pallet	UM
GAR01-0013	Base for tile	385 x 97 x 15	70 pcs	3.500 pcs	pc.

Description

Accessory for tiles.

It consists in a modular interlocking element.

Dimensions: 385 x 97 x 15 mm.

It can be matched with ramps and corners.

Material

Made of PP (polypropylene).

Application

It is used to allow the installation of tiles in terraces in direct contact with the bituminous membrane. It prevents the tear of the sheets by improving the contact surface of the tiles.



DRAINING TILE

Code	Product	Dimensions (mm)	Pkg.	Pallet	UM
GAR01-0015V	Green draining tile	400 x 400 h. 18	6 pcs	324 pcs	pc.
GAR01-0015G	Grey draining tile	400 x 400 h. 18	6 pcs	324 pcs	pc.
GAR01-0015R	Red draining tile	400 x 400 h. 18	6 pcs	324 pcs	pc.

Description



Draining tile for garden in PE-PP, available in green color.
Modular interlocking product, dimensions 400 x 400 x 18 mm.

Material

Made of polypropylene (PP).

Application

Used as alternative for both indoor & outdoor.
To be positioned on terraces, gardens, wellness and recreational areas and/or walkways.



■ WATER NOZZLE WITH PERFORATED FLANGE

Code	Product	Dimensions (mm)	Pkg.	Pallet	UM
BOC01-1109F	Water nozzle with perforated flange	ø 63	25 pcs	150 pcs	pc.
BOC01-1109SF	Water nozzle with perforated flange	ø 75	25 pcs	150 pcs	pc.
BOC01-1110F	Water nozzle with perforated flange	ø 80	25 pcs	150 pcs	pc.
BOC01-1110SF	Water nozzle with perforated flange	ø 90	25 pcs	150 pcs	pc.
BOC01-1111F	Water nozzle with perforated flange	ø 100	20 pcs	120 pcs	pc.
BOC01-1111SF	Water nozzle with perforated flange	ø 110	20 pcs	120 pcs	pc.
BOC01-1112F	Water nozzle with perforated flange	ø 120	20 pcs	120 pcs	pc.

Description

This water nozzle consists in a perforated flange to improve the connection to the waterproofing membrane. Tube has a length of 240 mm and diameters from 63 to 120 mm.

Material

Made of TPE (thermoplastic elastomer).

Application

Used for vertical evacuation of rainwater in flat roofs.



■ WATER NOZZLE OUTLET

Code	Product	Dimensions (mm)	Pkg.	Pallet	UM
BOC01-1109	Water nozzle outlet	ø 60	25 pcs	150 pcs	pc.
BOC01-1109S	Water nozzle outlet	ø 75	25 pcs	150 pcs	pc.
BOC01-1110	Water nozzle outlet	ø 80	25 pcs	150 pcs	pc.
BOC01-1110S	Water nozzle outlet	ø 90	25 pcs	150 pcs	pc.
BOC01-1111	Water nozzle outlet	ø 100	20 pcs	120 pcs	pc.
BOC01-1111S	Water nozzle outlet	ø 110	20 pcs	120 pcs	pc.
BOC01-1112	Water nozzle outlet	ø 120	20 pcs	120 pcs	pc.

Description

This water nozzle consists in a flange, tube has a length of 240 mm and different diameters (see table).

Material

Made of TPE (thermoplastic elastomer).

Application

Used for vertical evacuation of rainwater in flat roofs.



PVC WATER OUTLET

Code	Product	Dimensions (mm)	Pkg.	Pallet	UM
BOC05-1110P	PVC water outlet	ø 80	25 pcs	300 pcs	pc.
BOC05-1111P	PVC water outlet	ø 100	25 pcs	300 pcs	pc.
BOC05-1111SP	PVC water outlet	ø 110	25 pcs	350 pcs	pc.
BOC05-1112P	PVC water outlet	ø 125	18 pcs	216 pcs	pc.

Description

This water outlet consists in a flange and a tube to 240 mm length and variable diameter 80, 100, 110 and 125 mm.

Material

Made of PVC (RAL 9002).

Application

Used for vertical evacuation of rainwater in flat roofs.



■ WATER OUTLET "SHORT"

Code	Product	Dimensions (mm)	Pkg.	Pallet	UM
BOC02-1118	Water outlet "short"	345	20 pcs	240 pcs	pc.

Description

This water outlet consists of a flange corner and a tube of square shape 48 x 56 mm and long 345 mm.

Material

Made of TPE (thermoplastic elastomer).

Application

Used for the complete evacuation of rainwater in roof.



■ ROUND CORNER WATER OUTLET

Code	Product	Dimensions (mm)	Pkg.	Pallet	UM
BOC02-1115T8	Water outlet	ø 80	20 pcs	80 pcs	pc.
BOC02-1115T10	Water outlet	ø 100	16 pcs	64 pcs	pc.

Description

This water outlet consists in a corner flange and a circular tube long 500 mm.

Material

Made of TPE (thermoplastic elastomer).

Application

Used for the complete evacuation of rainwater in roof.



■ SQUARE ANGULAR WATER OUTLET

Code	Product	Dimensions (mm)	Pkg.	Pallet	UM
BOC02-1115	Water outlet	500	12 pcs	48 pcs	pc.
BOC02-1116RA	Corner connection 10x10	ø 80	10 pcs	800 pcs	pc.
BOC02-1117	Corner connection 10x10	ø 100	10 pcs	800 pcs	pc.

Description


This water outlet consists in a flange corner and a square tube of 100 x 100 mm and long 500 mm.

Material

Made of TPE (thermoplastic elastomer).

Application

Used for the complete evacuation of rainwater in roof.



LEAF-GRATE

Code	Product	Dimensions (mm)	Pkg.	Pallet	UM
BOC10-1113	Plastic leaf-grate	from 60 to 125	100 pcs	3.600 pcs	pc.
BOC11-1114	Galvanized steel leaf-grate	from 80 to 120	20 pcs	1.440 pcs	pc.

Description

Leaf-grate "universal" of variable diameter.

Material

Made of PP (polypropylene) or galvanized steel.

Application

Used to cover roof/terrace water outlet or downpipes to avoid obstruction caused by leaves, debris or other small objects.



OPEN MARBLE PLASTIC TOP DRAINER

Code	Product	Dimensions (mm)	Pkg.	Pallet	UM
TER03-8080B	White open marble plastic top drainer	270 x 80	30 pcs	360 pcs	pc.
TER03-8080G	Grey open marble plastic top drainer	270 x 80	30 pcs	360 pcs	pc.
TER03-8080R	Red open marble plastic top drainer	270 x 80	30 pcs	360 pcs	pc.

Description

Drip open for balconies or for overhanging elements, available in white, grey or red colours.

Product features:

- impermeability to liquids and moisture;
- frost resistance;
- excellent resistance to weathering;
- easy to install.


The drip is 27 cm long and its particular shape allows, with a simple cut, to reduce the length to 23 cm.

Material

Made of marble and plastic composite.

Application

Used for drainage in balconies, flat roofs, projecting roofs and architectural elements.



CLOSED MARBLE PLASTIC TOP DRAINER

Code	Product	Dimensions (mm)	Pkg.	Pallet	UM
TER03-8082B	White closed marble plastic drainer	270 x 80	25 pcs	750 pcs	pc.
TER03-8082G	Grey closed marble plastic drainer	270 x 80	25 pcs	750 pcs	pc.
TER03-8082R	Red closed marble plastic drainer	270 x 80	25 pcs	750 pcs	pc.

Description

Drip closed for balconies, available in white, grey or red colours.

Product features:

- impermeability to liquids and moisture;
- frost resistance;
- excellent resistance to weathering;
- easy to install.

The drip is 27 cm long and its particular shape allows, with a simple cut, to reduce the length to 23 cm.

Material

Made of marble and plastic composite.

Application

Used for drainage in balconies, flat roofs, projecting roofs and architectural elements.



OPEN MARBLE CERAMIC TOP DRAINER

Code	Product	Dimensions (mm)	Pkg.	Pallet	UM
COP01-8031B	White open marble ceramic top drainer	200 x 60	72 pcs	864 pcs	pc.
COP01-8031G	Grey open marble ceramic top drainer	200 x 60	72 pcs	864 pcs	pc.
COP01-8031R	Red open marble ceramic top drainer	200 x 60	72 pcs	864 pcs	pc.
COP01-8032B	White open marble ceramic top drainer	230 x 80	48 pcs	576 pcs	pc.
COP01-8032G	Grey open marble ceramic top drainer	230 x 80	48 pcs	576 pcs	pc.
COP01-8032R	Red open marble ceramic top drainer	230 x 80	48 pcs	576 pcs	pc.
COP01-8033B	White open marble ceramic top drainer	270 x 80	30 pcs	360 pcs	pc.
COP01-8033G	Grey open marble ceramic top drainer	270 x 80	30 pcs	360 pcs	pc.
COP01-8033R	Red open marble ceramic top drainer	270 x 80	30 pcs	360 pcs	pc.

Description

Drip open for balconies, available in white, grey or red colours.

Product features:

- impermeability to liquids and moisture;
- frost resistance;
- excellent resistance to weathering;
- easy to install.

Material

Made of marble ceramic.

Application

Used for drainage in balconies, flat roofs, projecting roofs and architectural elements.



CLOSED MARBLE CERAMIC TOP DRAINER

Code	Product	Dimensions (mm)	Pkg.	Pallet	UM
COP01-8041B	White closed marble ceramic drainer	230 x 80	36 pcs	432 pcs	pc.
COP01-8041G	Grey closed marble ceramic drainer	230 x 80	36 pcs	432 pcs	pc.
COP01-8041R	Red closed marble ceramic drainer	230 x 80	36 pcs	432 pcs	pc.
COP01-8042B	White closed marble ceramic drainer	270 x 80	21 pcs	252 pcs	pc.
COP01-8042G	Grey closed marble ceramic drainer	270 x 80	21 pcs	252 pcs	pc.
COP01-8042R	Red closed marble ceramic drainer	270 x 80	21 pcs	252 pcs	pc.

Description

Drip closed for balconies, available in white, grey or red colours.

Product features:

- impermeability to liquids and moisture;
- frost resistance;
- excellent resistance to weathering;
- easy to install.

Material

Made of marble ceramic.

Application

Used for drainage in balconies, flat roofs, projecting roofs and architectural elements.

