



DEBRIS

CONTEMPORARY SURFACES

COMPACT

COLLECTION CATALOGUE

unicomstarker®

CONTEMPORARY SURFACES

DEBRIS



unicomstarker

DEBRIS la nuova linea di gres porcellanato di UNICOMSTARKER, reinterpreta le attuali tendenze di design urbano dando vita ad uno spazio concettualmente nuovo che coglie a pieno l'identità moderna della città.

Dai distretti industriali alle residenze tradizionali, attraverso le più significative architetture contemporanee, DEBRIS raccoglie ogni elemento della storia urbana per raccontarla e portarla in tutto il mondo, attraverso una linea essenziale ed estremamente versatile.

La semplicità materica mutuata dal cemento, si unisce alla ricercatezza della gamma cromatica che si articola in quattro diverse tonalità, in un connubio perfetto tra materia e colore.

DEBRIS is the new range of UNICOMSTARKER porcelain stoneware, reinterpreting the current urban design trends that bring life to a conceptually new space that fully embodies the modern identity of the city.

From industrial districts to traditional homes, passing through the most significant contemporary architectures, DEBRIS narrates every element of urban history, offering it to the whole world in this essential and extremely versatile range.

The material simplicity of concrete combines with the sophistication of a colour range in four shades, offering the perfect blend of matter and colour.

DEBRIS

COLLECTION




produzione - production
industriale - industrial

spessore - thickness
9 mm

usi - use
interni residenziali, bagni o locali commerciali e spazi pubblici - housing environments, bathrooms or refined commercial locations as well as public spaces.

formati - sizes
120x120 - 60x120 - 60x60 - 30x60



decori - decoration
mosaico - hexagon - plank


complementary pieces
battiscopa smaltato - gradino - gradone - gradone angolare - elemento a L

4

UNICOMSTARKER
CONTEMPORARY SURFACES

SOOT

NEW YORK Manhattan



TALC



PARIGI Rue La Fayette

CINDER


5

DEBRIS

BERLINO Palazzo del Reichstag



FLINT



SYDNEY Opera House

6

UNICOMSTARKER
CONTEMPORARY SURFACES



DEBRIS CINDER
80 x 80 | 32" x 32"

7

DEBRIS

01 CINDER



L'abbraccio profondo di architettura e ambiente
The profound embrace between architecture and the environment

DEBRIS CINDER
80 x 80 | 32" x 32"
DEBRIS TALC PLANK
30 x 60 | 12" x 24"




UNICON PARKER
CONTEMPORARY SURFACES




DEBRIS CINDER
60 x 60 | 24" x 24"
DEBRIS TALC PLANK
30 x 60 | 12" x 24"

PLANK
30 x 60 | 12" x 24"



TALC



FLINT



CINDER



SOOT

12

UNICOMSTARKER
CONTEMPORARY SURFACES

DEBRIS CINDER
120 x 120 | 48" x 48"
DEBRIS FLINT
30 x 60 | 12" x 24"

13

DEBRIS







18

UNICOMSTARKER
CONTEMPORARY SURFACES



DEBRIS FLINT
60 x 120 | 24" x 48"

19

DEBRIS

02 FLINT



L'unione sapiente di arte e tecnica
The skilful blend of art and technique



HEXAGON

30 x 34 | 12" x 13"



TALC



FLINT



CINDER



SOOT





03
SOOT

L'armonia perfetta tra materia e ingegneria
Matter and engineering in perfect harmony





04
TALC

Il dialogo prezioso tra tradizione e innovazione
The precious dialogue between tradition and innovation



DEBRIS TALC
60 x 120 | 24" x 48"
DEBRIS TALC MOSAICO
30 x 30 | 12" x 12"




MOSAICO

30 x 30 | 12" x 12"



TALC



FLINT



CINDER



S00T

UNICOMSTARKER
TECHNICALS

TALC



4 formati | 4 sizes



4 colori | 4 colors



9 mm




rettificato

120 x 120 | 48" x 48"



rettificato | grip

60 x 120 | 24" x 48"



rettificato

60 x 60 | 24" x 24"



rettificato

30 x 60 | 12" x 24"




HEXAGON

30 x 34 | 12" x 13"



MOSAICO
36 tessere
tessera 5 x 5

30 x 30 | 12" x 12"



PLANK

30 x 60 | 12" x 24"

FLINT



4 formati | 4 sizes



4 colori | 4 colors



9 mm



rettificato

120 x 120 | 48" x 48"



rettificato | grip

60 x 120 | 24" x 48"



rettificato

60 x 60 | 24" x 24"



rettificato

30 x 60 | 12" x 24"




HEXAGON

30 x 34 | 12" x 13"



MOSAICO
36 tessere
tessera 5 x 5

30 x 30 | 12" x 12"



PLANK

30 x 60 | 12" x 24"

CINDER



4 formati | 4 sizes



4 colori | 4 colors



9 mm



rettificato

120 x 120 | 48" x 48"



rettificato | grip

60 x 120 | 24" x 48"



rettificato

60 x 60 | 24" x 24"



rettificato

30 x 60 | 12" x 24"



HEXAGON

30 x 34 | 12" x 13"



MOSAICO
36 tessere
tessera 5 x 5

30 x 30 | 12" x 12"



PLANK

30 x 60 | 12" x 24"

S00T



4 formati | 4 sizes



4 colori | 4 colors



9 mm



rettificato

120 x 120 | 48" x 48"



rettificato | grip

60 x 120 | 24" x 48"



rettificato

60 x 60 | 24" x 24"



rettificato

30 x 60 | 12" x 24"



HEXAGON

30 x 34 | 12" x 13"



MOSAICO
36 tessere
tessera 5 x 5

30 x 30 | 12" x 12"




PLANK

30 x 60 | 12" x 24"

TECHNICAL INFORMATION & PLUS

FORMATI - SIZES



RETTIFICATO

120 x 120

48" x 48"

79



RETTIFICATO | GRIP

60 x 120

24" x 48"

66

67



RETTIFICATO

60 x 60

24" x 24"

54



RETTIFICATO

30 x 60

12" x 24"

51

2THICK - 20mm



RETTIFICATO

60 x 120

24" x 48"

96



MOSAICO

36 tessere
tessera 5 x 5

30 x 30

12" x 12"

115




HEXAGON

30 x 34

12" x 13"

34




PLANK

30 x 60

12" x 24"

29

PEZZI SPECIALI - SPECIAL ITEMS



GRADINO
RETTIFICATO

30 x 60

12" x 24"

33

45 x 90

18" x 36"

57



ELEMENTO A L
RETTIFICATO

30 x 60 x 5

12" x 24" x 2"


49

100

45 x 90 x 5

18" x 36" x 2"

100



GRADONE COSTA RETTA
RETTIFICATO

30 x 60 x 4

12" x 24" x 1 2/3"

115

60 x 120 x 4

24" x 48" x 1 2/3"


170

GRIP

60 x 120 x 4

24" x 48" x 1 2/3"

170



GRADONE ANGOLARE COSTA RETTA
RETTIFICATO

30 x 30 x 4

12" x 12" x 1 2/3"

118

60 x 120 x 4

24" x 48" x 1 2/3"

180

GRIP

60 x 120 x 4

24" x 48" x 1 2/3"

180



BATTISCOPA SMALTATO
RETTIFICATO

7 x 60

3" x 24"

15

	standards	characteristics or properties	declared values
	ISO 10545-3	assorbimento d'acqua water absorption	<0.5%
	ISO 10545-4	resistenza alla flessione (R) breaking strength	35 N/mm²
	ISO 10545-13	resistenza agli acidi resistance to acid	GLA
	ISO 10545-12	resistenza al gelo frost resistance	resiste frost proof
	ISO 10545-14	resistenza alle macchie stain resistance	4
	ISO 10545-2	planarità surface flatness	±0.5%
		spessore thickness	10 mm
	DIN 51097 DIN 51130 DCOF BOT3000	coefficiente d'attrito (scivolosità) static coefficient of friction	A R10 >0.42
	DIN 51097 DIN 51130 DCOF BOT3000	coefficiente d'attrito (scivolosità) static coefficient of friction	A+B+C R11 >0.42
		variazioni cromatiche color shade	V2 variazione leggera V2 slight variation

IMBALLI - PACKING

cm inch		spessore thickness	pezzi/sc pcs/box	mq/sc sqm/box	kg/sc kgs/box	sc/pl box/pal	mq/pl sqm/pal	kq/pl kgs/pal
60x120 24"x48"	2thick _ 20mm rettificato	20	1	0.72	32.25	30	21.60	967.50
60x120 24"x48"	rettificato grip	9	2	1.44	31.90	30	43.20	957.00
60x60 24"x24"	rettificato	9	3	1.08	23.90	40	43.20	959.00
30x60 12"x24"	rettificato	9	3	1.22	27.30	32	39.04	873.60
120x120 48"x48"	rettificato	9	1	1.44	33.00	30	43.20	990.00
30x30 12"x12"	mosaico		11	0.99	22.65	36	35.64	815.40
30x60 12"x24"	plank		5		19.25			
30x30 12"x12"	hexagon		6		12.90			
7x60 3"x24"	battiscopa smaltato rettificato		12		12.60			
30x60 12"x24"	gradino rettificato		8		33.84			
30x60x4 12"x24x1 2/3"	gradone costa retta rettificato		4		17.60			
60x120x4 24"x48x1 2/3"	gradone costa retta rettificato grip		2		17.40			
30x30x4 12"x12x1 2/3"	gradone angolare costa retta		2		4.40			
60x120x4 24"x48x1 2/3"	gradone angolare costa retta grip		1		18.20			
30x60x5 12"x24"x2"	elemento a L grip		4		17.20			



UNICOMSTARKER AND

green

italiano

L'azienda è impegnata nella continua innovazione tecnologica dei propri processi per realizzare prodotti sempre più rispondenti alle richieste del mercato e nell'ottica di:

- riduzione del consumo energetico dei processi di produzione;
- riduzione delle emissioni nell'aria e nell'acqua;
- miglioramento dell'informazione al consumatore e della gestione dei rifiuti.

Per limitare il proprio impatto ambientale UNICOMSTARKER si preoccupa che:

- gli scarti di lavorazione sono completamente gestiti e riutilizzati;
- tutti gli stabilimenti produttivi sono dotati di impianto di depurazione delle acque a circuito chiuso con recupero totale degli scarichi idrici provenienti dal ciclo produttivo e nessuno scarico in ambiente;
- le emissioni gassose sono autorizzate dall'autorità competente, dotate di impianti per l'abbattimento degli inquinanti e sottoposte a controllo periodico per verifica del rispetto della legislazione vigente;
- i rifiuti industriali sono smaltiti in conformità alle direttive comunitarie;
- gli imballaggi sono destinati al recupero e riutilizzo;
- l'impatto acustico nell'ambiente è attenuato con l'utilizzo di tecnologie idonee.

Le piastrelle ceramiche prodotte sono:

- un prodotto con una lunga durata di vita
- riciclabili al termine dell'utilizzo

english

The company is committed to the continued technological innovation of its processes to create products that increasingly meet the demands of the market and focus on:

- reduced energy consumption in production processes;
- reduced emissions into the air and water;
- improving consumer awareness and waste management.

To curb its environmental impact, UNICOMSTARKER has taken the following steps:

- manufacturing rejects are fully managed and reused;
- all the production units are equipped with a closed-circuit water purification plant with total recovery of liquid discharges coming from the production cycle and no discharges into the environment;
- emissions of gases are authorised by the competent authority, pollutant abatement systems are fitted and undergo periodic checks to verify they comply with the current laws;
- industrial waste is disposed of in compliance with the community directives;
- packaging is sent off to be recycled and reused;
- the acoustic impact on the environment is toned down via the use of suitable technologies.

The ceramic tiles produced are:

- a long-lasting product
- recyclable at the end of their use

UNICOMSTARKER DEBRIS COLLECTION
IS A UNICOMSTARKER'S PROJECT

CONTACTS

UNICOM SRL
via flumendosa 7
41042 fiorano modenese
modena italy
T +39 (0)536 926011
F italy +39 (0)536 926038
F world +39 (0)536 926033
F europe +39 (0)536 926023
unicomstarker.com

UNICOMSTARKER SHOWROOM
via flumendosa 7
41042 fiorano modenese
modena italy
T +39 (0)536 926011



Quanto contenuto nel catalogo è indicativo e non esaustivo riguardo a grafiche, decori, colori, imballi e dimensioni.
The content of this catalogue is only indicative and not exhaustive in respect of graphics, decorations, colours, packaging and sizes
Le contenu de notre catalogue concernant les decors, coloris, graphiques, emballage et dimensions est indicatif.
Was im Katalog enthalten ist, ist ein Hinweis und nicht erschöpfend in Bezug auf Grafiken, Dekorationen, Farben, Verpackung und Abmessungen.



**think
outside
the box**

